Controlled Copy No RF/ER 94 00044

TECHNICAL MEMORANDUM

EGEG

FINAL WORK PLAN OPERABLE UNIT NO 7

PRESENT LANDFILL (IHSS 114) AND INACTIVE HAZARDOUS WASTE STORAGE AREA (IHSS 203)

VOLUME IV APRENDICES L P



SEPTEMBER 2, 1994

Technical Memorandum

Final Work Plan
Operable Unit No. 7 — Present Landfill (IHSS 114) and
Inactive Hazardous Waste Storage Area (IHSS 203)

Volume IV — Appendices L-P

September 2, 1994

U.S. Department of Energy Rocky Flats Site Golden, Colorado Appendix L
Histograms

KEY TO HISTOGRAM PLOTS

Units of measurement

ug/Kg micrograms per kilogram
mg/Kg milligrams per kilogram
ug/L micrograms per liter
pCi/L picocuries per liter

pH unit, measurement of the hydrogen ion activity, = -log10[H+]

Titles

OU7 Operable Unit No 7

SW surface water CaCO3 calcium carbonate

KaKl-w undifferentiated weathered Arapahoe and Laramie Formation

Orf Rocky Flats Alluvium

Qc - Colluvium

X-Axis

BKGD Site background sample population concentrations OU 7 site sample population concentrations from surface water station SW097 SW097 OU 7 site sample population concentrations from surface water station SW098 SW098 SW099 OU 7 site sample population concentrations from surface water station SW099 OU 7 site sample population concentrations from surface water station SW100 SW100 OU 7 site sample population concentrations (sediments and surface soils) SITE Sample population concentrations from Individual Hazardous Substance Site 114 **IHSS 114 IHSS 203** Sample population concentrations from Individual Hazardous Substance Site 203

ELP Sample population concentrations from the East Landfill Pond

Upgradient Upgradient of OU 7 sample population concentrations

Downgradient Downgradient of OU 7 sample population concentrations

Landfill Samples from landfill population concentrations

KEY TO HISTOGRAM PLOTS

Units of measurement

ug/Kg micrograms per kilogram
mg/Kg milligrams per kilogram
ug/L micrograms per liter
pCi/L picocuries per liter

pH unit, measurement of the hydrogen ion activity, = -log10[H+]

Titles

OU7 Operable Unit No 7 SW surface water

CaCO3 calcium carbonate

KaKl-w undifferentiated weathered Arapahoe and Laramie Formation

Qrf Rocky Flats Alluvium

Qc - Colluvium

X-Axis

SW097 OU 7 site sample population concentrations from surface water station SW097
SW098 OU 7 site sample population concentrations from surface water station SW098
SW099 OU 7 site sample population concentrations from surface water station SW099
SW100 OU 7 site sample population concentrations from surface water station SW100
SITE OU 7 site sample population concentrations (sediments and surface soils)
IHSS 114 Sample population concentrations from Individual Hazardous Substance Site 114

IHSS 114 Sample population concentrations from Individual Hazardous Substance Site 114
IHSS 203 Sample population concentrations from Individual Hazardous Substance Site 203

ELP Sample population concentrations from the East Landfill Pond

Upgradient Upgradient of OU 7 sample population concentrations

Downgradient Downgradient of OU 7 sample population concentrations


Landfill Samples from landfill population concentrations

Surface Soils


Background vs. IHSS 203

(0 to 2 inches)

STRONTIUM -- 89,90 (pCi/g) in Surface Soils (0-2 inches)




URANIUM - 233, - 234 (pCl/g) in Surface Soils (0 - 2 inches)




RADIUM-228 (pCI/g) in Surface Soils (0-2 inches)






I

RADIUM - 226 (pCl/g) in Surface Soils (0-2 inches)




PLUTONIUM – 239/240 (pCi/g) in Surface Soils (0 – 2 inches)






GROSS BETA (pCl/g) in Surface Soils (0-2 inches)




GROSS ALPHA (pCi/g) in Surface Soils (0-2 inches)
ANALYTE = GROSS ALPHA






AMERICIUM - 241 (pCl/g) in Surface Soils (0-2 inches)






ž


ZINC (mg/Kg) in Surface Soils (0-2 inches)






TOTAL ORGANIC CARBON (mg/Kg) in Surface Soils (0-2 inches)






STRONTIUM (mg/Kg) in Surface Soils (0-2 inches)




SODIUM (mg/Kg) in Surface Soils (0-2 inches)






SILVER (mg/Kg) in Surface Soils (0-2 inches)






SILICON (mg/Kg) in Surface Soils (0-2 inches) ANALYTE = SILICON






POTASSIUM (mg/Kg) in Surface Soils (0-2 inches)




Background vs IHSS 203 Frequency Histogram NICKEL (mg/Kg) In Surface Soils (0-2 inches) ANALYTE = NICKEL






MANGANESE (mg/Kg) in Surface Soils (0-2 inches)




MAGNESIUM (mg/Kg) in Surface Soils (0-2 inches)






LITHIUM (mg/Kg) in Surface Soils (0-2 inches)






LEAD (mg/Kg) in Surface Soils (0-2 inches)









COPPER (mg/Kg) in Surface Solls (0-2 inches)






Background vs IHSS 203 Frequency Histogram

COBALT (mg/Kg) in Surface Soils (0-2 inches)




CHROMIUM (mg/Kg) in Surface Soils (0-2 inches)







CALCIUM (mg/Kg) in Surface Solis (0-2 inches)



BERYLLIUM (mg/Kg) in Surface Soils (0-2 inches)









ARSENIC (mg/Kg) in Surface Soils (0-2 inches)











% SOLIDS (%) in Surface Soils (0-2 inches)






A STATE OF THE PARTY OF THE PAR

TRITIUM (pCI/L) in Surface Soils (0-2 Inches)




URANIUM - 238 (pCi/g) in Surface Soils (0-2 inches)






ZZZZZ Detected Values

URANIUM - 235 (pCI/g) in Surface Soils (0-2 inches)











THE STATE OF

Background vs IHSS 203 Frequency Histogram URANIUM - 238 (pCl/g) in Surface Soils (0-2 inches)




TRITIUM (pCi/L) in Surface Soils (0-2 inches)





% SOLIDS (%) in Surface Solls (0-2 inches)






Surface Soils

Background vs. IHSS 203


(0 to 10 inches)

% SOLIDS in Surface Soils (0-10 inches)



AMERICIUM - 241 (pCi/g) in Surface Soils (0-10 inches)


ANALYTE = AMERICIUM - 241



CESIUM -- 137 (pCi/g) in Surface Soils (0 -- 10 inches)
ANALYTE = CESIUM - 137









GROSS ALPHA (pCI/g) in Surface Soils (0-10 inches)

ANALYTE = GROSS ALPHA




GROSS BETA (pCI/g) in Surface Soils (0-10 inches)






Background vs IHSS 203 Frequency Histogram PLUTONIUM – 239/240 (pCl/g) in Surface Solls (0 – 10 Inches)




ZZZZZZ Detected Values

STRONTIUM – 89,90 (pCI/g) in Surface Soils (0 – 10 inches)
ANALYTE = STRONTIUM - 89,90








URANIUM - 235 (pCi/g) in Surface Soils (0-10 inches)

ANALYTE = URANIUM - 235






WWW Detected Values


URANIUM — 238 (pCl/g) in Surface Soils (0 — 10 inches)

ANALYTE = URANIUM - 236



ALUMINUM (mg/Kg) in Surface Soils (0-10 inches)






WWW Detected Values


ARSENIC (mg/Kg) in Surface Solls (0-10 inches) ANALYTE = ARSENIC

٠ ° د




BARIUM (mg/Kg) in Surface Soils (0-10 inches)






BERYLLIUM (mg/Kg) in Surface Soils (0-10 inches) ANALYTE = BERYLLIUM




CALCIUM (mg/Kg) in Surface Soils (0-10 inches)






WWW Detected Values

CHROMIUM (mg/Kg) in Surface Soils (0-10 inches) ANALYTE = CHROMIUM




COBALT (mg/Kg) in Surface Soils (0-10 inches)











Background vs IHSS 203 Frequency Histogram IRON (mg/Kg) in Surface Soils (0-10 inches)




LEAD (mg/Kg) in Surface Soils (0-10 inches)




LITHIUM (mg/Kg) in Surface Soils (0-10 inches)






MAGNESIUM (mg/Kg) in Surface Soils (0-10 inches) ANALYTE = MAGNESIUM




MANGANESE (mg/Kg) in Surface Soils (0-10 inches)






NICKEL (mg/Kg) in Surface Soils (0-10 inches)






POTASSIUM (mg/Kg) in Surface Soils (0-10 inches)






SILICON (mg/Kg) in Surface Solls (0-10 inches) ANALYTE = SILICON




SODIUM (mg/Kg) in Surface Soils (0-10 inches)







STRONTIUM (mg/Kg) in Surface Soils (0-10 inches)



TOTAL ORGANIC CARBON (mg/Kg) in Surface Soils (0-10 inches)




VANADIUM (mg/Kg) in Surface Solls (0-10 inches) ANALYTE = VANADIUM



ZINC (mg/Kg) in Surface Soils (0-10 inches)






Surface Soils


Background vs. IHSS 114

(0 to 2 inches)

URANIUM-238 (pCl/g) in Surface Soils (0-2 inches)


ANALYTE = URANIUM - 238






URANIUM - 233, - 234 (pCI/g) in Surface Soils (0-2 inches)






STRONTIUM - 89,90 (pCi/g) in Surface Soils (0-2 inches)



RADIUM - 228 (pCl/g) in Surface Soils (0-2 inches)
ANALYTE = RADIUM - 228




yelative Frequency (%)

Vake

777772 Detected Values


Background vs IHSS 114 Frequency Histogram RADIUM-226 (pCi/g) in Surface Soils (0-2 inches)

ANALYTE = RADIUM -- 226




PLUTONIUM - 239/240 (pCi/g) in Surface Soils (0-2 inches)







GROSS BETA (pCI/g) in Surface Soils (0-2 inches)
ANALYTE = GROSS BETA



GROSS ALPHA (pCi/g) in Surface Soils (0-2 inches)





CESIUM - 137 (pCi/g) in Surface Soils (0-2 inches)



CESIUM - 134 (pCi/g) in Surface Soils (0-2 inches)








ZZZZZ Detected Values

0 044

Value


VS IHSS 114 Frequency Histogram PH in Surface Soils (0-2 inches) Background






ZINC (mg/Kg) in Surface Soils (0-2 inches)

ANALYTE = ZINC




VANADIUM (mg/Kg) in Surface Soils (0-2 inches)











STRONTIUM (mg/Kg) in Surface Soils (0-2 inches)






SODIUM (mg/Kg) in Surface Soils (0-2 inches) ANALYTE = SODIUM




SILICON (mg/Kg) in Surface Soils (0-2 inches)






SELENIUM (mg/Kg) in Surface Soils (0-2 inches)




PYRENE (ug/Kg) in Surface Soils (0-2 inches)
ANALYTE = PYRENE






POTASSIUM (mg/Kg) in Surface Soils (0-2 inches)











NICKEL (mg/Kg) in Surface Soils (0-2 inches) ANALYTE = NICKEL




MANGANESE (mg/Kg) in Surface Soils (0-2 inches)






MAGNESIUM (mg/Kg) in Surface Soils (0-2 inches)

ANALYTE = MAGNESIUM




LITHIUM (mg/Kg) in Surface Soils (0-2 inches)






LEAD (mg/Kg) in Surface Soils (0-2 inches)




IRON (mg/Kg) in Surface Soils (0-2 inches)






Background vs IHSS 114 Frequency Histogram FLUORANTHENE (ug/Kg) in Surface Soils (0-2 inches)




COPPER (mg/Kg) in Surface Soils (0-2 inches)






COBALT (mg/Kg) in Surface Soils (0-2 inches)




CHROMIUM (mg/Kg) in Surface Soils (0-2 inches)











BERYLLIUM (mg/Kg) in Surface Soils (0-2 inches)




BARIUM (mg/Kg) in Surface Soils (0-2 inches)




ARSENIC (mg/Kg) in Surface Soils (0-2 inches)
ANALYTE = ARSENIC






Background vs IHSS 114 Frequency Histogram ALUMINUM (mg/Kg) in Surface Soils (0-2 inches)



Surface Soils


Background vs East Landfill Pond

(0 to 2 inches)



ALUMINUM (mg/Kg) in Surface Soils (0-2 inches)


ANALYTE = ALUMINUM



VIIII Detected Values


Background vs East Landfill Pond Frequency Histogram

ARSENIC (mg/Kg) in Surface Soils (0-2 inches)




BARIUM (mg/Kg) in Surface Soils (0-2 inches)






Background vs East Landfill Pond Frequency Histogram

BERYLLIUM (mg/Kg) in Surface Soils (0-2 inches)




CALCIUM (mg/Kg) in Surface Soils (0-2 inches)






CHROMIUM (mg/Kg) in Surface Soils (0-2 inches)




COBALT (mg/Kg) in Surface Soils (0-2 inches)




vs East Landfill Pond Frequency Histogram **Background**


COPPER (mg/Kg) in Surface Soils (0-2 inches)








Background vs East Landfill Pond Frequency Histogram LEAD (mg/Kg) in Surface Soils (0-2 inches)




LITHIUM (mg/Kg) in Surface Soils (0-2 inches)






MAGNESIUM (mg/Kg) in Surface Soils (0-2 inches)




MANGANESE (mg/Kg) in Surface Soils (0-2 inches)
ANALYTE = MANGANESE






NICKEL (mg/Kg) in Surface Soils (0-2 inches)






NITRATE/NITRITE (mg/Kg) in Surface Soils (0-2 inches)






NITRATE/NITRITE (mg/Kg) in Surface Soils (0-2 inches)






POTASSIUM (mg/Kg) in Surface Soils (0-2 inches)






Background vs East Landfill Pond Frequency Histogram




SILICON (mg/Kg) in Surface Soils (0-2 inches)






SODIUM (mg/Kg) in Surface Soils (0-2 inches)





STRONTIUM (mg/Kg) in Surface Soils (0-2 inches)





Helative Frequency (%)

\$


ZZZZZ Detected Values

TOTAL ORGANIC CARBON (mg/Kg) in Surface Soils (0-2 inches)











AMERICIUM - 241 (pCi/g) in Surface Soils (0-2 inches)






CESIUM-134 (pCi/g) in Surface Soils (0-2 inches)




CESIUM-137 (pCi/g) in Surface Soils (0-2 inches)






GROSS ALPHA (pCI/g) in Surface Soils (0-2 inches)




GROSS BETA (pCi/g) in Surface Soils (0-2 inches)







PLUTONIUM - 239/240 (pCi/g) in Surface Soils (0 - 2 inches)




RADIUM-226 (pCi/g) in Surface Soils (0-2 inches)






STRONTIUM — 89,90 (pCi/g) in Surface Soils (0 – 2 inches)
ANALYTE = STRONTIUM - 89,90






TRITIUM (pCI/L) in Surface Soils (0-2 inches)






URANIUM - 233, - 234 (pCi/g) in Surface Soils (0-2 inches)




URANIUM - 235 (pCi/g) in Surface Soils (0-2 inches)





URANIUM - 238 (pCi/g) in Surface Soils (0-2 inches)




Surface Soils

Background vs. East Landfill Pond


(0 to 10 inches)

% SOLIDS in Surface Soils (0-10 inches)











CESIUM-134 (pCi/g) in Surface Soils (0-10 inches)






CESIUM - 137 (pCi/g) in Surface Soils (0-10 inches)




GROSS ALPHA (pCi/g) in Surface Soils (0-10 inches)






GROSS BETA (pCi/g) in Surface Soils (0-10 inches)






PLUTONIUM — 239/240 (pCi/g) in Surface Soils (0 – 10 inches)











RADIUM-228 (pCi/g) in Surface Soils (0-10 inches)




Background vs East Landfill Pond Frequency Histogram STRONTIUM - 89,90 (pCi/g) in Surface Soils (0-10 inches) ANALYTE = STRONTIUM - 89,90




URANIUM - 233, - 234 (pCi/g) in Surface Soils (0-10 inches)






Background vs East Landfill Pond Frequency Histogram URANIUM - 235 (pCi/g) in Surface Soils (0-10 inches)






URANIUM - 238 (pCi/g) in Surface Soils (0-10 inches)






Background vs East Landfill Pond Frequency Histogram TRITIUM (pCi/L) in Surface Soils (0-10 inches)

ANALYTE = TRITIUM




ALUMINUM (mg/Kg) in Surface Soils (0-10 inches)






ARSENIC (mg/Kg) in Surface Soils (0-10 inches) ANALYTE = ARSENIC





BARIUM (mg/Kg) in Surface Soils (0-10 inches)






CALCIUM (mg/Kg) in Surface Soils (0-10 inches)





CHROMIUM (mg/Kg) in Surface Soils (0-10 inches)







Background vs East Landfill Pond Frequency Histogram COBALT (mg/Kg) in Surface Soils (0-10 inches)










SITE

WIVE Detected Values


0

Background vs East Landfill Pond Frequency Histogram IRON (mg/Kg) in Surface Soils (0-10 inches)




LEAD (mg/Kg) in Surface Soils (0-10 inches)






LITHIUM (mg/Kg) in Surface Soils (0-10 inches) ANALYTE = LITHIUM



MAGNESIUM (mg/Kg) in Surface Soils (0-10 inches)






MANGANESE (mg/Kg) in Surface Soils (0-10 inches)









Background vs East Landfill Pond Frequency Histogram NICKEL (mg/Kg) in Surface Soils (0-10 inches)






NITRATE/NITRITE (mg/Kg) in Surface Soils (0-10 inches)




POTASSIUM (mg/Kg) in Surface Soils (0-10 inches) ANALYTE = POTASSIUM






Background vs East Landfill Pond Frequency Histogram

SELENIUM (mg/Kg) in Surface Soils (0-10 inches) ANALYTE = SELENIUM




SILICON (mg/Kg) in Surface Soils (0-10 inches)













STRONTIUM (mg/Kg) in Surface Soils (0-10 inches)






TOTAL ORGANIC CARBON (mg/Kg) in Surface Soils (0-10 inches)

ANALYTE = TOTAL ORGANIC CARBON




VANADIUM (mg/Kg) in Surface Soils (0-10 inches)





Background vs East Landfill Pond Frequency Histogram

ZINC (mg/Kg) in Surface Soils (0-10 inches)



Subsurface Geologic Materials


Background vs. Ou 7 Upgradient Qrf

CESIUM – 137 (pCi/g) in Subsurface Geologic Materials







Background Qrf vs Upgradient OU7 Qrf Frequency Histogram GROSS ALPHA (pCi/g) in Subsurface Geologic Materials ANALYTE = GROSS ALPHA




GROSS BETA (pCI/g) in Subsurface Geologic Materials ANALYTE = GROSS BETA



Background Qrf vs Upgradient OU7 Qrf Frequency Histogram PLUTONIUM — 239,240 (pCl/g) in Subsurface Geologic Materials




RADIUM - 226 (pCI/g) In Subsurface Geologic Materials
ANALYTE = RADIUM - 226




Background Qrf vs Upgradient OU7 Qrf Frequency Histogram RADIUM - 228 (pCi/g) in Subsurface Geologic Materials






STRONTIUM — 89,90 (pCI/g) in Subsurface Geologic Materials
ANALYTE = STRONTIUM - 89,90







Background Qrf vs Upgradient OU7 Qrf Frequency Histogram TRITIUM (pCi/L) in Subsurface Geologic Materials ANALYTE = TRITIUM



URANIUM – 233, – 234 (pCi/g) in Subsurface Geologic Materials




Background Qrf vs Upgradient OU7 Qrf Frequency Histogram URANIUM - 235 (pCl/g) in Subsurface Geologic Materials ANALYTE = URANIUM - 235




URANIUM -- 238 (pCl/g) in Subsurface Geologic Materials
ANALYTE = URANIUM - 238






Background Qrf vs Upgradient OU7 Qrf Frequency Histogram











Background Qrf vs Upgradient OU7 Qrf Frequency Histogram % SOLIDS (%) in Subsurface Geologic Materials




ALUMINUM (mg/Kg) in Subsurface Geologic Materials






Background Qrf vs Upgradient OU7 Qrf Frequency Histogram ARSENIC (mg/Kg) in Subsurface Geologic Materials




BARIUM (mg/Kg) in Subsurface Geologic Materials






Background Qrf vs Upgradient OU7 Qrf Frequency Histogram BERYLLIUM (mg/Kg) in Subsurface Geologic Materials




CALCIUM (mg/Kg) in Subsurface Geologic Materials







Background Qrf vs Upgradient OU7 Qrf Frequency Histogram CHROMIUM (mg/Kg) in Subsurface Geologic Materials



Background Orf vs Upgradient OU7 Orf Frequency Histogram COBALT (mg/Kg) In Subsurface Geologic Materials




Background Qrf vs Upgradient OU7 Qrf Frequency Histogram COPPER (mg/Kg) in Subsurface Geologic Materials ANALYTE = COPPER



IRON (mg/Kg) in Subsurface Geologic Materials







WWW Detected Values

Background Qrf vs Upgradient OU7 Qrf Frequency Histogram

LEAD (mg/Kg) in Subsurface Geologic Materials ANALYTE = LEAD






. CONTRA Detected Values

Value

P


Background Qrf vs Upgradient OU7 Qrf Frequency Histogram






MANGANESE (mg/Kg) in Subsurface Geologic Materials ANALYTE = MANGANESE






Background Qrf vs Upgradient OU7 Qrf Frequency Histogram MOLYBDENUM (mg/Kg) in Subsurface Geologic Materials




NICKEL (mg/Kg) in Subsurface Geologic Materials






Background Qrf vs Upgradient OU7 Qrf Frequency Histogram POTASSIUM (mg/Kg) in Subsurface Geologic Materials ANALYTE = POTASSIUM







Value

200


8

8

VIIII Detected Values

UPGRADIENT


Background Qrf vs Upgradient OU7 Qrf Frequency Histogram SODIUM (mg/Kg) in Subsurface Geologic Materials MUIDOS = STYLANA




Detected Values

MXXXXX Non Detected Values

STRONTIUM (mg/Kg) in Subsurface Geologic Materials




Background Qrf vs Upgradient OU7 Qrf Frequency Histogram VANADIUM (mg/Kg) in Subsurface Geologic Materials ANALYTE = VANADIUM



ZINC (mg/Kg) in Subsurface Geologic Materials






Subsurface Geologic Materials


Background vs. OU 7 Downgradient Qc

Background Qc vs Downgradient OU7 Qc Frequency Histogram ALUMINUM (mg/Kg) in Subsurface Geologic Materials




WWW Detected Values

Background Qc vs Downgradient OU7 Qc Frequency Histogram ARSENIC (mg/Kg) in Subsurface Geologic Materials ANALYTE = ARSENIC




BARIUM (mg/Kg) in Subsurface Geologic Materials







Background Qc vs Downgradient OU7 Qc Frequency Histogram BERYLLIUM (mg/Kg) in Subsurface Geologic Materials




Background Qc vs Downgradient OU7 Qc Frequency Histogram CALCIUM (mg/Kg) in Subsurface Geologic Materials ANALYTE=CALCIUM




Background Qc vs Downgradient OU7 Qc Frequency Histogram CHROMIUM (mg/Kg) in Subsurface Geologic Materials









Background Qc vs Downgradient OU7 Qc Frequency Histogram COPPER (mg/Kg) in Subsurface Geologic Materials ANALYTE - COPPER



Background Qc vs Downgradient OU7 Qc Frequency Histogram IRON (mg/Kg) in Subsurface Geologic Materials




Background Qc vs Downgradient OU7 Qc Frequency Histogram LEAD (mg/Kg) in Subsurface Geologic Materials





LITHIUM (mg/Kg) in Subsurface Geologic Materials






Background Qc vs Downgradient OU7 Qc Frequency Histogram MAGNESIUM (mg/Kg) in Subsurface Geologic Materials ANALYTE - MAGNESIUM






VIIII Detected Values


Background Qc vs Downgradient OU7 Qc Frequency Histogram NICKEL (mg/Kg) in Subsurface Geologic Materials



Background Qc vs Downgradient OU7 Qc Frequency Histogram NITRATE/NITRITE (mg/Kg) in Subsurface Geologic Materials




Background Qc vs Downgradient OU7 Qc Frequency Histogram POTASSIUM (mg/Kg) in Subsurface Geologic Materials




SELENIUM (mg/Kg) in Subsurface Geologic Materials






ZZZZZ Detected Values

Background Qc vs Downgradient OU7 Qc Frequency Histogram SILICON (mg/Kg) in Subsurface Geologic Materials ANALYTE - SILICON



ZZZZZZ Detected Values







TITIZ Detected Values

→ DOWNGRADIENT →

Background Qc vs Downgradient OU7 Qc Frequency Histogram STRONTIUM (mg/Kg) in Subsurface Geologic Materials ANALYTE - STRONTIUM




TIN (mg/Kg) in Subsurface Geologic Materials



EXECUTE Non Detected Values


Detected Values

Background Qc vs Downgradient OU7 Qc Frequency Histogram TOTAL ORGANIC CARBON (mg/Kg) in Subsurface Geologic Materials




VANADIUM (mg/Kg) in Subsurface Geologic Materials






Background Qc vs Downgradient OU7 Qc Frequency Histogram ZINC (mg/Kg) in Subsurface Geologic Materials




Background Qc vs Downgradient OU7 Qc Frequency Histogram

SOLIDS (%) in Subsurface Geologic Materials %






Background Qc vs Downgradient OU7 Qc Frequency Histogram AMERICIUM – 241 (pCl/g) in Subsurface Geologic Materials




Background Qc vs Downgradient OU7 Qc Frequency Histogram

CESIUM-137 (pCl/g) in Subsurface Geologic Materials






Background Qc vs Downgradient OU7 Qc Frequency Histogram GROSS ALPHA (pCl/g) in Subsurface Geologic Materials




Value

Background Qc vs Downgradient OU7 Qc Frequency Histogram GROSS BETA (pCI/g) in Subsurface Geologic Materials




Background Qc vs Downgradient OU7 Qc Frequency Histogram PLUTONIUM – 239,240 (pCi/g) in Subsurface Geologic Materials




Background Qc vs Downgradient OU7 Qc Frequency Histogram

RADIUM-226 (pCI/g) in Subsurface Geologic Materials






Background Qc vs Downgradient OU7 Qc Frequency Histogram RADIUM - 228 (pCi/g) in Subsurface Geologic Materials ANALYTE = RADIUM - 228




Background Qc vs Downgradient OU7 Qc Frequency Histogram







Background Qc vs Downgradient OU7 Qc Frequency Histogram TRITIUM (pCI/L) in Subsurface Geologic Materials



Background Qc vs Downgradient OU7 Qc Frequency Histogram URANIUM - 233, - 234 (pCi/g) in Subsurface Geologic Materials



Background Qc vs Downgradient OU7 Qc Frequency Histogram URANIUM — 235 (pCi/g) in Subsurface Geologic Materials




*.*2

Value


Background Qc vs Downgradien OU7 Qc Frequency Histogram







Background Qc vs Downgradient OU7 Qc Frequency Histogram TOLUENE (ug/Kg) in Subsurface Geologic Materials ANALYTE - TOLUENE




<u>Value</u>

Background Qc vs Downgradient OU7 Qc Frequency Histogram

pH in Subsurface Geologic Materials






Subsurface Geologic Materials

Background vs. OU 7 Upgradient KaKl(w)


Back round KaKI-w vs OU7 RaKI-w Frequency Histogram URANIUM - 238 (pCi/g) in Subsurface Geologic Materials





WWW Detected Values


URANIUM – 235 (pCl/g) in Subsurface Geologic Materials



ZZZZZZ Detected Values


Background KaKl-w vs OU7 KaKl-w Frequency Histogram URANIUM - 233, - 234 (pCI/g) in Subsurface Geologic Materials






ZZZZZ Detected Values

Background KaKI-w vs OU7 KaKI-w Frequency Histogram TRITIUM (pCI/L) in Subsurface Geologic Materials ANALYTE = TRITIUM




STRONTIUM-89,90 (pCl/g) in Subsurface Geologic Materials






Background KaKI—w vs OU7 KaKI—w Frequency Histogram RADIUM-228 (pCl/g) in Subsurface Geologic Materials ANALYTE = RADIUM - 228




ZZZZZ Detected Values

RADIUM – 226 (pCi/g) in Subsurface Geologic Materials






Background KaKI-w vs OU7 KaKI-w Frequency Histogram PLUTONIUM — 239,240 (pCl/g) in Subsurface Geologic Materials




GROSS BETA (pCi/g) in Subsurface Geologic Materials ANALYTE = GROSS BETA






Background KaKI-w vs OU7 KaKI-w Frequency Histogram GROSS ALPHA (pCi/g) in Subsurface Geologic Materials




CESIUM-137 (pCI/g) in Subsurface Geologic Materials






VIVII Detected Values

Background KaKI-w vs OU7 KaKI-w Frequency Histogram AMERICIUM — 241 (pCl/g) in Subsurface Geologic Materials




% SOLIDS (%) in Subsurface Geologic Materials











ZZZZZZ Detected Values

pH in Subsurface Geologic Materials






Background KaKI-w vs OU7 KaKI-w Frequency Histogram SODIUM (mg\Kg) in Subsurface Geologic Materials ANALYTE = SODIUM












Background KaKI-w vs OU7 KaKI-w Frequency Histogram POTASSIUM (mg\Kg) in Subsurface Geologic Materials ANALYTE = POTASSIUM



NICKEL (mg\Kg) in Subsurface Geologic Materials




Background KaKI-w vs OU7 KaKI-w Frequency Histogram MANGANESE (mg\Kg) in Subsurface Geologic Materials




MAGNESIUM (mg\Kg) in Subsurface Geologic Materials






Background KaKI-w vs OU7 KaKI-w Frequency Histogram LITHIUM (mg\Kg) in Subsurface Geologic Materials ANALYTE = LITHIUM




LEAD (mg\Kg) in Subsurface Geologic Materials






Background KaKI-w vs OU7 KaKI-w Frequency Histogram IRON (mg\Kg) in Subsurface Geologic Materials ANALYTE = IRON




COPPER (mg\Kg) in Subsurface Geologic Materials






Background KaKI-w vs OU7 KaKI-w Frequency Histogram COBALT (mg\Kg) in Subsurface Geologic Materials


ANALYTE = COBALT



CHROMIUM (mg\Kg) in Subsurface Geologic Materials




Background KaKI-w vs OU7 KaKI-w Frequency Histogram CALCIUM (mg\Kg) in Subsurface Geologic Materials




BERYLLIUM (mg\Kg) in Subsurface Geologic Materials






Background KaKI-w vs OU7 KaKI-w Frequency Histogram BARIUM (mg\Kg) in Subsurface Geologic Materials ANALYTE = BARIUM




Background KaKl—w vs OU7 KaKl—w Frequency Histogram ARSENIC (mg\Kg) in Subsurface Geologic Materials





WWW Detected Values

Background KaKI-w vs OU7 KaKI-w Frequency Histogram ALUMINUM (mg\Kg) in Subsurface Geologic Materials ANALYTE = ALUMINUM




Subsurface Geologic Materials


Background vs. OU 7 Downgradient KaKl(w)

ALUMINUM (mg\Kg) in Subsurface Geologic Materials






Background KaKI-w vs OU7 KaKI-w Frequency Histogram ARSENIC (mg\Kg) in Subsurface Geologic Materials ANALYTE = ARSENIC




BARIUM (mg\Kg) in Subsurface Geologic Materials






Background KaKI-w vs OU7 KaKI-w Frequency Histogram BERYLLIUM (mg\Kg) in Subsurface Geologic Materials ANALYTE - BERYLLJUM



Background KaKl—w vs OU7 KaKl—w Frequency Histogram CALCIUM (mg\Kg) in Subsurface Geologic Materials


ANALYTE = CALCIUM




777772 Detected Values

COBALT (mg\Kg) in Subsurface Geologic Materials






Background KaKI-w vs OU7 KaKI-w Frequency Histogram CHROMIUM (mg\Kg) in Subsurface Geologic Materials ANALYTE = CHRONIUN









IRON (mg\Kg) in Subsurface Geologic Materials






WWW Detected Values

Background KaKI-w vs OU7 KaKI-w Frequency Histogram LEAD (mg\Kg) in Subsurface Geologic Materials




LITHIUM (mg\Kg) in Subsurface Geologic Materials






MAGNESIUM (mg\Kg) in Subsurface Geologic Materials ANALYTE = MAGNESIUM










Background KaKI-w vs OU7 KaKI-w Frequency Histogram NICKEL (mg\Kg) in Subsurface Geologic Materials


ANALYTE = NICKEL




Value

POTASSIUM (mg\Kg) in Subsurface Geologic Materials





SELENIUM (mg\Kg) in Subsurface Geologic Materials ANALYTE = SELENIUM



TILL O


Detected Values

XXXXXXI Non Detected Values

Background KaKI—w vs OU7 KaKI—w Frequency Histogram SILICON (mg\Kg) in Subsurface Geologic Materials










WWW Detected Values

Background KaKI-w vs OU7 KaKI-w Frequency Histogram SODIUM (mg\Kg) in Subsurface Geologic Materials ANALYTE = SODIUM




STRONTIUM (mg\Kg) in Subsurface Geologic Materials






Background KaKI-w vs OU7 KaKI-w Frequency Histogram VANADIUM (mg\Kg) in Subsurface Geologic Materials ANALYTE = VANADIUM




ZINC (mg\Kg) in Subsurface Geologic Materials






% SOLIDS (%) in Subsurface Geologic Materials ANALYTE = % SOLIDS




AMERICIUM - 241 (pCi/g) in Subsurface Geologic Materials
ANALYTE = AMERICIUM - 241



Background KaKI-w vs OU7 KaKI-w Frequency Histogram


CESIUM - 137 (pCi/g) in Subsurface Geologic Materials




Background KaKI-w vs OU7 KaKI-w Frequency Histogram GROSS ALPHA (pCl/g) in Subsurface Geologic Materials

ANALYTE = GROSS ALPHA





Background KaKI—w vs OU7 KaKI—w Frequency Histogram GROSS BETA (pCl/g) in Subsurface Geologic Materials




ZZZZZ Detected Values


Background KaKl-w vs OU7 KaKl-w Frequency Histogram

PLUTONIUM – 239,240 (pCI/g) in Subsurface Geologic Materials






Background KaKI-w vs OU7 KaKI-w Frequency Histogram RADIUM – 226 (pCi/g) In Subsurface Geologic Materials




Background KaKl-w vs OU7 KaKl-w Frequency Histogram

RADIUM-228 (pCI/g) In Subsurface Geologic Materials






Background KaKI-w vs OU7 KaKI-w Frequency Histogram STRONTIUM — 89,90 (pCi/g) in Subsurface Geologic Materials




Background KaKl-w vs OU7 KaKl-w Frequency Histogram TRITIUM (pCI/L) In Subsurface Geologic Materials






Background KaKl-w vs OU7 KaKl-w Frequency Histogram






ZZZZZZ Detected Values


Background KaKl-w vs OU7 KaKl-w Frequency Histogram URANIUM – 235 (pCl/g) in Subsurface Geologic Materials ANALYTE = URANIUM - 235



Background KaKI-w vs OU7 KaKI-w Frequency Histogram URANIUM – 238 (pCl/g) in Subsurface Geologic Materials



Background KaKI—w vs OU7 KaKI—w Frequency Histogram TOLUENE (ug/Kg) in Subsurface Geologic Materials



ZZZZZ Detected Values

T DOWNGRADIENT T

Value

9


450

30

50


Background KaKI-w vs OU7 KaKI-w Frequency Histogram






Sediments

Background vs. East Landfill Pond






WITIZ Detected Values

Background vs East Landfill Pond Sediments Frequency Histogram ALKALINITY AS CACO3 (mg/Kg) in Sediments ANALYTE = ALKALINITY AS CACO3









ALUMINUM (mg/Kg) in Sediments ANALYTE = ALUMINUM







Background vs East Landfill Pond Sediments Frequency Histogram ARSENIC (mg/Kg) in Sediments ANALYTE = ARSENIC


















BICARBONATE AS CACO3 (mg/Kg) in Sediments
ANALYTE = BICARBONATE AS CACO3






777777 Detected Values









COBALT (mg/Kg) in Sediments
















LEAD (mg/Kg) in Sediments











A LA




NICKEL (mg/Kg) in Sediments
ANALYTE=NICKEL














Back Jound vs East Landfill Pond Sediments Frequency Histogram POTASSIUM (mg/Kg) in Sediments
ANALYTE = POTASSIUM









SILICON (mg/Kg) in Sediments ANALYTE = SILICON




























ZINC (mg/Kg) in Sediments ANALYTE = ZINC






Background vs East Landfill Pond Sediments Frequency Histogram







CESIUM - 137 (pCI/g) in Sediments
ANALYTE = CESIUM - 137













PLUTONIUM - 238 (pCI/g) in Sediments
ANALYTE = PLUTONIUM - 238




VIIII Departed

PLUTONIUM — 239/240 (pCi/g) in Sediments
ANALYTE = PLUTONIUM - 239/240









ZZZZZ Detected Values











WWW Detected Values

TRITIUM (pCI/L) in Sediments
ANALYTE = TRITIUM









URANIUM - 233, - 234 (pCi/g) in Sediments
ANALYTE = URANIUM - 233, - 234






URANIUM – 235 (pCI/g) in Sediments
ANALYTE = URANIUM – 236







URANIUM — 238 (pCI/g) in Sediments
ANALYTE = URANIUM - 238










Surface Water

(Dissolved)


Background vs OU 7 (SW098)

~38











Dissolved CESIUM -- 137 (pCI/L) in Surface Water











Background vs OU7 Surface Water (SW098) Frequency Histogram Dissolved GROSS BETA (pCI/L) in Surface Water




Background vs OU7 Surface Water (SW098) Frequency Histogram








Dissolved NEPTUNIUM – 237 (pCl/L) in Surface Water




Background vs OU7 Surface Water (SW098) Frequency Histogram Dissolved PLUTONIUM - 236 (pCI/L) in Surface Water





The sea of the season













Dissolved PLUTONIUM - 239/240 (pCI/L) in Surface Water





Background vs OU7 Surface Water (SW098) Frequency Histogram

Dissolved RADIUM - 226 (pCI/L) in Surface Water




Relative Frequency (%)

Yak's


22222 Detected Values

Dissolved RADIUM - 228 (pCi/L) in Surface Water






Dissolved STRONTIUM -- 89 (pCI/L) in Surface Water




Dissolved STRONTIUM – 89,90 (pCI/L) in Surface Water











Dissolved TOTAL RADIOCESIUM (pCI/L) in Surface Water









ZZZZZ Detected Values

Dissolved URANIUM, TOTAL (pCI/L) in Surface Water




Dissolved URANIUM - 233, - 234 (pCI/L) in Surface Water



ين نون نون








Background vs OU7 Surface Water (SW098) Frequency Histogram


Dissolved URANIUM - 235 (pCI/L) in Surface Water






Dissolved URANIUM - 238 (pCI/L) in Surface Water





Background vs OU7 Surface Water (SW098) Frequency Histogram Dissolved BARIUM (ug/L) in Surface Water ANALYTE-BARIUM




Background vs OU7 Surface Water (SW098) Frequency Histogram Dissolved CALCIUM (ug/L) in Surface Water




Background vs OU7 Surface Water (SW098) Frequency Histogram











Background vs OU7 Surface Water (SW098) Frequency Histogram







Dissolved MAGNESIUM (ug/L) in Surface Water














Background vs OU7 Surface Water (SW098) Frequency Histogram Dissolved POTASSIUM (ug/L) in Surface Water



Dissolved SILICA (ug/L) in Surface Water



Dissolved SILICON (ug/L) in Surface Water




Dissolved SODIUM (ug/L) in Surface Water






Background vs OU7 Surface Water (SW098) Frequency Histogram Dissolved STRONTIUM (ug/L) in Surface Water



Dissolved ZINC (ug/L) in Surface Water





فستلاهم شد

<u>ş</u>-


Surface Water

(Total)


Background vs. OU 7 (SW098)

The state of the s

Background vs OU7 Surface Water (SW098) Frequency Histogram Total ALUMINUM (ug/L) in Surface Water




Background vs OU7 Surface Water (SW098) Frequency Histogram Total BARIUM (ug/L) In Surface Water




Total BICARBONATE (ug/L) in Surface Water






777777 Detected Values

Background vs OU7 Surface Water (SW098) Frequency Histogram
Total BICARBONATE AS CACO3 (ug/L) in Surface Water




ZZZZZ Detected Values

Background vs OU7 Surface Water (SW098) Frequency Histogram Total CARBONATE AS CACO3 (ug/L) in Surface Water




Background vs OU7 Surface Water (SW098) Frequency Histogram


Total CBOD5 (ug/L) in Surface Water



Background vs OU7 Surface Water (SW098) Frequency Histogram Total CALCIUM (ug/L) in Surface Water




Background vs OU7 Surface Water (SW098) Frequency Histogram Total CHLORIDE (ug/L) in Surface Water




Total DISSOLVED ORGANIC CARBON (ug/L) in Surface Water






777777 Detected Values

Background vs OU7 Surface Water (SW098) Frequency Histogram Total FLUORIDE (ug/L) in Surface Water




Total IRON (ug/L) in Surface Water







Background vs OU7 Surface Water (SW098) Frequency Histogram Total LITHIUM (ug/L) in Surface Water



Total MAGNESIUM (ug/L) in Surface Water




Background vs OU7 Surface Water (SW098) Frequency Histogram Total MANGANESE (ug/L) in Surface Water



Total NICKEL (ug/L) in Surface Water







Background vs OU7 Surface Water (SW098) Frequency Histogram

Total NITRATE/NITRITE (ug/L) in Surface Water











Background vs OU7 Surface Water (SW098) Frequency Histogram Total SILICA (ug/L) in Surface Water




Total SILICON (ug/L) in Surface Water







Background vs OU7 Surface Water (SW098) Frequency Histogram Total SODIUM (ug/L) in Surface Water




Background vs OU7 Surface Water (SW098) Frequency Histogram Total STRONTIUM (ug/L) in Surface Water






Background vs OU7 Surface Water (SW098) Frequency Histogram Total TOTAL DISSOLVED SOLIDS (ug/L) in Surface Water




Relative Frequency (%)

ZZZZZ Detected Values


Background vs OU7 Surface Water (SW098) Frequency Histogram Total TOTAL ORGANIC CARBON (ug/L) in Surface Water



Total TOTAL SUSPENDED SOLIDS (ug/L) in Surface Water




Background vs OU7 Surface Water (SW098) Frequency Histogram Total ZINC (ug/L) in Surface Water




Background vs OU7 Surface Water (SW098) Frequency Histogram Total AMERICIUM-241 (pCi/L) in Surface Water

ANALYTE = AMERICIUM - 241




ZZZZZ Detected Values


Total CESIUM -- 134 (pCi/L) in Surface Water




Total CESIUM-137 (pCI/L) in Surface Water








Background vs OU7 Surface Water (SW098) Frequency Histogram Total GROSS BETA (pCI/L) in Surface Water




Background vs OU7 Surface Water (SW098) Frequency Histogram






Total PLUTONIUM-238 (pCi/L) In Surface Water


ANALYTE = PLUTONIUM - 238



Total PLUTONIUM -- 239 (pCi/L) in Surface Water




Total PLUTONIUM -- 239/240 (pCI/L) in Surface Water




WIXIZ Detected Values

Total RADIUM - 226 (PCI/L) in Surface Water



Total STRONTIUM -- 89,90 (pCi/L) in Surface Water






Background vs OU7 Surface Water (SW098) Frequency Histogram








Total TOTAL RADIOCESIUM (pCI/L) in Surface Water







Background vs OU7 Surface Water (SW098) Frequency Histogram








Total URANIUM, TOTAL (pCI/L) in Surface Water




Background vs OU7 Surface Water (SW098) Frequency Histogram

Total URANIUM - 233, - 234 (pCl/L) in Surface Water




Total URANIUM -- 235 (pCi/L) in Surface Water







Background vs OU7 Surface Water (SW098) Frequency Histogram Total URANIUM - 238 (pCI/L) in Surface Water



Total pH in Surface Water







Surface Water

(Dissolved)

Background vs. OU 7 (SW099)

_

100


ENTERIOR SECTION SECTI

. .


×2.

Dissolved BARIUM (ug/L) in Surface Water






Background vs OU7 Surface Water (SW099) Frequency Histogram Dissolved IRON (ug/L) in Surface Water




Dissolved LITHIUM (ug/L) in Surface Water




Dissolved MAGNESIUM (ug/L) in Surface Water













Dissolved PHOSPHORUS (ug/L) in Surface Water ANALYTE = PHOSPHORUS




Background vs OU7 Surface Water (SW099) Frequency Histogram Dissolved POTASSIUM (ug/L) in Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram Dissolved SILICA (ug/L) in Surface Water










Dissolved SODIUM (ug/L) in Surface Water






Background vs OU7 Surface Water (SW099) Frequency Histogram Dissolved STRONTIUM (ug/L) in Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram Dissolved ZINC (ug/L) in Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram

Dissolved AMERICIUM - 241 (pCI/L) in Surface Water






Dissolved CESIUM - 134 (pCi/L) in Surface Water




Dissolved CESIUM — 137 (pCi/L) in Surface Water






Dissolved GROSS ALPHA (pCi/L) in Surface Water




Dissolved GROSS BETA (pCi/L) in Surface Water






Dissolved GROSS GAMMA (pCi/L) in Surface Water






Dissolved NEPTUNIUM - 237 (pCI/L) in Surface Water




Dissolved PLUTONIUM - 236 (pCI/L) in Surface Water










Dissolved PLUTONIUM – 239 (pCI/L) in Surface Water






ZZZZZ Detected Values


Background vs OU7 Surface Water (SW099) Frequency Histogram

Dissolved PLUTONIUM – 239/240 (pCI/L) in Surface Water




Dissolved RADIUM-226 (pCI/L) in Surface Water ANALYTE = RADIUM - 226





Dissolved RADIUM - 228 (pCI/L) in Surface Water






ZZZZZ Detected Values

Dissolved STRONTIUM-89 (pCi/L) in Surface Water






VIIII Detected Values


Background vs OU7 Surface Water (SW099) Frequency Histogram

Dissolved STRONTIUM -- 89,90 (pCI/L) in Surface Water




Dissolved STRONTIUM - 90 (pCI/L) in Surface Water






VIIIII Detected Values





Dissolved URANIUM, TOTAL (pCI/L) in Surface Water







ZZZZZ Detected Values

Background vs OU7 Surface Water (SW099) Frequency Histogram

Dissolved URANIUM -- 233, -- 234 (pCI/L) in Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram Dissolved URANIUM-234 (pCI/L) In Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram

Dissolved URANIUM - 235 (pCI/L) in Surface Water



Dissolved URANIUM-238 (pCi/L) in Surface Water



Helative Frequency (%)

Value


777777 Detected Values

man and the second seco

Surface Water

(Total)


Background vs OU 7 (SW099)



Background vs OU7 Surface Water (SW099) Frequency Histogram Total AMERICIUM - 241 (pCI/L) in Surface Water










Total CESIUM - 134 (pCi/L) in Surface Water






Total CESIUM-137 (pCi/L) in Surface Water









6

\$

8

Heistive Frequency (%)

8

Value

48

7


36

WIXIZ Detected Values


Background vs OU7 Surface Water (SW099) Frequency Histogram

Total PLUTONIUM - 236 (pCI/L) in Surface Water






Total PLUTONIUM -- 238 (pCI/L) in Surface Water



777772 Detected Values


Background vs OU7 Surface Water (SW099) Frequency Histogram






777777 Detected Values













Total STRONTIUM - 89,90 (pCI/L) in Surface Water











Total TRITIUM (pCi/L) in Surface Water







Total URANIUM, TOTAL (PCI/L) in Surface Water








Background vs OU7 Surface Water (SW099) Frequency Histogram Total URANIUM - 235 (pCI/L) In Surface Water




Total URANIUM - 238 (pCi/L) in Surface Water ANALYTE = URANIUM - 238







Background vs OU7 Surface Water (SW099) Frequency Histogram Total ALUMINUM (ug/L) in Surface Water



Background vs OU7 Surface Water (SW099) Frequency Histogram Total BARIUM (ug/L) in Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram Total BICARBONATE (ug/L) in Surface Water



10 TH


Total BICARBONATE AS CACO3 (ug/L) in Surface Water






VIVII Detected Values







Total CBOD5 (ug/L) in Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram Total CHLORIDE (ug/L) in Surface Water




Total DISSOLVED ORGANIC CARBON (ug/L) in Surface Water ANALYTE = DISSOLVED ORGANIC CARBON



Background vs OU7 Surface Water (SW099) Frequency Histogram Total FLUORIDE (ug/L) in Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram Total IRON (ug/L) in Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram

Total LITHIUM (ug/L) in Surface Water







Background vs OU7 Surface Water (SW099) Frequency Histogram Total MAGNESIUM (ug/L) in Surface Water



Background vs OU7 Surface Water (SW099) Frequency Histogram Total MANGANESE (ug/L) in Surface Water




Total NITRATE (ug/L) in Surface Water



722222 Detected Values

Total NITRATE/NITRITE (ug/L) In Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram Total POTASSIUM (ug/L) in Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram

Total SILICA (ug/L) in Surface Water






Total SILICON (ug/L) in Surface Water




Total SODIUM (ug/L) in Surface Water






Background vs OU7 Surface Water (SW099) Frequency Histogram Total SOLIDS, NONVOLATILE SUSPENDED (ug/L) in Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram Total STRONTIUM (ug/L) in Surface Water




Total SULFATE (ug/L) In Surface Water







Background vs OU7 Surface Water (SW099) Frequency Histogram Total TOTAL DISSOLVED SOLIDS (ug/L) in Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram Total TOTAL ORGANIC CARBON (ug/L) in Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram Total TOTAL SUSPENDED SOLIDS (ug/L) in Surface Water



Background vs OU7 Surface Water (SW099) Frequency Histogram Total ZINC (ug/L) in Surface Water




Background vs OU7 Surface Water (SW099) Frequency Histogram Total pH (pCI/L) in Surface Water



Surface Water


(Dissolved)

Background vs OU 7 (SW100)










Background vs OU7 Surface Water (SW100) Frequency Histogram






william with the manufacture with the second

La de la companya della companya della companya de la companya della companya del

Dissolved CESIUM — 137 (pCi/L) in Surface Water






Background vs OU7 Surface Water (SW100) Frequency Histogram


Dissolved GROSS ALPHA (pCI/L) in Surface Water






Dissolved GROSS BETA (pCI/L) in Surface Water











NEPTUNIUM-237 (pCI/L) in Surface Water Dissolved







Background vs OU7 Surface Water (SW100) Frequency Histogram Dissolved PLUTONIUM - 236 (pCI/L) in Surface Water



Dissolved PLUTONIUM - 238 (pCI/L) in Surface Water




Background vs OU7 Surface Water (SW100) Frequency Histogram











Background vs OU7 Surface Water (SW100) Frequency Histogram






Dissolved RADIUM – 228 (pCi/L) in Surface Water






Dissolved STRONTIUM - 89 (pCI/L) in Surface Water




Dissolved STRONTIUM - 89,90 (pCI/L) in Surface Water






Background vs OU7 Surface Water (SW100) Frequency Histogram
Dissolved STRONTIUM - 90 (pCI/L) in Surface Water













WWW Detected Values

Dissolved URANIUM, TOTAL (pCI/L) In Surface Water




Dissolved URANIUM - 233, - 234 (pCI/L) in Surface Water






Background vs OU7 Surface Water (SW100) Frequency Histogram

Dissolved URANIUM - 234 (pCI/L) in Surface Water




Dissolved URANIUM - 235 (pCI/L) in Surface Water






Dissolved URANIUM - 238 (pCI/L) in Surface Water






Dissolved BARIUM (ug/L) in Surface Water ANALYTE≂BARIUM






Dissolved CALCIUM (ug/L) In Surface Water




Dissolved COPPER (ug/L) in Surface Water






١

Background vs OU7 Surface Water Frequency Histogram Dissolved IRON (ug/L) in Surface Water



Dissolved LITHIUM (ug/L) in Surface Water
ANALYTE=LITHIUM






KXXXXX Non Detected Values


Detected Values

Dissolved MAGNESIUM (ug/L) in Surface Water






Dissolved MANGANESE (ug/L) in Surface Water




Dissolved PHOSPHORUS (ug/L) in Surface Water





Dissolved POTASSIUM (ug/L) in Surface Water






Detected Values

EXECUTE Non Detected Values


Dissoived SILICA (ug/L) in Surface Water






Dissolved SILICON (ug/L) in Surface Water






ZZZZZ Detected Values

Dissolved SODIUM (ug/L) in Surface Water




Dissoived ZINC (ug/L) in Surface Water



Background vs OU7 Surface Water Frequency Histogram

Dissolved STRONTIUM (ug/L) in Surface Water




£ 1

Surface Water


(Total)

Background vs OU 7 (SW100)




Total AMERICIUM - 241 (pCi/L) in Surface Water

ANALYTE = AMERICIUM -- 241




Background vs OU7 Surface Water (SW100) Frequency Histogram

Total CESIUM -- 134 (pCi/L) in Surface Water





Total CESIUM-137 (pCi/L) in Surface Water





Background vs OU7 Surface Water (SW100) Frequency Histogram Total GROSS ALPHA (pCI/L) in Surface Water






ZZZZZ Detected Values


Total PLUTONIUM -- 236 (pCl/L) in Surface Water






Total PLUTONIUM - 238 (pCI/L) in Surface Water






VIIII Detected Values






Background vs OU7 Surface Water (SW100) Frequency Histogram Total PLUTONIUM - 239/240 (pCI/L) in Surface Water




Background vs OU7 Surface Water (SW100) Frequency Histogram

Total RADIUM - 226 (pCI/L) in Surface Water ANALYTE = RADIUM - 226






Background vs OU7 Surface Water (SW100) Frequency Histogram Total STRONTIUM -- 89,90 (pCi/L) in Surface Water




Background vs OU7 Surface Water (SW100) Frequency Histogram





Total TRITIUM (pCi/L) in Surface Water






VIIII Detected Values

Background vs OU7 Surface Water (SW100) Frequency Histogram










Background vs OU7 Surface Water (SW100) Frequency Histogram Total URANIUM-233,-234 (pCl/L) in Surface Water






Background vs OU7 Surface Water (SW100) Frequency Histogram Total URANIUM - 235 (pCI/L) in Surface Water






Background vs OU7 Surface Water (SW100) Frequency Histogram Total AMERICIUM - 241 (pCI/L) in Surface Water











Background vs OU7 Surface Water (SW100) Frequency Histogram Total CESIUM-137 (pCi/L) in Surface Water



diction in


Total GROSS ALPHA (pCI/L) in Surface Water






a - Artable 42

Background vs OU7 Surface Water (SW100) Frequency Histogram 1A - DISSOLVED (pCI/L) in Surface Water ANALYTE-GROSS ALPHA - DISSOLVED Total GROSS ALPHA -






Relative Frequency (%)

ZZZZZ Detected Values

Background vs OU7 Surface Water (SW100) Frequency Histogram








Total PLUTONIUM - 236 (pCI/L) in Surface Water

ANALYTE = PLUTONIUM - 236




777772 Detected Values

Background vs OU7 Surface Water (SW100) Frequency Histogram


Total PLUTONIUM - 238 (pCI/L) in Surface Water






Total PLUTONIUM - 239 (pCi/L) in Surface Water






777777 Detected Values

Background vs OU7 Surface Water (SW100) Frequency Histogram Total PLUTONIUM - 239/240 (pCI/L) in Surface Water




Total RADIUM -- 226 (pCI/L) in Surface Water






Background vs OU7 Surface Water (SW100) Frequency Histogram Total STRONTIUM -- 89,90 (pCl/L) in Surface Water



Total STRONTIUM - 90 (pCI/L) in Surface Water

ANALYTE = STRONTIUM - 90




72222 Detected Values

4

Background vs OU7 Surface Water (SW100) Frequency Histogram


Q.






Total URANIUM, TOTAL (pCi/L) in Surface Water






Background vs OU7 Surface Water (SW100) Frequency Histogram





Total URANIUM - 235 (pCi/L) in Surface Water





Background vs OU7 Surface Water (SW100) Frequency Histogram Total URANIUM - 238 (pCi/L) in Surface Water






Relative Frequency (%)

Valve

EXXXXXI Non Detected Values


Detected Values

Background vs OU7 Surface Water (SW100) Frequency Histogram Total BARIUM (ug/L) in Surface Water



Total BICARBONATE (ug/L) in Surface Water






Background vs OU7 Surface Water (SW100) Frequency Histogram Total BICARBONATE AS CACO3 (ug/L) in Surface Water








VIXIXI Detected Values

Total CALCIUM (ug/L) in Surface Water




WIXIZ Detected Values


Background vs OU7 Surface Water (SW100) Frequency Histogram

Total CBOD5 (ug/L) in Surface Water












Background vs OU7 Surface Water (SW100) Frequency Histogram



Total FLUORIDE (ug/L) in Surface Water




Background vs OU7 Surface Water (SW100) Frequency Histogram Total IRON (ug/L) in Surface Water





Total LITHIUM (ug/L) in Surface Water





Background vs OU7 Surface Water (SW100) Frequency Histogram Total MAGNESIUM (ug/L) in Surface Water







EXECUTE Non Detected Values

Detected Values


Background vs OU7 Surface Water (SW100) Frequency Histogram Total NITRATE/NITRITE (ug/L) in Surface Water



Total NITRITE (ug/L) in Surface Water



Background vs OU7 Surface Water (SW100) Frequency Histogram




777777 Detected Values

- SW100

225


Background vs OU7 Surface Water (SW100) Frequency Histogram Total POTASSIUM (ug/L) in Surface Water





Total SILICA (ug/L) in Surface Water







Detected Values

EXXXXX Non Detected Values

Background vs OU7 Surface Water (SW100) Frequency Histogram Total SILICON (ug/L) in Surface Water




Background vs OU7 Surface Water (SW100) Frequency Histogram Total SODIUM (ug/L) in Surface Water




Background vs OU7 Surface Water (SW100) Frequency Histogram

Total SOLIDS, NONVOLATILE SUSPENDED (ug/L) in Surface Water ANALYTE = SOLIDS, NONVOLATILE SUSPENDED



ZZZZZ Detected Values


Background vs OU7 Surface Water (SW100) Frequency Histogram Total STRONTIUM (ug/L) in Surface Water




Background vs OU7 Surface Water (SW100) Frequency Histogram

Total SULFATE (ug/L) in Surface Water





Background vs OU7 Surface Water (SW100) Frequency Histogram Total TOTAL DISSOLVED SOLIDS (ug/L) in Surface Water




Background vs OU7 Surface Water (SW100) Frequency Histogram

Total TOTAL ORGANIC CARBON (ug/L) in Surface Water




Background vs OU7 Surface Water (SW100) Frequency Histogram Total TOTAL SUSPENDED SOLIDS (ug/L) In Surface Water




Background vs OU7 Surface Water (SW100) Frequency Histogram

Total ZINC (ug/L) in Surface Water



Background vs OU7 Surface Water (SW100) Frequency Histogram



itive Frequency (%)

7 05

7 65

7 95

8 25

8 55

6 75

7 05

7 35

7 65

7 95

B 25

8 55


SWIOO

ZZZZZZ Detected Values

No.


Seep Water

Background vs. OU 7




Total AMERICIUM - 241 (pCI/L) in Seep Water











Total GROSS ALPHA (pCI/L) in Seep Water








777777 Detected Values

SW097

30


Total GROSS BETA (pCI/L) In Seep Water






Total GROSS GAMMA (pCI/L) in Seep Water










777777. Detected Values


Total PLUTONIUM - 239 (pCI/L) in Seep Water






Total PLUTONIUM - 239/240 (pCi/L) in Seep Water






Total RADIUM - 226 (pCI/L) in Seep Water






Total RADIUM - 228 (pCI/L) in Seep Water






Total STRONTIUM - 89,90 (pCI/L) in Seep Water





Total STRONTIUM - 89 (pCi/L) in Seep Water


ANALYTE = STRONTIUM - 89



ZZZZZ Detected Values


Total STRONTIUM -- 89,90 (pCI/L) in Seep Water






Total STRONTIUM-90 (pCI/L) in Seep Water






Total TOTAL RADIOCESIUM (PCI/L) in Seep Water






Background vs OU7 Seep Water Frequency Histogram Total TRITIUM (pCI/L) in Seep Water






ı Öze Total URANIUM, TOTAL (pCI/L) in Seep Water




Total URANIUM-234 (pCI/L) in Seep Water




777777. Detected Values

Total URANIUM - 233, - 234 (pCI/L) in Seep Water




Total URANIUM - 234 (pCI/L) in Seep Water





Total URANIUM - 235 (PCI/L) in Seep Water






2


Total URANIUM — 238 (pCI/L) in Seep Water






Dissolved BARIUM (ug/L) in Seep Water





i hat


Dissolved CALCIUM (ug/L) in Seep Water



777777. Detected Values


Dissolved IRON (ug/L) in Seep Water






Dissolved LITHIUM (ug/L) in Seep Water






Dissolved MAGNESIUM (ug/L) in Seep Water






Dissolved MANGANESE (ug/L) in Seep Water




Dissolved POTASSIUM (ug/L) in Seep Water










Dissolved SILICON (ug/L) in Seep Water






Dissolved SODIUM (ug/L) in Seep Water



ZZZZZ Detected Values


Dissolved STRONTIUM (ug/L) in Seep Water






Dissolved TIN (ug/L) in Seep Water








Leachate

(Dissolved)

Background vs. OU 7 (Landfill) UHSU


F² -

3




Dissolved CALCIUM (ug/L) in Groundwater







Dissolved IRON (ug/L) in Groundwater








Background vs Landfill Leachate (UHSU) Frequency Histogram Dissolved MAGNESIUM (ug/L) in Groundwater











Dissolved POTASSIUM (ug/L) in Groundwater






SILICON (ug/L) in Groundwater **Dissolved**






Dissolved SODIUM (ug/L) in Groundwater













Dissolved ZINC (ug/L) in Groundwater






Dissolved AMERICIUM - 241 (pCI/L) in Groundwater






Dissolved CESIUM -- 134 (pCi/L) in Groundwater





Dissolved CESIUM -- 137 (pCI/L) in Groundwater




*

¥€...


Dissolved GROSS ALPHA (pCI/L) in Groundwater





Background vs Landfill Leachate (UHSU) Frequency Histogram SUSPENDED (pCI/L) in Groundwater Dissolved GROSS ALPHA -







*** · *

Dissolved GROSS BETA (pCI/L) in Groundwater






Background vs Landfill Leachate (UHSU) Frequency Histogram Dissolved PLUTONIUM-239 (pCI/L) In Groundwater



÷,


Dissolved PLUTONIUM-239/240 (pCI/L) in Groundwater













Dissolved RADIUM – 226 (pCi/L) in Groundwater






Dissolved RADIUM - 228 (pCI/L) in Groundwater







Dissolved STRONTIUM – 89,90 (pCI/L) in Groundwater









Dissolved TRITIUM (pCI/L) in Groundwater



Background vs Landfill Leachate (UHSU) Frequency Histogram Dissolved URANIUM - 233, - 234 (pCI/L) in Groundwater




Dissolved URANIUM - 235 (pCI/L) in Groundwater



Dissolved URANIUM - 238 (pCI/L) in Groundwater






Leachate

(Total)

Background vs OU 7 (Landfill) UHSU


the state of the s

Total 1,2 DICHLOROETHANE - D4 (ug/L) in Groundwater




Total ALUMINUM (ug/L) in Groundwater







Total ARSENIC (ug/L) in Groundwater



Total BARIUM (ug/L) in Groundwater




Total BICARBONATE (ug/L) in Groundwater



777777 Detected Values

Background vs Landfill Leachate (UHSU) Frequency Histogram Total BICARBONATE AS CACO3 (ug/L) in Groundwater






Background vs Landfill Leachate (UHSU) Frequency Histogram BROMOFLUOROBENZENE (ug/L) in Groundwater ANALYTE = BROMOFLUOROBENZENE Total









XXXXX Detected Values

Total CALCIUM (ug/L) in Groundwater






Background vs Landfill Leachate (UHSU) Frequency Histogram Total CHEMICAL OXYGEN DEMAND (ug/L) in Groundwater




Total CHLORIDE (ug/L) in Groundwater





Total CHROMIUM (ug/L) in Groundwater







Background vs Landfill Leachate (UHSU) Frequency Histogram

Total COPPER (ug/L) in Groundwater






Total FLUORIDE (ug/L) in Groundwater




Total IRON (ug/L) in Groundwater







Total LEAD (ug/L) in Groundwater




Background vs Landfill Leachate (UHSU) Frequency Histogram



Total MAGNESIUM (ug/L) in Groundwater






Valve


EXECUTE Non Detected Vetues


Total NICKEL (ug/L) in Groundwater






Total NITRATE/NITRITE (ug/L) in Groundwater






pH (Standard Units) in Groundwater











Total POTASSIUM (ug/L) in Groundwater





Total SILICA, DISSOLVED (ug/L) in Groundwater



ZZZZZ Detected Values


Total SILICON (ug/L) in Groundwater






Total SODIUM (ug/L) in Groundwater






Total SODIUM FLUORIDE (ug/L) in Groundwater




Total SODIUM SULFATE (ug/L) in Groundwater




VIIII Detected Values


Total SOLIDS, NONVOLATILE SUSPENDED (ug/L) In Groundwater ANALYTE-SOLDS, NONVOLATILE SUSPENDED




Background vs Landfill Leachate (UHSU) Frequency Histogram Total STRONTIUM (ug/L) in Groundwater




Background vs Landfill Leachate (UHSU) Frequency Histogram
Total SULFATE (ug/L) in Groundwater



Background vs Landfill Leachate (UHSU) Frequency Histogram Total SULFIDE (ug/L) in Groundwater




Total TOLUENE - D8 (ug/L) in Groundwater



TOTAL DISSOLVED SOLIDS (ug/L) in Groundwater






Background vs Landfill Leachate (UHSU) Frequency Histogram

TOTAL ORGANIC CARBON (ug/L) in Groundwater





onooooo **%**~00000 v-00000 4000000 TOTAL SUSPENDED SOLIDS (ug/L) in Groundwater na00000 200000 MV00000 ~~00000 -400000 60000 20000 900000 n-00000 v-00000 400000 ~~~~~ mm00000 220000 N-00000 00000 **000000** 20000 8 8 2 2 8 \$ 8

Relative Frequency (%)

Value


Non Detected Values


222222

Detected Values

Total VANADIUM (ug/L) in Groundwater









Total AMERICIUM-241 (pCI/L) in Groundwater

ANALYTE = AMERICIUM - 241



Total CESIUM RADIOACTIVE UNKN ISOTOPE (pCI/L) in Groundwater







777272 Detected Values

Total CESIUM -- 134 (pCI/L) in Groundwater






Background vs Landfill Leachate (UHSU) Frequency Histogram Total CESIUM-137 (pCI/L) in Groundwater




Total GROSS ALPHA (pCI/L) in Groundwater






DISSOLVED (pCI/L) in Groundwater Total GROSS ALPHA -






Total GROSS BETA (pCI/L) in Groundwater






A - DISSOLVED (pCI/L) in Groundwater ANALYTE = GROSS BETA - DISSOLVED Total GROSS BETA -






Total PLUTONIUM - 238 (pCI/L) in Groundwater





Total PLUTONIUM -- 239/240 (pCI/L) in Groundwater






ZZZZZ Detected Values


Background vs Landfill Leachate (UHSU) Frequency Histogram

Total STRONTIUM -- 89,90 (pCI/L) in Groundwater






Total STRONTIUM -- 90 (pCI/L) in Groundwater




ZZZZZ Detected Values

Total TRITIUM (pCI/L) in Groundwater




Total URANIUM - 233, - 234 (pCI/L) in Groundwater




Total URANIUM - 235 (pCl/L) in Groundwater





Total URANIUM - 238 (pCi/L) in Groundwater






ì - ~ Market Land


Groundwater


(Dissolved)

Background vs. OU 7 Upgradient UHSU





Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved ALUMINUM (ug/L) in Groundwater ANALYTE = ALUMINUM






Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram











Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram


Dissolved LITHIUM (ug/L) in Groundwater









Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved MANGANESE (ug/L) in Groundwater ANALYTE = MANGANESE






Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved SILICON (ug/L) in Groundwater




Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved SODIUM (ug/L) in Groundwater



Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved STRONTIUM (ug/L) in Groundwater





\$

8

8

70


5

Detected Y

XXXXXX Non Detected Values


8

Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved ZINC (ug/L) in Groundwater




Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved AMERICIUM - 241 (pCi/L) in Groundwater









Detected Values



ZIIIIIZ Detected Values

Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved CESIUM - 137 (pCI/L) in Groundwater







Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissoived GROSS ALPHA (pCI/L) in Groundwater

Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved GROSS ALPHA - DISSOLVED (pCi/L) in Groundwater





Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved GROSS ALPHA - SUSPENDED (pCi/L) in Groundwater




- UPGRADIENT -


ZZZZZZ Detected Values

Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved GROSS BETA (pCi/L) in Groundwater


ANALYTE = GROSS BETA



Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved GROSS BETA - DISSOLVED (pCi/L) in Groundwater




Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved TOTAL RADIOCESIUM (pCi/L) in Groundwater




Detected Values


Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved RADIUM - 226 (pCi/L) in Groundwater






Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved RADIUM - 228 (pCi/L) in Groundwater






Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram






Detected Values


Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved TRITIUM (pCI/L) in Groundwater



Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved URANIUM - 233, - 234 (pCi/L) in Groundwater ANALYTE = URANIUM - 233, - 234




Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved URANIUM - 235 (pCI/L) in Groundwater



Value

Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Dissolved URANIUM - 238 (pCi/L) in Groundwater



Value

 Groundwater


(Total)

Background vs OU 7 Upgradient UHSU


1 __ we water

Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram

Total 1,2 DICHLOROETHANE -- D4 (ug/L) in Groundwater




VIIII Detected Values




Backgund vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram








Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total BARIUM (ug/L) in Groundwater




Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total BICARBONATE (ug/L) in Groundwater




VIIII Detected Values

Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total BICARBONATE AS CACO3 (ug/L) in Groundwater




Backgrund vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total BROMOFLUOROBENZENE (ug/L) in Groundwater






777777 Detected Values

Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total CALCIUM (ug/L) in Groundwater




Backgrund vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram






Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram




Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram









Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram




Backgrund vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total FLUORIDE (ug/L) in Groundwater




Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram







Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total LITHIUM (ug/L) in Groundwater



Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total MAGNESIUM (ug/L) in Groundwater




Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total MANGANESE (ug/L) in Groundwater












Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total NITRATE (ug/L) in Groundwater




Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total NITRATE/NITRITE (ug/L) in Groundwater






Backgrund vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total POTASSIUM (ug/L) in Groundwater





8

8



8

(%) Yoneuperfi evitaleff

\$


8

2

3.5


Total SILICA, DISSOLVED (ug/L) in Groundwater






777777. Detected Values


Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total SILICON (ug/L) in Groundwater



















ZZZZZ Detected Values


Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total STRONTIUM (ug/L) in Groundwater

















Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram TOTAL DISSOLVED SOLIDS (ug/L) in Groundwater








Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram SUSPENDED SOLIDS (ug/L) in Groundwater TOTAL




Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total CESIUM RADIOACTIVE UNKN ISOTOPE (PCI/L) In Groundwater







Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total AMERICIUM-241 (pCi/L) in Groundwater








Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total CESIUM -- 137 (pCi/L) in Groundwater




Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total GROSS ALPHA (pCi/L) in Groundwater




Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total GROSS ALPHA - DISSOLVED (pCI/L) in Groundwater






Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total GROSS BETA (pCI/L) in Groundwater




Backgrund vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total GROSS BETA - DISSOLVED (pCi/L) in Groundwater






777777 Detected Values






Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total PLUTONIUM-239/240 (pCi/L) in Groundwater









Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram






Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram Total STRONTIUM -- 89,90 (pCI/L) in Groundwater




Backgrund vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram





UPGRADIENT
VIVIXIZ Detected Values


Upgradient Groundwater (UHSU) Frequency Histogram Background vs OU7




Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram

Total URANIUM - 233, - 234 (pCi/L) in Groundwater






Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram





Background vs OU7 Upgradient Groundwater (UHSU) Frequency Histogram

Total URANIUM-238 (pCi/L) in Groundwater










Groundwater

(Dissolved)


Background vs. OU 7 Downgradient UHSU

ŝ


Backgrund vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Dissolved BARIUM (ug/L) in Groundwater




Vete




Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram






Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Dissolved MANGANESE (ug/L) in Groundwater




Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram




Backgund vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram








Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Dissolved SODIUM (ug/L) in Groundwater



Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Dissolved STRONTIUM (ug/L) in Groundwater
ANALYTE = STRONTIUM









Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram








Backgrund vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram LPHA - SUSPENDED (pCI/L) In Groundwater ANALYTE-GROSS ALPHA - SUSPENDED Dissolved GROSS ALPHA -






DOWNGRADIENT


VIIII Detected Values

Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Dissolved GROSS BETA (pCI/L) in Groundwater



Backgradind vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram







Relative Frequency (%)


Value

Background vs OU7 Downgradlent Groundwater (UHSU) Frequency Histogram




Backgreund vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Dissolved STRONTIUM -- 89,90 (pCI/L) in Groundwater






Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Dissolved URANIUM - 235 (pCi/L) in Groundwater




Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Dissolved URANIUM - 238 (pCI/L) in Groundwater




Groundwater

(Total)


Background vs OU 7 Downgradient UHSU




Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total ALUMINUM (ug/L) in Groundwater



Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram




Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total BICARBONATE (ug/L) in Groundwater ANALYTE = BICARBONATE




777777. Detected Values

Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total BICARBONATE AS CACO3 (ug/L) in Groundwater




£.

Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total CALCIUM (ug/L) in Groundwater




ZZZZZ Detected Values






SERVICE Non De




<u>\$</u>


Detected Values

EXXXXX Non Detected Values




Backgrund vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total FLUORIDE (ug/L) in Groundwater






Backgrund vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total LITHIUM (ug/L) in Groundwater




Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total MAGNESIUM (ug/L) in Groundwater






Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total MANGANESE (ug/L) in Groundwater ANALYTE - MANGANESE




Background vs OU7 Downgradlent Groundwater (UHSU) Frequency Histogram Total NITRATE/NITRITE (ug/L) in Groundwater




Backgrund vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total ORTHOPHOSPHATE (ug/L) in Groundwater






Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram







Backgrund vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total POTASSIUM (ug/L) in Groundwater








Backgrund vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total SILICA, DISSOLVED (ug/L) in Groundwater




WITTE Detected Values


Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total SILICON (ug/L) in Groundwater





Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total SODIUM (ug/L) in Groundwater



Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram










Backgrund vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram TOTAL ORGANIC CARBON (ug/L) in Groundwater










Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total VANADIUM (ug/L) in Groundwater






Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total AMERICIUM-241 (pCI/L) in Groundwater






Total GROSS ALPHA (pCI/L) in Groundwater







Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total GROSS ALPHA - DISSOLVED (pCI/L) in Groundwater





Total GROSS BETA (pCi/L) in Groundwater






















Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total STRONTIUM -- 89,90 (pCi/L) in Groundwater



Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram Total TRITIUM (pCI/L) in Groundwater




ZZZZZ Detected Values




Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram

Total URANIUM - 235 (pCl/L) in Groundwater






Background vs OU7 Downgradient Groundwater (UHSU) Frequency Histogram




Groundwater

(Dissolved)

Background vs. OU 7 Upgradient LHSU




Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved ALUMINUM (ug/L) in Groundwater



Detected


XXXXXX Non Detected Values

Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissoived BARIUM (ug/L) in Groundwater




Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved CALCIUM (ug/L) in Groundwater






Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram







Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved LITHIUM (ug/L) in Groundwater




Value






Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved MANGANESE (ug/L) in Groundwater




Yalue


Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved MOLYBDENUM (ug/L) in Groundwater




Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved POTASSIUM (ug/L) in Groundwater



Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved SILICON (ug/L) in Groundwater




Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved SODIUM (ug/L) in Groundwater




Detected Values

Background vs 007 Upgradient Groundwater (LHSU) Frequency Histogram


8




Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved CESIUM — 137 (pCi/L) in Groundwater





Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved GROSS ALPHA (pCi/L) in Groundwater



Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved AMERICIUM - 241 (pCi/L) in Groundwater ANALYTE = AMERICIUM -- 241








UPGRADIENT


ZZZZZ Detected Values

Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved PLUTONIUM – 239 (pCi/L) in Groundwater ANALYTE = PLUTONIUM – 239






Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved PLUTONIUM -- 239/240 (pCi/L) in Groundwater



ZZZZZZ Detected Values


Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved GROSS ALPHA SUSPENDED (pCi/L) in Groundwater

ANALYTE = GROSS ALPHA - SUSPENDED




Detected Values

UPGRADIENT




Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved GROSS SETA (pCI/L) in Groundwater


Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved RADIOCESIUM (pCi/L) in Groundwater



Detected Values




Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved STRONTIUM - 89,90 (pCi/L) in Groundwater




Detected Values

Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved STRONTIUM - 90 (pCI/L) in Groundwater




ZZZZZZ Detected Values

Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved TRITIUM (pCi/L) in Groundwater




Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved URANIUM - 233, - 234 (pCI/L) in Groundwater




Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissolved URANIUM – 235 (pCi/L) in Groundwater

ANALYTE = URANIUM - 235



Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Dissotved URANIUM - 238 (pCi/L) in Groundwater



Groundwater


(Total)

Background vs. OU 7 Upgradient LHSU


and the second second




Backgund vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total ALUMINUM (ug/L) in Groundwater









Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram



Background vs OU7 Upgradlent Groundwater (LHSU) Frequency Histogram Total BARIUM (ug/L) in Groundwater




Backgund vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram




ZZZZZ Detected Values


Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total BICARBONATE AS CACO3 (ug/L) in Groundwater




Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total CALCIUM (ug/L) in Groundwater




Background vs OU7 Upgradlent Groundwater (LHSU) Frequency Histogram






SSSSSSS Non De

Backgrund vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total CHLORIDE (ug/L) in Groundwater











Backgrund vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram


Total COBALT (ug/L) in Groundwater









Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total FLUORIDE (ug/L) in Groundwater






Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram







Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram



Backgrund vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total MAGNESIUM (ug/L) in Groundwater









Backgrund vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total MOLYBDENUM (ug/L) in Groundwater






EXXXXX Non Detected Values

Detected Values




Backgrund vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram






Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram



Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram







777777. Detected Values


Value





Backgund vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total POTASSIUM (ug/L) in Groundwater






Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram


Total SILICON (ug/L) in Groundwater






VIIII Detected Values

Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total SODIUM (ug/L) in Groundwater



Backgund vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total SODIUM FLUORIDE (ug/L) in Groundwater






WIVE Detected Values

Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total SODIUM SULFATE (ug/L) in Groundwater









Backgound vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram






Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total SULFATE (ug/L) in Groundwater



Backgound vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram








Detected Values

EXXXXX Non Detected Values


Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram TOTAL DISSOLVED SOLIDS (ug/L) in Groundwater




Backgrund vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram TOTAL ORGANIC CARBON (ug/L) in Groundwater












Backgound vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram

8





\$

8


R

EXXXXX Non Detected Values Detected Values






Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total AMERICIUM-241 (pCI/L) in Groundwater










WIXIZ Detected Values

Background vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total CESIUM -- 137 (pCi/L) in Groundwater










Total PLUTONIUM - 238 (pCi/L) in Groundwater







777777 Detected Values


Backgrund vs OU7 Upgradient Groundwater (LHSU) Frequency Histogram Total TOTAL RADIOCESIUM (pCi/L) in Groundwater























Groundwater


(Dissolved)

Background vs OU 7 Downgradient LHSU












Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Dissolved MOLYBDENUM (ug/L) in Groundwater




Backginund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Dissolved POTASSIUM (ug/L) in Groundwater














Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Dissolved SODIUM (ug/L) in Groundwater









Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Dissolved VANADIUM (ug/L) in Groundwater









Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Dissolved GROSS ALPHA - SUSPENDED (pCI/L) in Groundwater




Backgound vs OU7 Downgradient Growndwater (LHSU) Frequency Histogram Dissolved GROSS BETA (pCI/L) in Groundwater






Backgound vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Dissolved STRONTIUM-89,90 (pCI/L) in Groundwater




ZZZZZ Detected Values






Backgund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Dissolved TRITIUM (pCi/L) in Groundwater






WWW Detected Values


Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Dissolved URANIUM - 233, - 234 (pCI/L) in Groundwater




Backgound vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Dissolved URANIUM - 235 (pCi/L) in Groundwater ANALYTE = URANIUM - 235




Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Dissolved URANIUM - 238 (pCI/L) in Groundwater













Backgrund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Dissolved CALCIUM (ug/L) in Groundwater




ZZZZZ Detected Values

Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Dissolved CHROMIUM (ug/L) in Groundwater




Backgrund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram






EXXXXX Non Detected Values


Detected Values



Backgund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram




Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Dissolved MAGNESIUM (ug/L) in Groundwater



Groundwater


(Total)

Background vs OU 7 Downgradient LHSU




Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram





Backgound vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Total BICARBONATE (ug/L) in Groundwater







ZZZZZ Detected Values

Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Total BICARBONATE AS CACO3 (ug/L) in Groundwater






Backgrund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Total CALCIUM (ug/L) in Groundwater








Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Total CHEMICAL OXYGEN DEMAND (ug/L) in Groundwater







DOWNGRADIENT

WINZZ Detected Values


Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Total CHLORIDE (ug/L) in Groundwater



Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram





Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Total IRON (ug/L) in Groundwater




Backgrund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram









Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Total MAGNESIUM (ug/L) in Groundwater






Backgrund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Total NITRATE/NITRITE (ug/L) in Groundwater









Backgund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram





ŧ


Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Total SILICA (ug/L) in Groundwater



Backgrund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram









MINIZE Detected Values


Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Total STRONTIUM (ug/L) in Groundwater



Backgrund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Total SULFATE (ug/L) in Groundwater





Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram TOTAL DISSOLVED SOLIDS (ug/L) in Groundwater



Backgrund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram TOTAL ORGANIC CARBON (ug/L) in Groundwater


ANALYTE - TOTAL ORGANIC CARBON






Backgrund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram

Total VANADIUM (ug/L) in Groundwater




Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Total ZINC (ug/L) in Groundwater



Backgrund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram







722222 Detected Values


Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram






Backgannd vs OU7 Downgradient Groendwater (LHSU) Frequency Histogram






Backgound vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram





WWW Detected Values


Background vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram Total PLUTONIUM -- 239/240 (pCI/L) in Groundwater



Backgrund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram









277777. Detected Values






Backgund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram






ZZZZZ Detected Values




Backgaund vs OU7 Downgradient Groundwater (LHSU) Frequency Histogram









• NOTICE:

DISKS

This document contains two computer disks which take the place of.

Appendix M Results of Statistical


Analyses

Appendix N Analytical Data

These disks can be found in the original AR file at the Interlocken facility.

(OU07 Technical Memorandum, Vol. IV)

ţ • 七八八百年 . 24



Appendix M Results of Statistical Analyses

Hot Measurement Test

HOT MEASUREMENT TEST

The hot measurement test compares site concentrations against background upper tolerance interval of the 99th percentile at the 99-percent confidence level (UTL_{99/99}) concentrations for total and dissolved analytes. Test results for all media are included on the Appendix M disk. The files are self-extracting, compressed, text files To "decompress" the data, copy the files to a hard drive and type the file name followed by a Return. The names and contents of the files are.

BH_HOT.EXE

Subsurface Geologic Materials

BH HOT.TXT

GWHOTLH.EXE

Groundwater - Lower hydrostratigraphic unit

GWHOTLHD TXT

Dissolved analytes

GWHOTLHT TXT

Total Analytes

GWHOTUH.EXE

Groundwater - Upper hydrostratigraphic unit

GWHOTUHD TXT

Dissolved analytes

GWHOTUHT.TXT

Total analytes

SEEP_HOT.EXE

Seep Water

SEEP_HOT.TXT

SW097

SS_HOT EXE

Surface Soils

SS114HOT TXT

IHSS 114

SS203HOT TXT

IHSS 203

SSELPHOT.TXT

East Landfill Pond area

SW_HOT.EXE

Surface Water

SW98HOT.TXT

SW098

SW99HOT.TXT

SW099

SW100HOT.TXT

SW100

Summary Statistics

SUMMARY STATISTICS

Summary statistics were calculated for groundwater, pond-sediment, subsurface geologic materials, surface-soil, and surface-water data. All media were grouped by dissolved analyte and total analyte Additional grouping, or aggregation, of data varied by medium

Data Aggregation

| Medium | Data Aggregation for Summary Statistics |
|-------------------------------|---|
| Groundwater | Individual wells |
| | Hydrostratigraphic unit |
| Pond Sediments | All locations combined |
| Subsurface Geologic Materials | Each individual hazardous substance site (IHSS) or area and geologic unit combination |
| Surface Soils | Each IHSS or area and sample interval combination |
| Surface Water | Individual locations |

Summary statistics are comprised of frequency of detects, maximum, minimum and mean concentration, standard deviation, and the upper tolerance interval of the 99th percentile at the 99-percent confidence level (UTL_{99/99}) All results identified as nondetects were assigned a new result value equal to one half the reported detection limit that was used in all calculations General information about each analyte is also included in the output files

File Format

The results of the summary statistics calculations are reported in electronic format. The following self-extracting text files are on the diskette labeled Appendix M

Groundwater GW SUMST EXE (contains GW WELL TEXT and

GW_HSU TEXT)

Pond Sediments SD SUMST EXE

Subsurface Geologic Materials BH_SUMST EXE

Surface Soils SS SUMST EXE

Surface Water SW SUMST.EXE

The number and names of the first few columns vary depending on the aggregation criteria. The majority of the columns are identical for all files "NC" is used to identify calculations that were not performed for a given analyte

Reference

Hahn, G.J. 1970 "Statistical Intervals for a Normal Population Part 1 Tables, Examples and Applications" Journal of Quality Technology, v. 2, n. 3, p. 115-125

Statistics Used to Generate Isoconcentration Maps

Appendix M
Statistics Used to Generate Isoconcentration Maps

| Upper Hydrostratographic Unit | | | |
|-------------------------------|--------------------|------------|--|
| Analyto *** | **Concentration | Detections | |
| | erage Detected SVO | Cs | |
| 70093 | 4 | 1/16 | |
| 70693 | 21 | 1/16 | |
| 71193 | 75 | 2/16 | |
| 71493 | 2 25 | 2/16 | |
| 71693 | 25 | 1/16 | |
| 71893 | 2 75 | 2/16 | |
| 72093 | 33 667 | 1/16 | |
| 72293 | 710 444 | 3/16 | |
| 72393 | 716 778 | 3/16 | |
| | | | |
| | rage Total Uranium | | |
| 1086 | 0 06 | 1/16 | |
| 4087 | 0 593 | 1/16 | |
| 4287 | 0 796 | 1/16 | |
| 6087 | 0 09 | 2/16 | |
| 6187 | -0 1 | 1/16 | |
| 6287 | 0 | 0/16 | |
| 6687 | 0 | 0/16 | |
| 6787 | 0 | 0/16 | |
| 6887 | 01 | 1/16 | |
| 70493 | 0 236 | 1/16 | |
| 70693 | 0 04 | 1/16 | |
| 71193 | 0 | 0/16 | |
| 71493 | 0 041 | 1/16 | |
| 7187 | 0 08 | 1/16 | |
| 7287 | 0 1 | 1/16 | |
| B106089 | 0 068 | 2/16 | |
| B206189 | 0 44 | 1/16 | |
| B206289 | 0 477 | 3/16 | |
| B206489 | 0 181 | 2/16 | |
| B206589 | 1 092 | 3/16 | |
| B206889 | 2 62 | 1/16 | |
| B207089 | 0 351 | 1/16 | |
| Avors | e Dissolved Uraniu | m-238 | |
| 786 | 18 42 | 2/16 | |
| 1086 | 0 096 | 12/16 | |
| 4087 | 14 347 | 3/16 | |
| 4287 | 2 831 | 4/16 | |
| 5887 | 0 083 | 13/16 | |
| 6087 | 0 077 | 12/16 | |
| 6187 | 0 167 | 8/16 | |
| 6287 | 0 141 | 10/16 | |
| 6387 | 0 888 | 9/16 | |

Appendix M
Statistics Used to Generate Isoconcentration Maps

| | Hydrostratograp | hic Unit |
|--------------------|-----------------|----------------------|
| Analyte | Concentration | Number of Detections |
| 6487 | 0 49 | 5 11/16 |
| 6587 | 0 35 | 8 9/16 |
| 6687 | 0 38 | 6 12/16 |
| -6787 | 0 15 | 7/16 |
| 6887 | 0 12 | 11/16 |
| 70093 | 04 | 3/16 |
| 70193 | 0 426 | 3/16 |
| 70393 | 0 31 | |
| 70493 | 2.028 | 1 |
| 70893 | 0 386 | |
| 7087 | 6 643 | |
| 71193 | 0 977 | |
| 71493 | 1 773 | |
| 71693 | 0.84 | 1 |
| 7187 | 0.48 | |
| 71893 | 0 536 | |
| 72093 | 1 631 | |
| 72293 | 0712 | |
| 72393 | 0 593 | |
| 7287 | 0 729 | |
| B106089 | 0 789 | 5/16 |
| B206189 | 9 62 | 10/16 |
| B206289 | 0 859 | 10/46 |
| B206389 | 5.649 | 7/16 |
| B206489 | 2 06 | 6/16 |
| B208589 | 19 989 | 12/16 |
| B206689 B206789 | 14 115 | 6/16 |
| B206889 | 2 774 | 9/16 |
| B207089 | 29 81 | 1/16 |
| D20/009 | 1 112 | 10/16 |
| | Total Americium | -241 |
| 1086 | 0 004 | 14/16 |
| 4087 | 0 002 | 1/16 |
| 4287 | 0.005 | 4/16 |
| 5887 | 0 004 | 12/16 |
| 6087 | 0 006 | 12/16 |
| 6187 | 0 004 | 10/16 |
| 6287 | 0 007 | 8/16 |
| 6387 | 0 069 | 9/16 |
| 6487 | 0 005 | 10/16 |
| 6587 | 0 039 | 10/16 |
| 6687 | 0 011 | 5/16 |
| 6787 | 0 008 | 8/16 |
| 6887 | 0 005 | 10/16 |

Appendix M
Statistics Used to Generate Isoconcentration Maps

| Upper | Upper Hydrostratographic Unit | | | | | | |
|---------|-------------------------------|-------|--|--|--|--|--|
| Analyte | - Detection | | | | | | |
| 70093 | 0 007 | 3/16 | | | | | |
| 70193 | 0 007 | 3/16 | | | | | |
| 70393 | 0 004 | 3/16 | | | | | |
| 70493 | 0 003 | 3/16 | | | | | |
| 70693 | 0 013 | 2/16 | | | | | |
| 7087 | 0 004 | 2/16 | | | | | |
| 71193 | 0 005 | 1/16 | | | | | |
| 71493 | 0 005 | 1/16 | | | | | |
| 71693 | 0 006 | 1/16 | | | | | |
| 7187 | 0 01 | 12/16 | | | | | |
| 71893 | 0 006 | 3/16 | | | | | |
| 72093 | 0 172 | 3/16 | | | | | |
| 72293 | 0 011 | 2/16 | | | | | |
| 72393 | 0 087 | 3/16 | | | | | |
| 7287 | 0 005 | 9/16 | | | | | |
| B106089 | 0 002 | 3/16 | | | | | |
| B206189 | 0 008 | 10/16 | | | | | |
| B206289 | 0 014 | 2/16 | | | | | |
| B206389 | 0 002 | 4/16 | | | | | |
| B206489 | 0 005 | 2/16 | | | | | |
| B206589 | 0 009 | 12/16 | | | | | |
| B206789 | -0 433 | 1/16 | | | | | |
| B207089 | 0 004 | 10/16 | | | | | |
| | | | | | | | |
| | Average NO3/NO2 | | | | | | |
| 786 | 86 667 | 3/16 | | | | | |
| 1086 | 3154 545 | 11/16 | | | | | |
| 4087 | 290 | 3/16 | | | | | |
| 4287 | 97 5 | 4/16 | | | | | |
| 5887 | 3571 429 | 14/16 | | | | | |
| 6087 | 6214 286 | 14/16 | | | | | |
| 6187 | 5375 | 12/16 | | | | | |
| 6287 | 5700 | 11/16 | | | | | |
| 6387 | 145 | 4/16 | | | | | |
| 6487 | 91 667 | 6/16 | | | | | |
| 6587 | 5190 909 | 11/16 | | | | | |
| 6687 | 5450 | 12/16 | | | | | |
| 6787 | 3785 714 | 7/16 | | | | | |
| 6887 | 3632 143 | 14/16 | | | | | |
| 70093 | 3066 667 | 1/16 | | | | | |
| 70193 | 1573 333 | 1/16 | | | | | |
| 70393 | 3100 | 1/16 | | | | | |
| 70493 | 1966 667 | 1/16 | | | | | |
| 70693 | 6550 | 1/16 | | | | | |
| 7087 | 4260 | 10/16 | | | | | |

Appendix M
Statistics Used to Generate Isoconcentration Maps

| Upper | Upper Hydrostratographic Unit | | | | |
|---------|-------------------------------|-------------------------|--|--|--|
| Analyte | Concentration | Number of Detections | | | |
| 71193 | 0 | 0/16 | | | |
| 71493 | 270 | 1/16 | | | |
| 7187 | | 10/16 | | | |
| 71893 | 850 1/16 | | | | |
| 72093 | 0 0/16 | | | | |
| 72293 | 0 | 0/16 | | | |
| 72393 | 0 | 0/16 | | | |
| 7287 | 1140 | 11/16 | | | |
| B106089 | 1218 889 | 9/16 | | | |
| B206189 | 238.75 | 8/16 | | | |
| B206289 | 207 273 | 11/16 | | | |
| B206389 | 250 | 2/16 | | | |
| B206489 | 1217 778 | 9/16 | | | |
| B206589 | 448 182 | 11/16 | | | |
| 8206689 | 818 | 10/16 | | | |
| 8206789 | 6661 538 | 13/16 | | | |
| B206889 | 160250 | 8/16 | | | |
| B206989 | 50750 | 4/16 | | | |
| B207089 | 1101 818 | 11/16 | | | |
| | | | | | |
| Average | Dissolved America | um-241 | | | |
| 1086 | 0 013 | 1/16 | | | |
| 5887 | 0 002 | 1/16 | | | |
| 6087 | 0 007 | 1/16 | | | |
| 6187 | 0 002 | 1/16 | | | |
| 6287 | 0 006 | 1/16 | | | |
| 6387 | 0 009 | 1/16 | | | |
| 6487 | 0 01 | 1/16 | | | |
| 6787 | 0 047 | 1/16 | | | |
| 6887 | 0 001 | 1/16 | | | |
| 70093 | 0 001 | 2/16 | | | |
| 70193 | 0 006 | 2/16 | | | |
| 70393 | 0 01 | 2/16 | | | |
| 70493 | 0 007 | 2/16 | | | |
| 70693 | 0 005 | 2/16 | | | |
| 71193 | 0 002 | 1/16 | | | |
| 71693 | 0 004 | 1/16 | | | |
| 7187 | 0 02 | 1/16 | | | |
| 71893 | 0 003 | 2/16 | | | |
| 72093 | 0 013 | 2/16 | | | |
| 72293 | 0 051 | 1/16 | | | |
| 72393 | 0 025 | 2/16 | | | |
| 7287 | -0 005 | 1/16 | | | |
| B207089 | 0 008 | 1/16 | | | |
| | | | | | |

COMPANY OF THE PARK OF THE PAR

Appendix M
Statistics Used to Generate Isoconcentration Maps

| Analyte Concentration Number | | | | |
|------------------------------|----------------------|-----------|--|--|
| Analyto ar | Spinished at Anticon | Detection | | |
| Average Total Uranium-238 | | | | |
| 1086 | | | | |
| 4087 | | | | |
| 4287 | 3 683 | | | |
| 5887 | 0 1 | 1/16 | | |
| 6087 | 0 175 | 2/16 | | |
| 6187 | 0 | 0/16 | | |
| 6287 | 0 | 0/16 | | |
| 6687 | 0 82 | 1/16 | | |
| 6787 | 0 14 | 1/16 | | |
| 6887 | 0 54 | 1/16 | | |
| 70493 | 1 693 | 1/16 | | |
| 70693 | 1 | 1/16 | | |
| 71193 | 12 | 1/16 | | |
| 71493 | 2 1 | 1/16 | | |
| 7187 | 0 5 | 1/16 | | |
| 7287 | 07 | 1/16 | | |
| B106089 | 0 568 | 2/16 | | |
| B206189 | 10 41 | 1/16 | | |
| B206289 | 7 519 | 3/16 | | |
| B206489 | 2 535 | 2/16 | | |
| B206589 | 13 423 | 3/16 | | |
| B206889 | 32 63 | 2/16 | | |
| B207089 | 1 58 | 1/16 | | |
| | | | | |
| | Average TDS | | | |
| 786 | 1583333 333 | 3/16 | | |
| 1086 | 138090 909 | 11/16 | | |
| 4087 | 1120000 | 5/16 | | |
| 4287 | 327333 333 | 6/16 | | |
| 5887 | 161285 714 | 14/16 | | |
| 6087 | 243428 571 | 14/16 | | |
| 6187 | 155666 667 | 12/16 | | |
| 6287 | 167272 727 | 11/16 | | |
| 6387 | 528000 | 10/16 | | |
| 6487 | 324785 714 | 14/16 | | |
| 6587 | 226666 667 | 12/16 | | |
| 6687 | 446307 692 | 13/16 | | |
| 6787 | 178571 429 | 7/16 | | |
| 6887 | 203000 | 14/16 | | |
| 70093 | 170000 | 3/16 | | |
| 70193 | 244444 444 | 3/16 | | |
| 70393 | 208888 889 | 3/16 | | |
| 70493 | 226666 667 | 3/16 | | |
| 70693 | 405000 | 2/16 | | |

Appendix M
Statistics Used to Generate Isoconcentration Maps

| Uppe | r Hydrostratograpi | ie Unit | | | | |
|---------------------------------|------------------------|-------------|--|--|--|--|
| Analyte Concentration Number of | | | | | | |
| Market fra | A ALL THE ME BY WE WAY | .Detections | | | | |
| 7087 | 507222 222 | 9/16 | | | | |
| 71193 | 191111 111 | 3/16 | | | | |
| 71493 | 176666.667 | 3/16 | | | | |
| 71693 | 450000 | 1/16 | | | | |
| 7187 | 274600 | | | | | |
| 71893 | 250900 | | | | | |
| 72093 | 1355555 556 | | | | | |
| 72293 | 2211111 111 | 3/16 | | | | |
| 72393 | 1283333 334 | | | | | |
| 7287 | 338181 818 | | | | | |
| B106089 | 334444 444 | | | | | |
| B206189 B206289 | 752909 091 | | | | | |
| | 371846 154 | | | | | |
| B206389 B206489 | 672500 | | | | | |
| B206589 | 359800 | | | | | |
| B206689 | 634846 154 | 13/16 | | | | |
| B206789 | 555333 333 | 12/16 | | | | |
| B206889 | 1206923 077 | 13/16 | | | | |
| B206989 | 3630000 | 2/16 | | | | |
| B207069 | 5100000 1993333 333 | 1/16 | | | | |
| D201009 | 1883333 333 | 12/16 | | | | |
| Average | Dissolved Uranius | 225 | | | | |
| 786 | 0713 | 2/16 | | | | |
| 1086 | 0 038 | | | | | |
| 4087 | 3 516 | 3/16 | | | | |
| 4287 | 0 137 | 4/16 | | | | |
| 5887 | 0 044 | 11/16 | | | | |
| 6087 | 0 021 | 9/16 | | | | |
| 6187 | 0 01 | 9/16 | | | | |
| 6287 | 0.051 | 9/16 | | | | |
| 6387 | 0 059 | 8/16 | | | | |
| 6487 | 0 076 | 9/16 | | | | |
| 6587 | 0 044 | 7/16 | | | | |
| 6687 | 0 038 | 9/16 | | | | |
| 6787 | 0 038 | 5/16 | | | | |
| 6887 | 0 017 | 10/16 | | | | |
| 70093 | 0 033 | 3/16 | | | | |
| 70193 | 0 053 | 3/16 | | | | |
| 70393 | 0 043 | 3/16 | | | | |
| 70493 | 0 079 | 3/16 | | | | |
| 70693 | 0 043 | 3/16 | | | | |
| 7087 | 0 284 | 6/16 | | | | |
| 71193 | 0 032 | 3/16 | | | | |
| 71493 | 0 166 | 3/16 | | | | |

Appendix M
Statistics Used to Generate Isoconcentration Maps

| Upper Hydrostratographic Unit | | | |
|-------------------------------|--------------------|-------------------------|--|
| Analyte | Concentration | Number of Detections | |
| 71693 | 0 115 | 1/16 | |
| 7187 | 0 045 | 11/16 | |
| 71893 | 0 08 | 3/16 | |
| 72093 | 0 157 | 2/16 | |
| 72293 | 0 196 | 2/16 | |
| 72393 | 0 058 | 3/16 | |
| 7287 | 0 041 | 11/16 | |
| B106089 | 0 098 | 5/16 | |
| B206189 | 0 5 | 10/16 | |
| B206289 | 0 105 | 7/16 | |
| B206389 | 0 315 | 7/16 | |
| B206489 | 0 146 | 6/16 | |
| B206589 | 0 917 | 12/16 | |
| B206689 | 0 566 | 6/16 | |
| B206789 | 0 186 | 9/16 | |
| B206889 | 0 92 | 1/16 | |
| B207089 | 0 065 | 9/16 | |
| | | | |
| Ave | rage Total Radium- | 226 | |
| 6887 | 1 32 | 1/16 | |
| B206189 | 0 46 | 1/16 | |
| B206489 | 0 36 | 1/16 | |
| B206589 | 0 593 | 2/16 | |
| B206789 | 0 87 | 1/16 | |
| | | | |
| | Detected BTEX Con | | |
| 5887 | 99 | 1/16 | |
| 6387 | 14 | 10/16 | |
| 6487 | 16 614 | 7/16 | |
| 6687 | 102 | 1/16 | |
| 6787 | 01 | 1/16 | |
| 7087 | 0 767 | 3/16 | |
| 71193 | 6 | 1/16 | |
| 71693 | 30 | 1/16 | |
| 72093 | 14 5 | 2/16 | |
| 72293 | 423 111 | 3/16 | |
| 72393 | 345 222 | 3/16 | |
| 7287 | 56 | 2/16 | |
| B106089 | 29 7 | 4/16 | |
| B206289 | 1 | 2/16 | |
| B206389 | 4 75 | 4/16 | |
| B206489 | 7 85 | 2/16 | |
| B206589 | 1 95 | 2/16 | |
| B206789 | 0 1 | 1/16 | |
| B206889 | 6 8 | 1/16 | |

Appendix M
Statistics Used to Generate leoconcentration Maps

| Uppe | Upper Hydrostratographic Unit | | | | |
|----------------|--|--------------|--|--|--|
| | Analyte Concentration Number of Defections | | | | |
| Analyte | Concentration | . Detections | | | |
| | | <u> </u> | | | |
| B206989 | | 1 1/16 | | | |
| | | | | | |
| | ge Dissolved Radi | | | | |
| 1086 | 0 14 | | | | |
| 4287 | 0 41 | 1 11 11 | | | |
| 5887 | 0 17 | 11.14 | | | |
| 6087 | 0.29 | | | | |
| 6187 | 0 175 | | | | |
| 6287 | 0 23 | | | | |
| 6387 | 0 575 | 3/16 | | | |
| 6487 | 1 158 | 5/16 | | | |
| 6587 | 0 325 | | | | |
| 6687 | 0 19 | 1/16 | | | |
| 6787 | 0.2 | 1/16 | | | |
| 6887 | 0.22 | 2/16 | | | |
| 7087 | 0 419 | 2/16 | | | |
| 7187 | 0 32 | 1/16 | | | |
| 72093 | 1 575 | 2/16 | | | |
| 72293 | 1 35 | 1/16 | | | |
| 72393 | 1 21 | 2/16 | | | |
| 7287 | 0 295 | 2/16 | | | |
| B206189 | 0 879 | 3/16 | | | |
| B206389 | 1 668 | 6/16 | | | |
| B206489 | 0 17 | 1/16 | | | |
| B206589 | 0 515 | 12/16 | | | |
| B206689 | 0 76 | 1/16 | | | |
| B206789 | 0 133 | 1/16 | | | |
| B207089 | 0 568 | 6/16 | | | |
| | | | | | |
| Average Detect | ed Chiorinated H | drocarbons | | | |
| 786 | 1 | 1/16 | | | |
| 1086 | 4 | 2/16 | | | |
| 4087 | 15 | 2/16 ~ | | | |
| 4287 | 1 | 1/16 | | | |
| 5887 | 2 76 | 10/16 | | | |
| 6087 | 21 | 2/16 | | | |
| 6287 | 35 | 2/16 | | | |
| 6387 | 19 818 | 11/16 | | | |
| 6487 | 29 8 | 14/16 | | | |
| 6587 | 50 545 | 11/16 | | | |
| 6687 | 46 357 | 14/16 | | | |
| 6787 | 55 | 2/16 | | | |
| 6887 | 13 48 | 5/16 | | | |
| 70393 | 71 556 | 3/16 | | | |
| 70493 | 3 | 1/16 | | | |
| | | 1/10 | | | |

constitution and the same

Appendix M
Statistics Used to Generate Isoconcentration Maps

| | Upper Hydrostratographic Unit | | | |
|-----------------------------------|-------------------------------|------------|--|--|
| Analyte Concentration Detections | | | | |
| المراغ المراجعة المراجعة المراجعة | of the same of the second | Detections | | |
| 70693 | 416 333 | 3/16 | | |
| 7087 | 2 54 | 5/16 | | |
| 71693 | 20 | 1/16 | | |
| 7187 | 17 | 2/16 | | |
| 71893 | 17 833 | 3/16 | | |
| 72293 | 12 25 | 2/16 | | |
| 72393 | 11 25 | 2/16 | | |
| 7287 | 67 615 | 13/16 | | |
| B106089 | 31 154 | 13/16 | | |
| B206189 | 4 25 | 8/16 | | |
| B206289 | 6 25 | 4/16 | | |
| B206389 | 277 857 | 7/16 | | |
| B206489 | 31 75 | 14/16 | | |
| B206589 | 1 5 | 2/16 | | |
| B206789 | 3 | 1/16 | | |
| B206889 | 6 | 2/16 | | |
| B206989 | 5 333 | 3/16 | | |
| B207089 | 7 | 3/16 | | |
| | | | | |
| | ige Detected Total \ | | | |
| 786 | 1 | 1/16 | | |
| 1086 | 4 | 2/16 | | |
| 4087 | 1 5 | 2/16 | | |
| 4287 | 1 | 1/16 | | |
| 5887 | 12 66 | 10/16 | | |
| 6087 | 19 333 | 3/16 | | |
| 6187 | 18 | 1/16 | | |
| 6287 | 3 5 | 2/16 | | |
| 6387 | 21 091 | 11/16 | | |
| 6487 | 41 536 | 14/16 | | |
| 6587 | 51 | 11/16 | | |
| 6687 | 53 643 | 14/16 | | |
| 6787 | 15 033 | 3/16 | | |
| 6887 | 14 067 | 6/16 | | |
| 70393 | 71 556 | 3/16 | | |
| 70493 | 3 | 1/16 | | |
| 70693 | 416 333 | 3/16 | | |
| 7087 | 4 571 | 7/16 | | |
| 71193 | 6 | 1/16 | | |
| 71693 | 50 | 1/16 | | |
| 7187 | 14 | 3/16 | | |
| 71893 | 17 833 | 3/16 | | |
| 72093 | 20 25 | 2/16 | | |
| 72293 | 730 556 | 3/16 | | |
| 72393 | 380 889 | 3/16 | | |

APP_M XLS UPPER Page 9

Appendix M
Statistics Used to Generate Isoconcentration Maps

| Upper | Upper Hydrostratographic Unit | | |
|---------|-------------------------------|----------------------|--|
| Analyte | Concentration | Number of Detections | |
| 7287 | 76 538 | 13/16 | |
| B106089 | 43 215 | 13/16 | |
| B206189 | 5.25 | 8/16 | |
| B206289 | 9 833 | 6/16 | |
| B206389 | 289.286 | 7/16 | |
| B206489 | 36.229 | 14/16 | |
| B206589 | 5 633 | 3/16 | |
| B206689 | 95 | 2/16 | |
| B206789 | 47 | 3/16 | |
| B206889 | 107 | 416 | |
| B206989 | 5 667 | 3/16 | |
| B207089 | 5 75 | 4/16 | |

salah Katale w

Results of Inferential Statistical Tests

Results of Inferential Statistical Tests IHSS 203 Surface Soils (0 to 2 inches) vs Sitewide Background Surface Soils (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-------------------|----------|----------|----------|----------|-----------------|
| Aluminum | 1 00000 | 1 | 1 00000 | 1 00000 | |
| Americium-241 | 0 78435 | 0.24508 | 0 36657 | 0 11793 | |
| Antimony | 0.5 | 1 | NA | NA | _ |
| Arsenic | 0 99999 | 1 | 0 99998 | 0 99994 | |
| Barium | 1 00000 | 1 | 1 00000 | 0 99999 | |
| Beryllium | 0 98373 | 1 | NA | NA | |
| Cadmium | 0 99799 | 1 | NA | NA | |
| Calcium | 0 056241 | 0 010467 | 0 038338 | 0 010150 | х |
| Cesium | 0.5 | 1 | NA | NA | |
| Cesium-137 | 1 00000 | 1 | 1 00000 | NA | |
| Chromium | 1 00000 | 1 | 1 00000 | 1 00000 | |
| Cobalt | 0 99497 | 0 71014 | 0 94319 | 0 96653 | |
| Copper | 0 028832 | 0.24508 | 0 15173 | 0 019288 | х |
| Gross Alpha | 0 95705 | 0 68732 | 0 97783 | 0 97036 | |
| Gross Beta | 0 38863 | 0 83051 | 0 34268 | 0.29522 | |
| Iron | 0 99795 | 1 | 0 97608 | 0 99972 | |
| Lead | 1 00000 | 1 | 1 00000 | 1 | |
| Lithium | 0 94178 | 1 | 1 | NA | |
| Magnesium | 0 92437 | 1 | 0 94319 | 0 95744 | |
| Manganese | 1 00000 | 1 | 0 99765 | 0 97515 | |
| Mercury | 0 36299 | 1 | NA | NA | |
| Molybdenum | 0 99940 | 1 | NA | NA | |
| Nickel | 0 97390 | 1 | 0 98626 | 0 98593 | |
| Nitrate/Nitrite | 1 | 1 | NA | NA | - |
| Plutonium-239,240 | 0 099977 | 0.26969 | 0 98778 | 0 36277 | |

Results of Inferential Statistical Tests IHSS 203 Surface Soils (0 to 2 inches) vs. Sitewide Background Surface Soils (Totals) P-Values

| Analyte | Gehan | Slippåge | Quantile | T-lesi | PCOC (4.95) |
|-----------------|----------|----------|----------|-----------|-----------------|
| Potassium | 1 00000 | 1 | 1 | 1 00000 | |
| Radium-226 | 0 045833 | 0 050519 | 0.050519 | 0.071666 | X |
| Selenium | 1 | 1 | MA | NA | - |
| Silicon | 0 43437 | 1 1 | 1 | | |
| Silver | 0 44750 | 1 | » NA | , NA | A7. |
| Sodium | 0.45132 | * | NA NA | * NA | * |
| Strontium | 0.95068 | 1 | . 1 | NA NA | , t. (3) |
| Thallium | 0.99762 | 1 | NA | NA NA | er Major 16a |
| Tin | 0 90821 | | NA * | . NA | |
| Tritium | 0 99999 | . 1 | NA. | * NA | or Arthur |
| Uranium-233,234 | 0.99979 | 0 75385 | 0.99961 | × 1.00000 | |
| Uranium-235 | 0 81555 | 0,75385 | 0.82676 | 0 56941 | |
| Uranium-238 | -0 99992 | 1 | 0.99984 | 0.99999 | |
| Vanadium | 0.97747 | 0 71014 | 0.98626 | 0 99112 | |
| Zinc | 1 00000 | 1 | 1,00000 | 1.00000 | |

Results of Inferential Statistical Tests IHSS 203 Surface Soils (0 to 10 inches) vs Sitewide Background Surface Soils (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0 05) |
|-----------------|-----------|----------|----------|----------|-----------------|
| Aluminum | 0 99894 | 1 | 0 99584 | 0 99838 | |
| Americium-241 | 0 88859 | 1 | 0 55300 | 0 95543 | |
| Antimony | 0 5 | 1 | NA | NA | |
| Arsenic | 0 97928 | 1 | 0 99584 | 0 98209 | |
| Barium | 1 00000 | 1 | 1 | NA | |
| Beryllium | 0 61583 | 1 | NA | NA | |
| Cadmium | 0 99929 | 1 | NA | NA | |
| Calcium | 0 067278 | 0 011586 | 0 058267 | 0 12895 | Х |
| Cesium | 0.5 | 1 | NA | NA | |
| Cesium-137 | 1 00000 | 1 | 1 | 1 00000 | |
| Chromium | 0 99905 | 1 | 0 99822 | 0 99943 | |
| Cobalt | 0 93482 | 1 | 0 87800 | NA | |
| Copper | 0 0096166 | 0 030897 | 0 058267 | 0 013065 | X |
| Gross Alpha | 0 99848 | 1 | 0 98482 | 0 99912 | |
| Gross Beta | 0 81731 | 1 | 0 61267 | 0 65229 | |
| Iron | 0 71672 | 0 44444 | 0 51422 | 0 75554 | |
| Lead | 1 00000 | 1 | 1 | 1 0000 | |
| Lithium | 0 99999 | 1 | 1 | NA | |
| Magnesium | 0 71129 | 1 | 0 95485 | 0 82937 | |
| Manganese | 0 99406 | 1 | 0 80114 | NA | |
| Mercury | NA | 1 | NA | NA | |
| Molybdenum | 0 97289 | 1 | NA | NA | |
| Nickel | 0 40557 | 0 19048 | 0 80114 | 0 38997 | |
| Nitrate/Nitrite | 0 5 | 1 | NA | NA | |
| Potassium | 1 00000 | 1 | 1 | 1 00000 | |

NA = Statistical Test Not Applicable

OU7/2030_10

Results of Inferential Statistical Tests IHSS 203 Surface Soils (0 to 10 inches) vs. Sitewide Background Surface Soils (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-----------------|----------------------|----------|------------------|---------|-----------------|
| Radium-226 | 0.5 | 1 | 1 | NA | |
| Radium-228 | 0.5 | 1 | Ţ | NA | 5 |
| Selenium | 0.99999 | 1 | - NA | NA | |
| Silicon | 0.63692 | 1 | * 1 ³ | NA | |
| Silver | 0.5 | 1 | ŇA | NA | |
| Sodium | 0.094083 | 0 19048 | , NA | NA | |
| Strontium | 0.25188 | 1 | 0 058267 | NA | 34 |
| Strontium-89,90 | 0 9 99 78 | 1 | 1 | NA | |
| Thallium | 0 93661 | i [| NA 1 | NA | |
| Tın | 0.99992 | 7 | na na | NA | Ţ. |
| Uranium-233,234 | 0 16528 | 0.51515 | 0,50904 | 0.24400 | د د |
| Uranium-235 | 0.23563 | 1 | _0.53670 | NA | |
| Uranium-238 | 0.37287 | 1 | 0.82640 | 0.36228 | |
| Vanadium | 0 64290 | 0 44444 | 0.80114 | 0.77943 | - |
| Zinc | 0 99999 | | 0.99584 | 0.99998 | |

Results of Inferential Statistical Tests IHSS 114 Surface Soils (0 to 2 inches) vs Sitewide Background Surface Soils (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|---------------|--------------|-----------|-----------|--------------|-----------------|
| Aluminum | 0 99076 | 1 | 0 95325 | 0 99348 | |
| Americium-241 | 0 94370 | 0.26829 | 0 56503 | 0 82580 | |
| Antimony | 0.5 | 1 | NA | NA | |
| Arsenic | 0 98583 | 1 | 0 97759 | 0 98353 | |
| Barium | 1 00000 | 1 | 1 | 0 99993 | |
| Beryllium | 0 14693 | 1 | NA | NA | |
| Cadmium | 0 99945 | 1 | NA | NA | |
| Calcium | 0 0000039004 | 0 0011156 | 0 0011156 | 0 0000042329 | Х |
| Cesium | 0.5 | 1 | NA | NA | |
| Cesium-134 | 1 00000 | 1 | NA | NA | |
| Cesium-137 | 1 00000 | 1 | 1 | 1 00000 | |
| Chromium | 0 99492 | 0 52381 | 0 95325 | 0 99097 | |
| Cobalt | 0 89854 | 1 | 0 97759 | 0 93503 | |
| Copper | 0 51005 | 0 26829 | 0 89646 | 0 14218 | |
| Gross Alpha | 0 99991 | 1 | 1 | 0 99999 | |
| Gross Beta | 0 86846 | 0 6875 | 0 62442 | NA | · |
| Iron | 0 78993 | 1 | 0 70377 | 0 91029 | |
| Lead | 1 00000 | 1 | 1 | 1 | |
| Lithium | 0 99998 | 1 | 1 | 0 99998 | - |
| Magnesium | 0 86338 | 1 | 0 99962 | 0 95588 | |
| Manganese | 1 00000 | 1 | 0 99962 | 0 98069 | |
| Mercury | NA | 1 | NA | NA | ··· |
| Molybdenum | 0 90933 | 1 | NA | NA | |
| Nickel | 0.21372 | 1 | 0 81938 | 0 17262 | |
| Potassium | 1 00000 | 1 | 1 | 1 00000 | |

Results of Inferential Statistical Tests IHSS 114 Surface Soils (0 to 2 inches) vs. Sitewide Background Surface Soils (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | ^T-test | PCOC (<0.05) |
|-----------------|---------|----------|------------------|----------|--|
| Radium-226 | 0 99870 | 1 | 0.97347 | 0 99944 | - |
| Radium-228 | 0.98689 | ~ 1 | *1 | 0 99277 | |
| Selenium | 1 00000 | 1 | ^k NA | NA | |
| Silicon | 0.81440 | 1 | * . | 0,99758 | |
| Silver | '0.5 | 1 | NA NA | NA | |
| Sodium | 0.59993 | 1 | * NA | NA. | |
| Strontium | 071023 | 1 | - 0 81938 | 0 79663 | |
| Strontium-89,90 | 0 99963 | 0.61538 | 0 99909 | NÅ | |
| Thallium | 0.64312 | - 1 | NA * | NA | |
| Tin | Ö 99996 | 1 | - NA | NA" | |
| Uranium-233 234 | 0 99963 | 1 | 0.95676 | 0 99993 | |
| Uranium-235 | 0 98619 | 1 | *0 9945 9 | 0 92678 | |
| Uranium-238 | 0.99845 | 1 | 0.99459 | 0.99957 | •••••••••••••••••••••••••••••••••••••• |
| Vanadium | 0 87158 | 1 | °0 95325 | -0 95097 | |
| Zinc | 1 00000 | 1 | 1 | 1 00000 | |

Results of Inferential Statistical Tests East Landfill Pond Surface Soils (0 to 2 inches) vs Sitewide Background Surface Soils (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0 05) |
|-------------------|------------|----------|----------|------------|-----------------|
| Aluminum | 0 99771 | 1 | 0 96174 | 0 99315 | |
| Americium-241 | 0 95096 | 0 19713 | 0 61981 | 0.23822 | |
| Antimony | 05 | 1 | NA | NA | |
| Arsenic | 0 99121 | 0 48891 | 0 99137 | 0 96800 | |
| Barium | 0 65264 | 0 86842 | 0 92058 | 0 64576 | |
| Beryllium | 0 54520 | 1 | NA | NA | |
| Cadmium | 0 99778 | 1 | NA | NA | |
| Calcium | 0 00024296 | 0 10768 | 0 17500 | 0 00010140 | х |
| Cesium | 0.5 | 1 | NA | NA | |
| Cesium-137 | 1 00000 | 1 | 1 00000 | NA | |
| Chromium | 0 99999 | 0 86842 | 1 00000 | 0 99983 | |
| Cobalt | 0 12382 | 1 | 0 38106 | 0 62718 | |
| Copper | 0 10444 | 0 86842 | 0 61459 | 0 13151 | |
| Gross Alpha | 0 99809 | 1 | 0 99938 | 0 99817 | |
| Gross Beta | 1 00000 | 1 | 0 99997 | 0 99691 | |
| Iron | 0 99969 | 0 75340 | 0 99977 | 0 99764 | |
| Lead | 0 99999 | 0 48891 | 0 99327 | 0 99999 | |
| Lithium | 0 99951 | 1 | 1 | NA | |
| Magnesium | 0 82081 | 0 86842 | 0 99137 | 0 88443 | |
| Manganese | 1 00000 | 1 | 0 99977 | 0 97781 | |
| Mercury | 0 35590 | 1 | NA | NA | |
| Molybdenum | 0 97979 | 1 | NA | NA | |
| Nickel | 0 96089 | 0 86842 | 0 99327 | 0 93009 | |
| Nitrate/Nitrite | 0 35197 | 0 076651 | 0 10803 | NA | |
| Plutonium-239,240 | 0 99314 | 0 14607 | 0 84148 | 0 61968 | |

Results of Inferential Statistical Tests East Landfill Pond Surface Soils (0 to 2 inches) vs. Sitewide Background Surface Soils (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|------------------|-----------|-------------------|----------|-----------|-----------------|
| Potassium | 1.00000 | 1 | 1.00000 | 1.00000 | • |
| Radium-226 | 0.27922 | 0 01 48 01 | 0 072643 | 0.24473 | Х |
| Radium-228 | 0.99737 | 1 | 0 99991 | 0.99356 | |
| Selenium : | 0 91353 | 1 | , NA | NA | |
| Silicon | 0.45948 | 1 | Î | NA | |
| Silver | 0.33057 | 1 | `1 | NA NA | |
| Sodium | 0 96372 | 0.86842 | ŇA | NA- | |
| Strontium | 0 0068164 | 1 | 0 038350 | 0.0065623 | X |
| Strontium-\$9,90 | 0.99996 | 0 92908 | 1.00000 | NA | |
| Thallium - * | 0 99965 | 1 | NA. | NÀ | . 400 |
| Tın | 0.99909 | 1 | NA | NA | |
| Trataum | f | 1 | NA | ŇA | |
| Uranium-233,234 | 1.00000 | 0.89041 | 0.99999 | 1.00000 | |
| Uranium-238 | 1.00000 | 0 89041 | 1.00000 | 1 00000 | |
| Vanadium | 0.84271 | 0.65295 | 0.61459 | 0.74091 | |
| Zinc | 0.49783 | 0.75340 | 0.32442 | 0.65981 | |

Results of Inferential Statistical Tests East Landfill Pond Surface Soils (0 to 10 inches) vs Sitewide Background Surface Soils (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0 05) |
|-------------------|----------|----------|----------|-----------|-----------------|
| Aluminum | 0 67297 | 0 77273 | 0 36700 | 0 54085 | |
| Americium 241 | 0 99999 | 0 77011 | 0 99999 | 0 99971 | |
| Antimony | 0 5 | 1 | NA | NA | |
| Arsenic | 0 94113 | 0 45670 | 0 93166 | 0 83755 | |
| Barium | 0 70633 | 0 59509 | 0 36700 | 0 50641 | |
| Beryllium | 0 99988 | 1 | NA | NA | |
| Cadmium | 1 00000 | 1 | NA | NA | |
| Calcium | 0 020366 | 0 15271 | 0 12820 | 0 0057992 | х |
| Cesium | 0.5 | 1 | NA | NA | |
| Cesium-137 | 1 00000 | 1 | NA | NA | |
| Chromium | 0 90899 | 0 59509 | 0 61387 | 0 88849 | |
| Cobalt | 0 86611 | 1 | 0 36700 | NA | |
| Copper | 0 19725 | 1 | 0 55744 | 0.23519 | |
| Gross Alpha | 0 99982 | 1 | 1 00000 | 0 99990 | |
| Gross Beta | 1 00000 | 1 | 0 99998 | NA | |
| Iron | 0 99519 | 0 77273 | 0 81496 | 0 99246 | |
| Lead | 1 00000 | 1 | 1 00000 | 1 00000 | |
| Lithium | 0 99998 | 1 | 0 99993 | 0 99997 | |
| Magnesium | 0 74766 | 1 | 0 98080 | 0 85423 | |
| Manganese | 1 00000 | 1 | 1 00000 | 0 98978 | |
| Mercury | 0.27310 | 1 | NA | NA | |
| Molybdenum | 0 71308 | 1 | NA | NA | |
| Nickel | 0 50795 | 0 45670 | 0 81496 | 0 46554 | |
| Nitrate/Nitrite | 0 73834 | 0 30548 | 0 53377 | NA | |
| Plutonium-239,240 | 1 00000 | 0 74444 | 1 00000 | 0 99966 | |

Results of Inferential Statistical Tests East Landfill Pond Surface Soils (0 to 10 inches) vs. Sitewide Background Surface Soils (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|------------------|-----------|----------|----------|------------------|-----------------|
| Potassium | 1 00000 | 1 | 1.00000 | 1 00000 | 7 |
| Radium-226 | 0.96954 | 0.5 | 0.84461 | 0 97474 | |
| Radium-228 | 0.99905 | 1 | 1.00000 | 0 99822 | |
| Selenium | 0.99595 | 0.59509 | NA . | - NA | ধ |
| Silicon | 0 74447 | 1 | 0 99936 | 0. 995 37 | |
| Silver | NA | 1 | ŅA | NA | |
| Sodium | 0 78644 | * 1 | ÑA | NA | |
| Strontium | 0 0017643 | 1 | 0.15789 | 0 052902 | |
| Strontium-\$9,90 | 0.99997 | 1 | 1.00000 | . NA | À |
| Thallium | 0.82853 | 1 | ŇĀ | NA | |
| Tın | 1 00006 | 1 | · NA | NA | |
| Tritium | 1 | 1 | ŅA | NA | |
| Uranium-233,234 | 0.99999 | 1 | 1 00000 | 1.00000 | _ |
| Uranıum-235 | 0 89376 | 1 | 0 93248 | . NA | |
| Uranium-238 | 0 99984 | 1 | 0.99960 | 0 99992 | |
| Vanadium | 0 45047 | 0.11500 | 0 61387 | 0.34448 | - |
| Zinc | 0 97863 | 1 | 0 61387 | 0 97427 | |

Results of Inferential Statistical Tests Upgradient Subsurface Geologic Materials (70493 and 70593) vs Sitewide Background Subsurface Geologic Materials Rocky Flats Alluvium (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0 05) |
|---------------|-----------|----------|------------|-----------|-----------------|
| Aluminum | 0 99041 | 1 | 0 98821 | NA | |
| Americium-241 | 0 014956 | 0 012821 | 0 57692 | 0 051281 | X |
| Antimony | 0 99777 | 1 | NA | NA | |
| Arsenic | 0 15479 | 1 | 0 46864 | NA | |
| Barium | 0 88363 | 1 | 0 98733 | NA | |
| Beryllium | 1 00000 | 1 | 1 | NA | |
| Cadmium | 0 92666 | 1 | NA | NA | |
| Calcium | 0 99062 | 1 | 1 | NA | |
| Cesium-137 | 0 016023 | 0.23404 | 0 00047549 | NA | х |
| Cesium | NA | 1 | NA | NA | |
| Chromium | 0.25357 | 1 | 0 46864 | NA | |
| Cobalt | 0 87202 | 1 | NA | NA | |
| Copper | 0 72502 | 1 | 0 46864 | NA | |
| Gross Alpha | 0 99941 | 1 | 1 | 0 99941 | |
| Gross Beta | 0 0047686 | 1 | 0 039367 | 0 0023122 | X |
| iron | 0 34925 | 1 | 0 74046 | NA | |
| Lead | 0 92219 | i | 0 91398 | NA | |
| Lithium | 0 99998 | 1 | NA | NA | |
| Magnesium | 0 99891 | 1 | 0 99075 | NA | |
| Manganese | 0 82397 | 1 | 0 73060 | NA | |
| Mercury | 0 99933 | 1 | NA | NA | |
| Molybdenum | 1 00000 | 1 | NA | NA | |
| Nickel | 0 96938 | 1 | 0 98987 | NA | |
| trate/Nitrite | 1 00000 | 1 | NA | NA | |

NA = Statistical Test Not Applicable

OU7/45BKRFT

Results of Inferential Statistical Tests Upgradient Subsurface Geologic Materials (70493 and 70593) vs. Sitewide Background Subsurface Geologic Materials Recky Flats Alluvium (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-tel | PCOC (<0.05) |
|-------------------|---------------|----------|------------|----------|-----------------|
| Plutonium-239,240 | 0.5 | 1 | 1 | NA | |
| Potassium | 0 99628 | 1 | NA | NA | |
| Radium-226 | 0 0090130 | * 1 | ₹ 0.35587 | NA NA | X |
| Radium-228 | 0.058975 | 0,060908 | 0.033824 | 0 042549 | X |
| Selenium | 0 71361 | 1 | s Nã | NA | |
| Silicon | 0 82417 | 1 | na na | NA NA | |
| Silver | 0 99573 | 1 | - NA | NÁ | |
| Sodium | 0 99999 | ÷ 1 | NA . | NA | |
| Strontium-89,90 | 0.11102 | 1 | 0,94815 | 1 00000 | |
| Strontrum | 0 97020 | - 1 | 'NX | NA | |
| Thallrum | 0 97464 | 1 | 'NA | ŇA | |
| Tin | 0 99205 | ~ 1 | * NA | NA | |
| Tritium | 0.97355 | 1_ | 0,95091 | 0.93783 | ä |
| Uranium-233,234 | 0.5 | 1 | -1 | NA | |
| Uranium-235 | 0 0 1 7 6 1 4 | - 1 | 0 16350 | NA Ì | X |
| Uranium-238 | 0 0000076481 | - 1 | 0.00047549 | 'nÂ | Х |
| Vanadium | 0 94098 | 1 | 0 9 1398 | NA NA | |
| Zinc | 0 91552 | 1 | 0 98821 | NA | |

Results of Inferential Statistical Tests Upgradient Subsurface Geologic Materials (70493 and 70593) vs Sitewide Background Subsurface Geologic Materials Weathered Bedrock

(Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0 05) |
|-----------------|------------|-------------|----------|---------------|-----------------|
| Aluminum | 0 99734 | 1 | 1 | 0 99860 | |
| Americium-241 | 1 00000 | 1 | NA | NA | |
| Antimony | 0.5 | 1 | 1 | NA | |
| Arsenic | 0 93232 | 1 | 0 94706 | 0 92058 | |
| Barium | 0 021654 | 0 47059 | 0 24118 | 0 042097 | Х |
| Beryllium | 0 99973 | 1 | 1 | 1 00000 | |
| Cadmium | NA | 1 | NA | NA | |
| Calcium | 0 00026391 | 0 000041135 | 0 029412 | NA | Х |
| Cesium-137 | 1 00000 | 1 | NA | NA | |
| Cesium | NA | 1 | NA | NA | |
| Chromium | 0 99947 | 1 | 1 | 0 99962 | |
| Cobalt | 0 77125 | 1 | NA | NA | |
| Copper | 0 16796 | 1 | 0.24118 | 0 37693 | |
| Gross Alpha | 1 00000 | 1 | NA | NA | _ |
| Gross Beta | 1 00000 | 1 | NA | NA | _ |
| Iron | 0 99737 | 1 | 1 | 0 99022 | _ |
| Lead | 0 00026600 | 0 000041135 | 0 029412 | 0 00000048725 | Х |
| Lithium | 0 99962 | 1 | 1 | 0 99908 | |
| Magnesium | 0 42369 | 1 | 0 66471 | 0 54615 | |
| Manganese | 0 99647 | 1 | 0 94706 | 0 99635 | |
| Mercury | 0 24587 | 1 | NA | NA | |
| Molybdenum | 0 99952 | 1 | NA | NA | |
| Nickel | 0 91130 | 1 | 0 66471 | NA | |
| Vitrate/Nitrite | 0 99826 | 1 | NA | NA | |

NA = Statistical Test Not Applicable

OU7/45BKWCT

Results of Inferential Statistical Tests Upgradient Subsurface Geologic Materials (70493 and 70593) vs. Sitewide Background Subsurface Geologic Materials Weathered Bedrock (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-------------------|---------------------|-----------|----------|----------|-----------------|
| Plutonrum-239,240 | 9.5 | 1 | 1 | NA. | |
| Potassium | 0 99205 | 1 | `NA | NA NA | |
| Radium-226 | 0 0086106 | 0.010101 | 0.25455 | 0 033042 | x |
| Radium-228 | 0 9999 2 | 1 | NA | - NA | |
| Selenium | 0.5 | 1 | NA | NA. | |
| Silicon | 0,5 | 1 | NA. | NA | |
| Silver | 0 99983 | 1 | 1 | NA | |
| Sodium | 0 98709 | 1 | - NA | NA | ř |
| Strontium-89,90 | 0.28161 | 1 | 0 94706 | 0 99905 | |
| Strontium | 0 00083879 | 0 0022624 | 0.029412 | NA | X |
| Thailium | 0.5 | 1 | NA | NA | 7 |
| Tin | 0 99984 | 1 | 1 | NA. | |
| Tritium | 1,00000 | 1 | NA | NA | |
| Uransum-235 | 1 000 00 | 1 | NA | NA | |
| Uranium-238 | 1 00000 | 1 | NA | NA | |
| Vanadium | 0 99973 | 1 | 1 | 0 99973 | |
| Zinc | 0 021654 | 0.9022624 | 0.029412 | 0 020381 | |

Results of Inferential Statistical Tests Downgradient Subsurface Geologic Materials (70993) vs Sitewide Background Subsurface Geologic Materials Colluvium (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-----------------|------------|----------|----------|-----------|-----------------|
| Aluminum | 0 15016 | 1 | 1 | 0 015481 | Х |
| Americium-241 | 1 00000 | 1 | NA | NA | |
| Antimony | NA | 1 | NA | NA | |
| Arsenic | 0 064631 | 0 096774 | 0 54972 | NA | |
| Barium | 0 054387 | 1 | 0 54972 | NA | |
| Beryllium | 0 98958 | 1 | 1 | NA | |
| Cadmium | 0 65983 | 1 | NA | NA | |
| Calcium | 0 60538 | 1 | 1 | NA | |
| Cesium-137 | 0 00016517 | 1 | NA | NA | X |
| Cesium | 0 63816 | 1 | NA | NA | |
| Chromium | 0 47335 | 1 | 1 | 0 54135 | |
| Cobalt | 0 76286 | 1 | NA | NA | |
| Copper | 0.29647 | 1 | 1 | 0 18825 | |
| Gross Alpha | 0 99742 | 1 | 1 | 1 00000 | |
| Gross Beta | 0 85970 | 1 | 1 | 0 90839 | |
| Iron | 0 48667 | 1 | 1 | 0 074426 | |
| Lead | 0 058060 | 1 | 0 11991 | 0 079216 | |
| Lithium | 0.22996 | 1 | NA | NA | |
| Magnesium | 0 42956 | 1 | 1 | NA | |
| Manganese | 0 096282 | 1 | 0 54972 | 0 0011113 | х |
| Mercury | 0 80393 | 1 | NA | NA | |
| Molybdenum | 0 99972 | 1 | NA | NA | |
| Nickel | 0 60544 | 1 | I | 0 59078 | |
| litrate/Nitrite | 0 96634 | 1 | NA | NA | |

NA = Statistical Test Not Applicable

OU7/9BKCLT OUT

Results of Inferential Statistical Tests Downgradient Subsurface Geologic Materials (70993) vs. Sitewide Background Subsurface Geologic Materials Colluvium (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC. |
|-----------------|-----------|-----------|----------|----------|-------|
| Plutonium-239, | 240 | 0.5 | 1 | NA | |
| Potassium | 0.713 | 61 1 | NA. | NA | |
| Radium-226 | 0.824 | 18 | 1 | NA | |
| Radium-228 | 0 447 | 67 1 | 0.52125 | 0.50246 | ~ |
| Selenium | 0 654 | 96 1 | NA - | NA . | |
| Silicon | 0,998 | 1 | NA NA | NA NA | 10- |
| Silver | 0 908: | 1 | 1 | NA NA | |
| Sodium | 0 4612 | 25 1 | NA | NA NA | |
| Strontium-89 90 | 0 1 1 2 9 | 1 | 1 | 0 99999 | |
| Strontium | 0 4205 | 6 1 | 1 | 0 46805 | |
| Thallium | N. | A 1 | NA | NA NA | - |
| Tin | 0 8496 | 3 1 | NA | NA NA | |
| Tritum | 0 06612 | 0 0 10345 | 0.51533 | 0 11941 | |
| Uranium-233,234 | 0. | 5 1 | 1 | NA NA | |
| Uranium-235 | 0.2133 | 7 | | NA NA | |
| Uranium-238 | 0.097173 | | 0.51533 | 0 016185 | × |
| Vanadium | 0.87204 | | 7 | 0.99374 | |
| Zinc | 0.36916 | | 1 | 0.99374 | |

Results of Inferential Statistical Tests Downgradient Subsurface Geologic Materials (71093) vs Sitewide Background Subsurface Geologic Materials Colluvium (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-----------------|-----------|----------|------------|--------------|-----------------|
| Aluminum | 0 077112 | 1 | 0.20050 | 0 032194 | X |
| Americium-241 | 1 00000 | 1 | NA | NA | |
| Antimony | NA | 1 | NA | NA | |
| Arsenic | 0 10838 | 1 | 0 64822 | NA | |
| Barium | 0 043673 | 0 125 | 0 025306 | NA | Х |
| Beryllium | 0 99792 | 1 | 1 | NA | |
| Cadmium | 0 68165 | 1 | NA | NA | |
| Calcium | 0 56787 | 1 | 1 | NA | |
| Cesium-137 | 0 11570 | 0 10345 | NA | NA | |
| Cesium | 0 65845 | 1 | NA | NA | |
| Chromium | 0.22930 | 1 | 1 | 0 17358 | |
| Cobalt | 0 14675 | 1 | NA | NA | |
| Copper | 0 24704 | 1 | 1 | 0 19963 | ' |
| Gross Alpha | 0 99742 | 1 | 1 | 0 99386 | |
| Gross Beta | 0 98453 | 1 | 1 | 0 99811 | |
| Iron | 0.21247 | 1 | 0 64822 | 0 19552 | |
| Lead | 0 0026065 | 1 | 0 00097330 | 0 0000050629 | х |
| Lithium | 0.21810 | 1 | NA | NA | |
| Magnesium | 0 36621 | 1 | 1 | NA | |
| Manganese | 0 33455 | 1 | 1 | 0 40729 | |
| Mercury | 0 82634 | 1 | NA | NA | L |
| Molybdenum | 0 99992 | 1 | NA | NA | |
| Nickel | 0.29401 | 1 | 1 | 0 17432 | |
| Vitrate/Nitrite | 0.5 | 0 10345 | NA | NA | |

NA = Statistical Test Not Applicable

OU7/10BKCLT OUT

Results of Inferential Statistical Tests Downgradient Subsurface Geologic Materials (71093) vs. Sitewide Background Subsurface Geologic Materials Colluvium (Totals) P-Values

| Analyte | Gehan , | Slippage | Quantile | T-test | PCQC (<0.05) |
|-------------------|----------|----------|----------|----------|-----------------|
| Plutonium-239,240 | 0.5 | 1 | 1 | NA | |
| Potassium | 0.66810 | . 1 | NA. | NA | |
| Radium-226 | 0.91543 | **** | 4 1 | NA | |
| Radium-228 | 0 17854 | 1 | 0.52125 | 0.085116 | |
| Selemum | 0.67490 | 1 | NA | NA- | _ |
| Silicon | 0 99171 | 1 | NA 🍃 | , NA | |
| Silver | 0 93649 | 1 | 1 | , NA | |
| Sodium | 0.92967 | 1 | NA | NA | |
| Strontium-89,90 | 0 078851 | 1 | 0.65740 | 0 82864 | |
| Strontium | 0 049208 | 1 | 0.20050 | 0.061564 | х |
| Thallium * | NA | 1 | NA . | NA | |
| Tin | 0 88244 | 1 | ŊA . | , NA | |
| Tritium | 0 066120 | 1 | 0.51533 | 0.022256 | X |
| Uranium-233 234 | 0.5 | · 1 | NA. | NA | |
| Uranium-235 | 0.23721 | 1 - | - 1 | * NA | |
| Uranium-238 | 0 11015 | 1 | 0.51533 | 0 086375 | |
| Vanadium | 0,26536 | 1 | 0.64822 | 0,27113 | |
| Zınc | 0 15253 | 1 | 0 64822 | 0 025674 | Х |

Results of Inferential Statistical Tests Downgradient Subsurface Geologic Materials (70993) vs Sitewide Background Subsurface Geologic Materials Weathered Bedrock (Totals) P-Values

| Апајус | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|----------------|-----------|-----------|----------|------------|-----------------|
| Aluminum | 0 99831 | 1 | 1 | 0 99992 | |
| Americium-241 | 0 99998 | 1 | NA | NA | |
| Antimony | NA | 1 | NA | NA | |
| Arsenic | 0 39475 | 1 | 0 81538 | 0 76433 | |
| Barium | 0 32037 | 0 14286 | 0 34066 | 0 10729 | |
| Beryllium | 0 99865 | 1 | 1 | 1 00000 | |
| Cadmium | NA | 04 | NA | NA | |
| Calcium | 0 0046225 | 0 043956 | 0 043956 | 0 0087938 | х |
| Cesium-137 | 0 99999 | 1 | NA | NA | |
| Cesium | NA | 1 | NA | NA | |
| Chromium | 0 99865 | 1 | 1 | 0 99999 | |
| Cobalt | 0.29756 | 0 043956 | 0 043956 | NA | Х |
| Copper | 0 035930 | 1 | 0 34066 | 0 0033277 | х |
| Gross Alpha | 0 99999 | 1 | NA | NA | |
| Gross Beta | 0 99999 | 1 | NA | NA NA | |
| Iron | 0 72575 | 0 14286 | 0 34066 | 0 57732 | |
| Lead | 0 0013499 | 0 0019980 | 0 010989 | 0 00024301 | X |
| Lithium | 0 76832 | 1 | 1 | 0 92733 | |
| Magnesium | 0.23168 | 1 | 0 81538 | 0 34029 | |
| Manganese | 0 87146 | 0 043956 | 0 043956 | 0 32043 | |
| Mercury | 0 18555 | 1 | NA | NA | |
| Molybdenum | 0 99872 | 1 | NA | NA | |
| Nickel | 0 89786 | 0 043956 | 0 043956 | 0 36449 | х |
| itrate/Nitrite | 0 99444 | 1 | NA | NA | |

NA = Statistical Test Not Applicable

OU7/9BKWCT OUT

Results of Inferential Statistical Tests Downgradient Subsurface Geologic Materials (70293) vs. Sitewide Background Subsurface Geologic Materials Weathered Bedrock (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-------------------|------------|--|----------|--------------|--|
| Plutonium-239 240 | 0.5 | 1 | 1 | NA | |
| Potassium | 0 99292 | 1 | · » NA | NA. | |
| Radium-226 | 0.0069515 | 0.0047619 | 0.33333 | 0.010044 | х |
| Radium-228 | 0 99976 | 1 | - NA | NA | |
| Selenium | 0 19030 | 0 010989 | 0.016989 | NA " | X |
| Silicon | 0.5 | 1 | NA . | - NA | |
| Silver | 0 99879 | 1 | - 1 | NA | |
| Sodium | 0 0099727 | 1 | NA | NA | х |
| Strontium-89,90 | 0.32090 | 1 | 0.81538 | 0 85315 | |
| Strontnum | 0.00023591 | 0.00019980 | 0.043956 | NA | x |
| Thallium | NA T | and the state of t | NA I | NA | |
| Tin | 0 99868 | 1 | - 1 | NA NA | , |
| Tritium | 0 99999 | | NA | NA | ************************************** |
| Uranium-235 | 0 99999 | 1 | NA | ŇÁ | |
| Uranium-238 | 0 99999 | 1 | | NA NA | |
| Vanadium | 0 99687 | 1 | 1 | 0.96471 | |
| Zinc | 0.0013499 | 0.90019980 | 0.043956 | 0.0000014980 | х |

NA = Statistical Test Not Applicable

OU7/9BKWCT OUT

Results of Inferential Statistical Tests Downgradient Subsurface Geologic Materials (71093) vs Sitewide Background Subsurface Geologic Materials Weathered Bedrock

(Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-----------------|-----------|-----------|----------|------------|-----------------|
| Aluminum | 0 99904 | 1 | 1 | 0 99992 | |
| Americium-241 | 0 99999 | 1 | NA | NA | |
| Antimony | NA | 1 | NA | NA | |
| Arsenic | 0 74194 | 1 | 0 81538 | 0 76433 | |
| Barium | 0 033750 | 0 14286 | 0 34066 | 0 10729 | Х |
| Beryllium | 0 99928 | 1 | 1 | 1 00000 | |
| Cadmium | 0 12793 | 04 | NA | NA | |
| Calcium | 0 0047290 | 0 043956 | 0 043956 | 0 0087938 | х |
| Cesium-137 | 1 00000 | 1 | NA | NA | |
| Chromium | 0 99927 | 1 | 1 | 0 99999 | |
| Cobalt | 0 035585 | 0 043956 | 0 043956 | NA | X |
| Соррет | 0 012572 | 1 | 0 34066 | 0 0033277 | Х |
| Gross Alpha | 1 00000 | 1 | NA | NA | |
| Gross Beta | 1 00000 | 1 | NA | NA | |
| Iron | 0 27784 | 0 14286 | 0 34066 | 0 57732 | |
| Lead | 0 0010816 | 0 0019980 | 0 010989 | 0 00024301 | X |
| Lithium | 0 92154 | 1 | 1 | 0 92733 | |
| Magnesium | 0 31868 | 1 | 0 81538 | 0 34029 | |
| Manganese | 0 17289 | 0 043956 | 0 043956 | 0.32043 | Х |
| Mercury | 0 11863 | 1 | NA | NA | |
| Molybdenum | 0 99923 | 1 | NA | NA | |
| Nickel | 0 17267 | 0 043956 | 0 043956 | 0 36449 | х |
| Nitrate/Nitrite | 0 99590 | 1 | NA | NA | |
| utonium-239,240 | 0.5 | 1 | 1 | NA | |

NA = Statistical Test Not Applicable

OU7/10BKWCT OUT

Results of Inferential Statistical Tests Downgradient Subsurface Geologic Materials (71093) vs. Sitewide Background Subsurface Geologic Materials Weathered Bedrock (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-fest | PCOC (<0.05) |
|-----------------|------------|----------------------|----------------|--------------|-----------------|
| Potassium | ± 0 97935 | 1 | NA NA | ŇA | |
| Radium-226 | 0 0051410 | 0 0047619 | 0.33333 | 0.010044 | X |
| Radium-228 | 0 99985 | 1 | a was NA | ŇA | |
| Selenium | 0 0032008 | 0 010989 | 6010909 | . ÑA | X |
| Silicon | 0.5 | 1 | , NA* | NA | |
| Silver | 0 99940 | ş <u> </u> | . 1 | NA | |
| Sodium | 0 010973 | i | - NA | NA | X |
| Strontium-89,90 | 0 11888 | 1 | 9 81538 | 0 85315 | X |
| Strontium | 0 00016549 | 0 0019980 | 0.043956 | NA | X |
| Thallium | 0.5 | 1 | NA | NA | |
| Tin | 0 99950 | 1 | 1 | NA NA | |
| Tritium | 1 00000 | 1 | ** NA | NA | |
| Uranium-235 | 1 00000 | 1 | * NA | ŃΑ | |
| Uranium-238 | 1 00000 | ſ | NA NA | NA | |
| Vanadium | 0.93725 | | a - 1 | 0 96471 | ~ |
| Zinc | 0.00073136 | .0 0001 998 0 | 0.043956 | 0.0000014980 | X |

Results of Inferential Statistical Tests East Landfill Pond Sediments vs Background Stream Sediments (Total) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-------------------|-------------|----------|-----------|----------|-----------------|
| Aluminum | 0 019068 | 1 | 0 038574 | NA | х |
| Americium-241 | 0 37645 | 1 | 1 | NA | |
| Antimony | 0 69412 | 1 | NA | NA | |
| Arsenic | 0 014503 | 1 | 0 099006 | 0 015382 | Х |
| Barium | 0 0032537 | 1 | 0 0071299 | NA | X |
| Beryllium | 0 000052600 | 1 | NA | NA | Х |
| Cadmium | 0 69472 | 1 | NA | NA | |
| Calcium | 0 041752 | 1 | 0 038574 | NA | Х |
| Cesium 137 | 0 068085 | 1 | 0 051120 | 0 049393 | х |
| Cesium | 0 56188 | 1 | NA | NA | |
| Chromium | 0 017902 | 1 | 0 099006 | NA | х |
| Cobalt | 0 13494 | 1 | NA | NA | |
| Copper | 0 032953 | 1 | 0 099006 | NA | Х |
| Gross Alpha | 0 50929 | 1 | 1 | NA | |
| Gross Beta | 0 94909 | 1 | 1 | 0 99997 | |
| Iron | 0 053402 | 1 | 0 36821 | 0 028003 | Х |
| Lead | 0 029874 | 1 | 0 099006 | NA | Х |
| Lithium | 0 089993 | 1 | NA | NA | |
| Magnesium | 0 038000 | 1 | 0 36821 | 0 042710 | X |
| Manganese | 0 42525 | 1 | 1 | NA | |
| Mercury | 0.5 | 1 | NA | NA | |
| Molybdenum | 0 93408 | 1 | NA | NA | |
| Nickel | 0 010683 | 1 | 0 10552 | NA | х |
| Nitrate | 1 | 1 | NA | NA | |
| Nitrate/Nitrite | 0 98068 | 1 | NA | NA | |
| Plutonium-239,240 | 0 22794 | 1 | 0 51226 | NA | |

NA = Statistical Test Not Applicable

OU7/sdbkgh

Results of Inferential Statistical Tests East Landfill Pond Sediments vs. Background Stream Sediments (Total) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-----------------|----------|----------|----------|------------|-----------------|
| Potassium | 0 012473 | 1 | AK | NA | х |
| Radium-228 | 0.5 | 1 | 1 | NA | |
| Selenium | 0.021771 | 1 | NA | NA | X |
| Silicon | 0.20083 | 1 | 9.42857 | 0.24814 | |
| Silver | 0.46394 | 1 | NA NA | NA | |
| Sodium | 0.012581 | 1 | " NA | NÃ | x |
| Strontium-89,90 | 0.45571 | 1 | 1 | 0.64846 | |
| Strontium | 0.011546 | 1 | 0.039927 | 0 012544 | х |
| Thallium | 0.5 | 1 | NA | NA | |
| Tın | 0 83149 | 1 | NA | NA | |
| Tritium | 05 | 1 | 1 | NA | |
| Uranium-233,234 | 0 84159 | 1 | 1 | NA | , |
| Uranium-235 | 0 45760 | ſ | | NÂ | |
| Uranium-238 | 0.61586 | 1 | * 1 | NA | |
| Vanadium - ~ | 0.013486 | 1 | D 10352 | 0 00012480 | X |
| Zinc | 0.018485 | 1 | 0,099006 | NA | X |

Results of Inferential Statistical Tests Leachate Seep Water (SW097) vs Sitewide Background Seep Water (Dissolved) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-------------------|------------------|----------|--------------|----------------|-----------------|
| Aluminum | 0 73781 | 1 | NA | NA | |
| Americium-241 | 0 54322 | 0 88187 | 0 57454 | NA | |
| Antimony | 0 34520 | 1 | NA | NA | |
| Arsenic | 0 84016 | 1 | NA | NA | |
| Barium | 5 218E-14 | 1 | NA | NA | Х |
| Beryllium | 0 10783 | 1 | NA | NA | |
| Cadmium | 0 35139 | 1 | NA | NA | |
| Calcium | 0 0000000011531 | 1 | 0 0000014291 | 0 | х |
| Cesium | 0.5 | 1 | NA | NA | |
| Cesium-137 | 0 12165 | 0 22222 | 0 77778 | NA | |
| Chromium | 0 34540 | 1 | NA | NA | |
| Cobalt | 0.29882 | 1 | NA | NA | |
| Соррег | 0 97688 | 1 | NA | NA | |
| Gross Alpha | 0.27825 | 1 | 0.27473 | 0 21455 | |
| Gross Beta | 0 010319 | 1 | 0 53457 | 0 037248 | X |
| Iron | 2 8662E-11 | 1 | NA | NA | Х |
| Lead | 0.5 | 1 | NA | NA | |
| Lithium | 0 000000071160 | 1 | NA | NA | X |
| Magnesium | 5 548E-11 | 1 | NA | NA | х |
| Manganese | 0 00000000011412 | 1 | NA | 0 000000011979 | x |
| Mercury | 0 98338 | 1 | NA | NA | |
| Molybdenum | 0 63410 | 1 | NA | NA | |
| Nickel | 0 20772 | 1 | NA | NA | |
| Plutonium-239,240 | 0.5 | 1 | 1 | NA | |
| Potassium | 0 0000000021863 | 1 | NA | NA | х |

Results of Inferential Statistical Tests Leachate Seep Water (SW097) vs. Sitewide Rackground Seep Water (Dissolved) P-Values

| Analyte | Gehan | Slippage | Quantile | T-figt | PCOC (<0.45) |
|-----------------|------------------|---------------------|-----------------|------------------------|---|
| Radium-226 | 0.5 | 1 | ` | ., 0.381 99 | |
| Radium-228 | 0 15866 | 0.5 | 0.5 | ŅA | * |
| Selenium | 0.90999 | 1 | · NA | NA ³ | |
| Silicon | 0.82220 | 1 | NA NA | NA | |
| Silver | 0.14644 | 1 | NA | NA | • |
| Sodium | 5.9753E-11 | 5.3513E-14 | 0 0000000039407 | 1 7764E-14 | Х |
| Strontium | 0 00000000025958 | 0.000037257 | ÑÃ | NA. | X |
| Strontium-89,90 | 0 0013926 | 0 0015608 | 0.0.098099 | 0.0013296 | Х |
| Thallium | NA NA | 1 | NA - | NA | |
| Tin | 0 018704 | 1 | * NA | , NA | X |
| Tritium | 0.5 | . i. l _i | 4,- | NA NA | |
| Uranium-233,234 | 0.5 | - T | | NA NA | ×f |
| Uranium-235 | 0.82237 | 9.54545 | 0.95666 | 0.85227 | |
| Uranium-238 | 0.98185 | 1 | 0.98627 | 0 99327 | |
| Vanadium | 0 76689 | 1. | ÑĄ | na Na | a ³ ·- |
| Zinc | 1.4222E-12 | 1 | NĀ [~] | ŇA | х * |

Results of Inferential Statistical Tests Leachate Seep Water (SW097) vs. Sitewide Background Seep Water (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0 05) |
|-----------------|--------------|------------|----------|------------|-----------------|
| Aluminum | 0 99335 | 1 | NA | 0 99264 | |
| Americium-241 | 0 61724 | 1 | 0 90492 | 0 91196 | |
| Antimony | 0 73747 | 1 | NA | NA | |
| Arsenic | 0 98202 | 1 | NA | NA | |
| Barium | 0 00091711 | 1 | NA | 0 96560 | X |
| Beryllium | 0 97496 | 1 | NA | NA | |
| Cadmium | 0 87641 | 1 | NA | NA | |
| Calcium | 0 0000059742 | 1 | 0 24511 | 0 0050702 | X |
| Cesium | 0 88899 | 1 | NA | NA | |
| Cesium-137 | 0 60658 | 1 | 0 98723 | 0 69027 | |
| Chromium | 0 82404 | 1 | NA | NA | |
| Cobalt | 0 66503 | 1 | NA | NA | |
| Copper | 0 97739 | 1 | NA | NA | |
| Cyanide | 0 53927 | 1 | NA | NA | |
| Gross Alpha | 0 73444 | 1 | 1 | 0 92171 | |
| Gross Beta | 0 00072421 | 0 00019980 | 0 043956 | 0 00025916 | х |
| Iron | 0 0000062403 | 1 | 0.20772 | 0 90741 | Х |
| Lead | 0 98202 | 1 | NA | NA | |
| Lithium | 0 0000037804 | 1 | NA | NA | х |
| Magnesium | 3 5458E-11 | 1 | NA | 0 70858 | Х |
| Manganese | 0 0000073530 | 1 | NA | 0 71872 | х |
| Mercury | 0 64633 | 1 | NA | NA | |
| Molybdenum | 0 45768 | 1 | NA | NA | |
| Nickel | 0 88880 | , 1 | NA | ÌΝΑ | · |
| Nitrate/Nitrite | 0.5 | 1 | NA | NA | |

NA = Statistical Test Not Applicable

OU7/seeptot

Results of Inferential Statistical Tests Leachate Seep Water (SW097) vs. Sitewide Backgraund Seep Water (Totals) P-Values

| Analyte | Gehan | Stippage | Quantile | T-test | PCOC (<0.05) |
|-------------------|------------------|-------------|-----------------|------------|-----------------|
| Nıtrite | 0 0021252- | 0.375 | Ŏ 04743Ĩ | NA NA | Х |
| Plutonium-239,240 | 0.5 | 1 | - 1 | NA | |
| Potassium | 0 000024585 | 1 | NA | NA NA | X |
| Radium-226 | 0,90958 | 1 | 4 1 | , NA | |
| Radium-228 | 0.5 | 1 | | . NA | |
| Selenium | 0 58883 | 1 | NA | " NA | |
| Silicon | 0 011110 | 0 047101 " | 0 047101 | NA \$ | X |
| Silver | 0.26715 | 1 | NA | NA | |
| Sodium | 1 8628E-11 | -1 0436E-14 | 5 9322E-11 | 1 1102E-16 | X |
| Strontium | 0 00037488 | 1 | NA | NA | Х |
| Strontium-89,50 | 0.000061402 | 0 010453 | 0.0024727 | NA NA | X |
| Sulfide | 0 84134 | 1 | NA. | NA . | |
| Thallium | 0.86892 | 1 | NA. | NA NA | |
| Tın | 0.54793 | 1 | NA. | , NA | |
| Tritum | 0 000077629 | 0 18857 | 0.013186 | 0.044523 | X |
| Uranium-233,234 | 0.5 | 1 | NA | NA NA | |
| Uranium-235 | 071163 | 1 | -1 | 0 99781 | |
| Uranium-23 | 0 84749 | 1 | 0.87303 | NA | |
| Vanadium | 0 92981 | 1 | NA C | NA | |
| Zinc | 0 00000000015427 | - 1 | NA [^] | ÑA | x |

Results of Inferential Statistical Tests East Landfill Pond Water (SW098) vs Sitewide Background Surface Water (Dissolved) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-------------------|-----------------|----------|--------------|-----------|-----------------|
| Aluminum | 0 96621 | 1 | NA | NA | |
| Americium-241 | 0 97670 | 1 | 0 88032 | NA | |
| Antimony | 0 00090772 | 1 | NA | NA | Х |
| Arsenic | 0 00033223 | 1 | NA | NA | х |
| Barium | 0 | 1 | NA | NA | Х |
| Beryllium | 0 96460 | 1 | NA | NA | |
| Cadmium | 0 82110 | 1 | NA | NA | |
| Calcium | 0 0000000010744 | 1 | 1 8981E-11 | 5 092E-12 | Х |
| Cesium | 0 99946 | 1 | NA | NA | |
| Cesium-137 | 0 86114 | 1 | 1 | NA | |
| Chromium | 0 12957 | 1 | NA | NA | |
| Cobalt | 0 88568 | 1 | NA | NA | |
| Copper | 0 56309 | 1 | NA | NA | |
| Gross Alpha | 0 0051653 | 1 | 0 027676 | 0 0019860 | x |
| Gross Beta | 0 000030570 | 1 | 0 0000042729 | NA | Х |
| Iron | 0 99036 | 1 | NA | NA | |
| Lead | 0 41512 | 1 | NA | NA | |
| Lithium | 0 | 1 | NA | NA | х |
| Magnesium | 5 5511E-16 | 1 | NA | 0 68733 | X |
| Manganese | 0 023962 | 1 | NA | NA | х |
| Mercury | 0 92190 | 1 | NA | NA | i |
| Molybdenum | 0 027532 | 1 | NA | NA | х |
| Nickel | 0 0054682 | 1 | NA | NA | х |
| Plutonium-239,240 | 0.5 | 1 | 1 | NA | |
| Potassium | 0 | 1 | NA | NA | Х |

Results of Inferential Statistical Tests East Landfill Pond Water (SW098) vs. Sitewide Background Surface Water (Dissolved) P-Values

| Analyte | Gehan | Stippage | Quantile | ~ T-test | PCOC (<0.05) |
|-----------------|---------------|------------|---------------|----------|-----------------|
| Radium-226 | 0 74365 | | -1 | 0 92205 | |
| Radium-228 | 0.5 | 1 | 1 | NA NA | |
| Selenium | 0 94463 | 1 | NA T | NA | |
| Silıcon | 1 00000 | 1 | - NA | NA NA | |
| Silver | 0 11677 | 1 | NA | NĄ | |
| Sodium | 2 1094E-15 | 8 1157E-14 | | 0 | Х |
| Strontium | 0 | 1 | NA . | 0 95608 | х |
| Strontium-89,90 | 0 016081 | 1 | 0 14927 | NA | X |
| Thailium | 0.24413 | 1 | - NA - | NA NA | |
| Tin | 0.0092145 | 1 | NA | NA | Х |
| Tritium | 0.5 | 1 | 1 | NA | |
| Uranium-233,234 | 0.5 | 1 | NA - | NA | |
| Uranium-235 | 0 67596 | 1 | 0,77157 | 0 73506 | |
| Uranium-238 | 0.00000038527 | 1 | 0.00000931447 | NA. | X |
| Vanadium | 0 0042383 | 1 | , NA | e NA | X |
| Zinc | 0 98708 | 1 | NA | NA | |

Results of Inferential Statistical Tests East Landfill Pond Water (SW098) vs Sitewide Background Surface Water (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-----------------|------------------|----------|---------------|----------------|-----------------|
| Aluminum | 0 99978 | 1 | NA | NA | |
| Americium-241 | 0 0084110 | 0 14876 | 0.29985 | NA | х |
| Antimony | 0 75074 | 1 | NA | NA | |
| Arsenic | 0 0012852 | 1 | NA | NA | Х |
| Barium | 3 7859E-14 | 1 | NA | 0 98556 | |
| Beryllium | 0 79971 | 1 | NA | NA | |
| Cadmium | 0 30106 | 1 | NA | NA | |
| Calcium | 0 00000000070613 | 1 | 1.2331E-12 | 0 000000020630 | Х |
| Cesium | 0 91605 | 1 | NA | NA | |
| Cesium-137 | 0 99180 | 1 | 1 | 0 99992 | |
| Chromium | 0 72351 | 1 | NA 1 | NA | |
| Cobalt | 0 91519 | 1 | NA | NA | |
| Copper | 0 3 1 3 4 3 | 1 | NA | NA | |
| Cyanide | 0 69539 | 1 | NA | NA | |
| Gross Alpha | 0 46098 | 1 | 0 80283 | 0 024854 | Х |
| Gross Beta | 0 000034089 | 1 | 0 00000068747 | NA | х |
| Iron | 0 69842 | 1 | NA | 0 99596 | |
| Lead | 0 59444 | 1 | NA | NA NA | |
| Lithium | 0 | 1 | NA | NA | X |
| Magnesium | 1 3101E-14 | 1 | NA | 0 72618 | х |
| Manganese | 0 0064598 | 1 | NA | 0 87002 | х |
| Mercury | 0.21646 | 1 | NA | NA | |
| Molybdenum | 0 026871 | 1 | NA | NA | х |
| Nickel | 4 6715E-11 | 1 | NA | NA | x |
| Nitrate/Nitrite | 0 30316 | 1 | NA | NA | |

Results of Inferential Statistical Tests East Landfill Pond Water (SW098) vs. Sitewide Background Surface Water (Totals) P-Values

| Analyte | Gehan | Slipp age | Quantile | T-test | PCDC (<8.05) |
|-------------------|---------------------|------------------|-----------|------------|-----------------|
| Nitrite | 0 77029 | 1 | NA | , NA | |
| Plutonium-239,240 | 0.5 | . 1 | | ~ NA | |
| Potassium | 0 | 1 | NA | NA NA | X |
| Radium-226 | 0.5 | 1 | ¥ ~ I | NÁ | |
| Selenium | 0 83479 | 1 | NA - | . NA | |
| Silicon | 0 9999 9 | 1 | 1 | NA | |
| Sılver | 0.20340 | 1 | - NA | NA | |
| Sodium | 2 4425E-15 | -3.0864E-14 | 0 | 0 | х |
| Strontium | 2 7423E-14 | 1 | NA | 0 95911 | х |
| Strontium-89,90 | 0 0072384 | 1 | 0,0050270 | NA | Х |
| Sulfide | 0.84388 | 1 | NA NA | NA | |
| Thallium | 0 020407 | 1 | NA NA | NA - | X |
| Tin * | 0.0016492 | 1 | , NA | NA | |
| Tritium | 0 010610 | 1 | 0.067423 | 0.0099277 | X |
| Uranium-233,234 | 0.5 | î r | NA | N A | |
| Uranium-235 | 0.040019 | 1 | 0.033141 | N <u>A</u> | X |
| Uranium-238 | 0 000047745 | 0 16667 | 0.020561 | NA | Х |
| Vanadium | 0.26504 | 1 | NA NA | NA | |
| Zinc | 0.57587 | 1 | NA | NA | |

Results of Inferential Statistical Tests Northern Groundwater-Intercept System Discharge (SW099) vs Sitewide Background Surface Water (Dissolved) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0 05) |
|-------------------|-----------------|--------------|-----------|---------|-----------------|
| Aluminum | 0 97359 | 1 | NA | NA | |
| Americium-241 | 0 95901 | 1 | 1 | 0 93026 | |
| Antimony | 0 59348 | 1 | NA | NA | |
| Arsenic | 0.29366 | 1 | NA | NA | |
| Barium | 0 000000036814 | 1 | NA | NA | X |
| Beryllium | 0 95449 | 1 | NA | NA | |
| Cadmium | 0 96355 | 1 | NA | NA | |
| Calcium | 0 0000000013580 | 0 0000060728 | 3 153E-14 | NA | X |
| Cesium-137 | 0 89989 | 1 | 1 | NA | |
| Cesium | 0 99871 | 1 | NA | NA | |
| Chromium | 0 86992 | 1 | NA | NA | |
| Cobalt | 0 55128 | 1 | NA | NA | |
| Copper | 0 55837 | 1 | NA | NA | |
| Gross Alpha | 0 050175 | 1 | 0.20690 | NA | |
| Gross Beta | 0 20312 | 1 | 1 | NA | |
| Iron | 0 99865 | 1 | NA | NA | |
| Lead | 0 017646 | 1 | NA | NA | Х |
| Lithium | 0 0000029956 | 1 | NA | NA | x |
| Magnesium | 3 6953E-12 | 1 | NA | NA | x |
| Manganese | 0 99988 | 1 | NA | NA | |
| Mercury | 0 67758 | 1 | NA | NA | |
| Molybdenum | 0 61466 | 1 | NA | NA | |
| Nickel | 0 33566 | 1 | NA | NA | |
| Plutonium-239,240 | 0.5 | 1 | 1 | NA | |
| otassium | 0 93259 | 1 | NA | NA | |

NA = Statistical Test Not Applicable

OU7/SWBK99D

Results of Inferential Statistical Tests Northern Groundwater-Intercept System Discharge (SW099) vs. Sitewide Background Surface Water (Dissolved) P-Values

| Analyte | Gehan | Slippage | Quantile | .T-test | PCOC (<0.05) |
|-----------------|------------|--------------|----------|----------|-----------------|
| Radium-226 | 0 74365 | 1 | 1 | 0.90660 | |
| Radium-228 | 0.5 | 1 | 1 | NA | |
| Selenium | 0 19502 | 1 | NA | NA . | ĵ. |
| Silicon | 1 | 1 | NA . | NA NA | |
| Silver | 0 035772 | 1 | , NA | NA NA | х |
| Sodium | 0 0021923 | 0 9000064547 | 0.029650 | NA NA | x |
| Strontium-89,90 | 0 035391 | -1 | 0.28961 | NA : | X |
| Strontium | 2 4269E-13 | 1 | NA | NA | X |
| Thallium | 0 95709 | 1 | NA | NA | |
| Tin | 0 99791 | 1 | NA T | NA | |
| Tritium | 0.5 | 1 | 1 | NA | |
| Uranıum-233,234 | 0.5 | 1 | NA | NA | |
| Uranıum-235 | 0 099302 | 1 | 0,28120 | 0.055771 | |
| Uranium-238 | 0 0011516 | 1 | 0.005091 | NA | х |
| Vanadium | 0 94228 | 1 | NA | NA | |
| Zinc | 0 13327 | 1 | * NA | NA | |

Results of Inferential Statistical Tests Northern Groundwater-Intercept System Discharge (SW099) vs Sitewide Background Surface Water (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0 05) |
|-----------------|----------------|------------|------------|------------|-----------------|
| Aluminum | 0 99961 | 1 | NA | NA | |
| Americium-241 | 0 083564 | 0 010069 | 0 44484 | NA | х |
| Antimony | 0 81634 | 1 | NA | NA | |
| Arsenic | 0 85320 | 1 | NA | NA | |
| Barium | 0 000000073584 | 1 | NA | NA | х |
| Beryllium | 0 80421 | 1 | NA | NA | |
| Cadmium | 0.21382 | 1 | NA | NA | |
| Calcium | 8 5617E-12 | 0 00012105 | 3 3307E-16 | 1 1879E-14 | х |
| Cesium-137 | 0 89545 | 1 | 0 33166 | 0 15574 | |
| Cesium | 0 89022 | 1 | NA | NA | |
| Chromium | 0 95277 | 1 | NA | NA | |
| Cobalt | 0 91465 | 1 | NA | NA | |
| Соррег | 0 47843 | 1 | NA | NA | |
| Cyanide | 0 66234 | 1 | NA | NA | |
| Gross Alpha | 0 036055 | 1 | 0 038095 | 0 029398 | х |
| Gross Beta | 0.23912 | 1 | 1 | NA | |
| Iron | 0 99997 | 1 | NA | NA | |
| Lead | 0 69098 | 1 | NA | NA | |
| Lithium | 0 000000014891 | 1 | NA | NA | х |
| Magnesium | 4 2721E-13 | 1 | NA | NA | x |
| Manganese | 1 00000 | 1 | NA | NA | - |
| Mercury | 0 34012 | 1 | NA | NA | <u> </u> |
| Molybdenum | 0 87238 | 1 | NA | NA | _ |
| Nickel | 0 36322 | 1 | NA | NA | |
| Nitrate/Nitrite | 0.5 | 1 | NA | NA | |

NA = Statistical Test Not Applicable

OU7/swbk99t

Results of Inferential Statistical Tests Northern Groundwater-Intercept System Discharge (SW099) vs. Sitewide Background Surface Water (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-teet | PCOC (<0.85) |
|-------------------|-------------------|------------|-------------|---------|-----------------|
| Nitrite | 0 73134 | - 1 | - NA | NA | ş |
| Plutonium-239,240 | 0.5 | 1 | f | NÀ." | |
| Potassium | 0. 8 1649* | I | NA | NĄ | |
| Radium-226 | 0.5 | 1 | * 1 | 0,87035 | |
| Selenium | 0 022275 | 1 | NA | NA | x |
| Silicon | 0 75413 | * 1 | | NA. | - |
| Silver | 0 88551 | 1 | NA . | , NA | |
| Sodium | 0 00074847 | 0 00011541 | 0.056207 | NA | X |
| Strontium-89,90 | 0 11454 | 1 | 0.25996 | NA | She |
| Strontium | 5 1081E-12 | 1 | * NA | 0.30033 | Х |
| Sulfide | 0 81984 | 1 | NA. | NA | |
| Thallium | 0.82366 | 1 | , NA | NA | |
| Tin | 0.84559 | 1 | NA . | NA. | |
| Tritium | 0 095756 | 1 | 0 14998 | ŇÁ | |
| Uranium-233,234 | 0.5 | 1 | NA ** | NA | -4*· |
| Uranium-235 | 0.0017064 | 1 | 0.016907 | NA | х |
| Uranium-238 | 0 000048270 | 0.00040840 | 0.000028458 | NA . | Х |
| Vanadium | 0 96695 | 1 | NA NA | NA | |
| Zinc | 0 0051162 | 1 | `NA | NA | х |

Results of Inferential Statistical Tests Southern Groundwater-Intercept System Discharge (SW100) vs Sitewide Background Surface Water (Dissolved) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0 05) |
|-------------------|------------------|-----------------|-----------------|-------------|-----------------|
| Aluminum | 0 86611 | 1 | NA | NA | |
| Americium-241 | 0 050852 | 0 0625 | 0 39516 | 0 19217 | |
| Antimony | 0 94167 | 1 | NA | NA | |
| Arsenic | 0 010389 | 1 | NA | NA | Х |
| Barium | 0 035170 | 1 | NA | NA | Х |
| Beryllium | 0 69751 | 1 | NA | NA | |
| Cadmium | 0 93447 | 1 | NA | NA | |
| Calcium | 0 000000051841 | 0 0000000067697 | 0 0000000058147 | 0 000011639 | х |
| Cesium-137 | 0 84279 | •1 | 1 | NA | |
| Cesium | 0 99991 | 1 | NA | NA | |
| Chromium | 0 82476 | 1 | NA | NA | |
| Cobalt | 0.21819 | 1 | NA | NA | |
| Copper | 0.22729 | 1 | NA | NA | |
| Gross Alpha | 0.5 | 1 | 1 | NA | |
| Gross Beta | 0 029709 | 1 | 0 36821 | NA | х |
| Iron | 0.21090 | 1 | NA | NA | |
| Lead | 0 47720 | 1 | NA | NA | |
| Lithium | 0 000039893 | 1 | NA | NA | х |
| Magnesium | 0 000015675 | 1 | NA | NA | х |
| Manganese | 0 0087105 | 1 | NA | NA | х |
| Mercury | 0 86228 | 1 | NA | NA | |
| Molybdenum | 0 086780 | 1 | NA | NA | |
| Nickel | 0 78554 | 1 | NA | NA | |
| Plutonium-239,240 | 0.5 | 1 | 1 | NA | |
| Potassium | 0 00000000020228 | 1 | NA | NA | х |

NA = Statistical Test Not Applicable

Results of Inferential Statistical Tests Southern Groundwater-Intercept System Discharge (SW100) vs. Sitewide Background Surface Water (Dissolved) P-Values

| Analyte | Gehan | Siippage | Quantile | T-test | PCOC (<0.05) |
|-----------------|---------------|----------------|--------------|--------------|-----------------|
| Radium-226 | 0.5 | 1 | . 1 | , NA | * |
| Radium-228 | 0.5 | 1 | 1 | NA | _ |
| Selenium | 0.0058170 | 1 | NA . | * NA | X |
| Silicon | 1 | 1 | NA | NA | · |
| Silver | 0.24621 | 1 | NA | NA | |
| Sodium | 0 00000038782 | 0 000000022649 | 0 0000080595 | 0.0000063633 | х |
| Strontium-89,90 | 0 50830 | i | 1 | NA | |
| Strontium | 0 00000020105 | 1 | NA | NA | x |
| Thallium | 0 98226 | 1 | · NA | NA | |
| Tin | 0.98062 | 1 | NA | NA | |
| Tritium | 0.5 | 1 | 1 | NA | |
| Uranium-233,234 | 0.5 | 1 | NĄ | NA | |
| Uranium-235 | 0.27007 | 1 - | 2 . | 0.86059 | |
| Uranium-238 | Ó 033219 | - I | 0 13577 | NA | X |
| Vanadium | 0.42204 | 1 | NA . | NA | |
| Zinc | 0 000015898 | 1 | NA NA | NA | х |

Results of Inferential Statistical Tests Southern Groundwater-Intercept System Discharge (SW100) vs Sitewide Background Surface Water (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-----------------|--------------|-------------|--------------|------------|-----------------|
| Aluminum | 0 92754 | 1 | NA | NA | |
| Americium-241 | 0 056630 | 0 028302 | 0 50610 | NA | Х |
| Antimony | 0 77693 | 1 | NA | NA | |
| Arsenic | 0 020422 | 1 | NA | NA | |
| Barium | 0.22733 | 1 | NA | NA | |
| Beryllium | 0 73500 | 1 | NA | NA | |
| Cadmium | 0 63073 | 1 | NA | NA | - |
| Calcium | 0 0000028388 | 0 000088508 | 0 0000018179 | 0 00012947 | Х |
| Cesium-137 | 0 85198 | 1 | 1 | NA | |
| Cesium | 0 83712 | 1 | NA | NA | |
| Chromium | 0 81184 | 1 | NA | NA | |
| Cobalt | 0 74167 | 1 | NA | NA | |
| Соррег | 0 098286 | 1 | NA | NA | |
| Cyanide | 0 63989 | 1 | NA | NA | |
| Gross Alpha | 0 066020 | 1 | 0.20238 | NA | |
| Gross Beta | 0 013136 | 1 | 0 041975 | NA | X |
| Iron | 0 36910 | 1 | NA | 0 42151 | |
| Lead | 0 13403 | 1 | NA | NA | |
| Lithium | 0 00069539 | 1 | NA | NA | Х |
| Magnesium | 0 000926706 | 1 | NA | NA | Х |
| Manganese | 0 45696 | 1 | NA | NA | |
| Mercury | 0 79790 | 1 | NA | NA | |
| Molybdenum | 0 54606 | 1 | NA | NA | |
| Nickel | 0 067105 | 1 | NA | NA | |
| Nitrate/Nitrite | 0 5 | 1 | NA | NA | |

NA = Statistical Test Not Applicable

OU7/SW100T

Results of Inferential Statistical Tests Southern Groundwater-Intercept System Dingharge (SW100) vs. Sitewide Background Surface Water (Totals) P-Values

| Analyte | Gohan | Slippage | Quantific | 3 T-test | PCOC (<0.05) |
|-------------------|--------------|-------------|------------|------------|-----------------|
| Nitrite | 0 000064152 | 1 | NÃ | , NA | X |
| Plutonium-239 240 | 0.5 | 1 | 1 | NA NA | 44 |
| Potassium | 0 0000019088 | 1 | NA | . NA | X |
| Radium-226 | 0.5 | 1 | | NA | |
| Selenium | 0 000053070 | 1 | NA | NA | x |
| Silicon | 0 98619 | 1 | ł | NA | |
| Silver | 0 73751 | 1 | NA | ÑA: | |
| Sodium | 0.000025157 | 0 000085189 | 0.00990759 | 0 00053828 | X |
| Strontium-89,90 | 0 91580 | 1 | 1 | NA | |
| Strontium | 0 00046710 | 1 | NA NA | NA | X |
| Sulfide | 0 73026 | 1 | · NA | NA | يه ند |
| Thalljum | 0,65943 | 1 | NA | NA | |
| Tin | 0 78411 | 1 | - NA- | NA | |
| Tritium | 0 048456 | 1 | 0 055544 | NA | X |
| Uranium-233,234 | 0.5 | 1 | 1 | . NA | |
| Uranium-235 | 0 090137 | 1 | 0.37895 | NA | |
| Uranium-238 | 0 017996 | 1 | 0 041478 | NA | |
| Vanadium | 0.53202 | 1 | NA NA | NA | |
| Zinc | 0 0023459 | 1 | NA | NA | Х |

Results of Inferential Statistical Tests All UHSU Groundwater vs Sitewide Background UHSU Groundwater (Dissolved) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-------------------|------------------|------------------|--------------|------------------|-----------------|
| Aluminum | 0 12894 | 0 30508 | NA | NA | |
| Americium-241 | 0 94628 | 0 89662 | 0 99023 | 0 85353 | |
| Antimony | 0.20577 | 0 095258 | NA | NA | |
| Arsenic | 0 00035839 | 1 | NA | NA | х |
| Barium | 0 00044385 | -2 0717E-13 | NA | 2 4665E-11 | X |
| Beryllium | 0 91594 | 1 | NA | NA | |
| Cadmium | 0 91149 | 0 31804 | NA | NA | |
| Calcium | 0 080776 | 0 0000024448 | 0 0000019590 | 0 0000057094 | х |
| Cesium-137 | 0 99525 | 1 | 0 88564 | 0 98786 | |
| um | 0 98909 | 1 | NA | NA | |
| Chromium | 0.25221 | 0 30552 | NA | NA | |
| Cobalt | 0 00084581 | 0 57491 | NA | NA | Х |
| Copper | 0 0000077654 | 0 0086172 | NA | NA | Х |
| Gross Alpha | 0.34901 | 1 | 0 48746 | 0 88735 | |
| Gross Beta | 0 014930 | 1 | 0 0014936 | 0 19617 | Х |
| Iron | 0 0000058084 | 0 00000000025098 | NA | NA . | Х |
| Lead | 0 80165 | 1 | NA | NA | |
| Lithium | 0 062074 | 1 | NA | NA | |
| Magnesium | 0 000090935 | 0 0000050804 | 6 9587E-12 | 0 00000000042486 | х |
| Manganese | 0 | -2 4025E-13 | NA | NA | Х |
| Mercury | 0.21944 | 1 | NA | NA | |
| Molybdenum | 0 35350 | 1 | NA | NA | |
| Nickel | 0 00000000040188 | 0 000031017 | NA | NA | х |
| Plutonium-239,240 | 1 | 1 | 1 | NA | |
| Petessium | 1 7042E-12 | 1 | NA | NA | х |

NA = Statistical Test Not Applicable

OU7/gwbkgd

Results of Inferential Statistical Tests All UHSU Groundwater vs. Sitewide Background UHSU Groundwater (Dissolved) P-Values

| Analyte | Gehan | Slippage | Quantife | T-fest | PCOC (<0.05) |
|-----------------|---------------------|----------------|-----------------|------------------|-----------------|
| Radium-226 | 0 000000013877 | 0 000000011414 | 0.000032113 | 0.00000000020645 | X |
| Radium-228 | 0 99 577 | 0.61111 | 0 99045 | 0.99950 | |
| Selenium | 0 72489 | 1 | NA · | NA. | os 🛣 |
| Silicon | - 1 | 1 | ŇA | NA ' | 3 |
| Silver | 0 80470 | - 1 | s NA | NA | |
| Sodium | 0 0000052518 | 0.00000074646 | 0.0026152 | 0.0000026897 | X |
| Strontium-89,90 | 0 034294 | 0,53991 | 0.0070253 | 0 043560 | X |
| Strontium | 0 00057998 | 0,55276 | NA | 0,049544 | X |
| Thallium | 0 97488 | 1 | NĂ | NA NA | |
| Tın | 0 84536 | 1 | (ÑA | NA. | |
| Tritium | 0.47606 | - 1 | 0 90323 | NA | |
| Uranium-233,234 | 0.5 | 1 | . NA | NA | |
| Urangum-235 | 0 16 130 | ı | 0.23461 | v. v. 0.89135 | |
| Uranıum-238 | 0.87320 | 1 | 0,70235 | 0 94909 | |
| Vanadium | 0 96151 | 1. | ₂ NA | NA NA | |
| Zinc | 5 0698E-11 | 0.00011293 | 2.3427B-10 | NA : | х |

Results of Inferential Statistical Tests All UHSU Groundwater vs Sitewide Background UHSU Groundwater (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0 05) |
|-----------------|-----------------|----------------|----------------|-----------------|-----------------|
| Aluminum | 0 0000000012111 | 0 0025573 | 0 000079428 | 0 00020549 | х |
| Americium-241 | 0 084992 | 0 011692 | 0.25097 | 0 025950 | X |
| Antimony | 0 049108 | 1 | NA | NA | х |
| Arsenic | 0 0000057476 | 0 00025135 | NA | NA | Х |
| Barium | 3 5527E-15 | 0 000083708 | 1 1102E-16 | 0 000000068355 | х |
| Beryllium | 0 0010182 | 0 0049144 | NA | NA | х |
| Cadmium | 0 18476 | 0 27242 | NA | NA NA | |
| Calcium | 0 091286 | 0 000020861 | 0 000079428 | 0 000054143 | Х |
| Cesium-137 | 0 39339 | 1 | 0 57609 | 0 52147 | |
| Cesium | 0 61948 | 1 | NA | NA | |
| Chromium | 0 0000000016482 | 1 | 0 000000010208 | NA | Х |
| Cobalt | 0 00036435 | 0 010043 | NA | NA | х |
| Соррег | 2 8006E-11 | 0 00000065261 | NA | NA | х |
| Cyanide | 0 15155 | 1 | NA | NA | |
| Gross Alpha | 0 99980 | 1 | 1 | 0 99317 | |
| Gross Beta | 0 99190 | 1 | 0 98380 | 0 94831 | |
| Iron | 1 7764E-15 | 0 00065728 | 4 8801E-11 | 0 0000023228 | Х |
| Lead | 0 00000062221 | 0 00046393 | 0 000014515 | NA | х |
| Lithium | 0 00023233 | 1 | NA | NA | х |
| Magnesium | 0 000030860 | 0 000041854 | 0 000000080487 | 0 000000028906 | х |
| Manganese | 1 7764E-15 | 0 000000070650 | 4 5741E-14 | 0 0000000082322 | х |
| Mercury | 0 00022392 | 0 000043835 | NA | NA | х |
| Molybdenum | 0 42275 | 1 | NA | NA | |
| Nickel | 4 7347E-11 | 0.27743 | NA | NA | х |
| Nitrate/Nitrite | 5 1603E-13 | 1 | NA | NA | х |

Results of Inferential Statistical Tests All UHSU Groundwater vs. Sitewide Background UHSU Groundwater (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.03) |
|-------------------|-----------------|------------------|-----------------|-------------------|-----------------|
| Nitrite | 0.071143 | 1 | , NA | NA NA | |
| Plutonium-239,240 | 0.5 | 1 | 1 | NA | |
| Potassium | 0 | 0.0000025338 | NA NA | NA. | X. |
| Radium-226 | 0.036874 | 0, 269 23 | 0.34266 | 0,034120 | х |
| Selenium | 0 73362 | 0.035379 | NA | - NA | Х |
| Silicon | 0 0000069494 | 0.037842 | Q.00059649 | 0.000055474 | Х |
| Silver | 0 000\$5266 | 0 0013805 | NA. | NA. | х |
| Sodium | 0,0026339 | 0 00063658 | 0.033161 | 0.0017567 | х |
| Strontium-89,90 | 0 31995 | 1 | 0.38291 | 0.023131 | Х |
| Strontium | 0 00069448 | 0.0094774 | 0.00015752 | 0 0000033661 | х |
| Thallium | 0.21700 | 1 | NA NA | NA | |
| Tin | 0 062207 | 0.26471 | * NA | - NA | |
| Tritium | 0.62417 | 1 | 0.99938 | ~ 0 <i>7</i> 9417 | |
| Uranium-233,234 | 0.3 | 1 | NĂ | NA. | - |
| Uranium-235 | 0 60405 | 1 | 0.61986 | 0 83908 | |
| Uranium-238 | 0.48244 | 1 | 0.51030 | 0.80826 | |
| Vanadium | 0 0000000040032 | 0 036831 | ÑA | NA | х |
| Zinc | 6 1685E-11 | 0 00015457 | 0.0000000034297 | NA | х |

Results of Inferential Statistical Tests Landfill UHSU Groundwater vs Sitewide Background UHSU Groundwater (Dissolved) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-------------------|------------------|--------------------|---------------|------------|-----------------|
| Aluminum | 0 38042 | 1 | NA | NA | |
| Americium-241 | 0 92878 | 0 88889 | 0 99316 | 0 82852 | |
| Antimony | 0 070874 | 0 11394 | NA | NA | |
| Arsenic | 0 000000031191 | 1 | NA | NA | х |
| Barium | 0 | -3.2618E-13 | NA | 1 1102E-16 | x |
| Beryllium | 0 91599 | 1 | NA | NA | |
| Cadmium | 0 53655 | 0 11986 | NA | NA | |
| Calcium | 0 18612 | 0 0000000034929 | 0 00000010077 | 0 00025187 | Х |
| Cesium 137 | 0 99574 | 1 | 0 94707 | 0 43768 | |
| Cesium | 0 77360 | 1 | NA | NA | |
| Chromium | 0 66671 | 1 | NA | NA | |
| Cobalt | 0 00000000023280 | 0 35620 | NA | NA | х |
| Copper | 0 81010 | 0 11223 | NA | NA | |
| Gross Alpha | 0.22187 | 1 | 0 43518 | 0 95136 | |
| Gross Beta | 0 0013989 | 1 | 0 000097381 | 0 054269 | х |
| Iron | 3 89858E 15 | -2 8 71E-13 | 9 992E-16 | NA | X |
| Lead | 0 77178 | 1 | NA | NA | |
| Lithium | 0 42214 | 1 | NA | NA | |
| Magnesium | 0 024246 | 0 0000013818 | 0 0000017532 | 0 00010493 | x |
| Manganese | 0 | 8 9928E-14 | 0 | NA | х |
| Mercury | 0 11723 | 1 | NA | NA | |
| Molybdenum | 0 071891 | 1 | NA | NA | |
| Nickel | 1 0048E-12 | 0 0016765 | NA | NA | Х |
| Plutonium-239,240 | 1 | 1 | 1 | NA | |
| Potassium | 0 00000011598 | 1 | NA | NA NA | x |

NA = Statistical Test Not Applicable

OU7/GWBKLUHD

Results of Inferential Statistical Tests Landfill UHSU Groundwater vs. Sitewide Background UHSU Groundwater (Dissolved) P-Values

| Analyte | Gehaa | Slippage | Quantile | T-test | PCOC (4.85) |
|-------------------|----------------|------------|--------------|-----------------|----------------|
| Radium-226 | 0.000000017434 | 3 9867E-12 | 0.0000035507 | 0.0000000071873 | ¥ |
| Radium-228 | 0 98749 | 0.6 | - 0 95604 | 0 98952 | - |
| Selenium | 1 00000 | 1 | ŇA | * NA | i. S |
| Silicon | ~1 | · 1 | · NA | NA | |
| Silver | 0 74482 | 1 | NA NA | NA | |
| Sodium | 0 00095744 | 0.0039140 | 0.65081 | 0.015549 | Х |
| Strontium-89 90 | 0.020585 | - 1 | 0.000079202 | 0.01515# | X |
| Strontium | 0.086082 | 1 | , NA | 0 01490 | |
| Thallium | 0 85856 | 1 | ÑA | ŇA | <u>يە</u> ھىر |
| Tın | 0.26619 | 1 | NA NA | NA | į. |
| Tritium | 0.38146 | 1 | 1 | , NA | |
| Uranıum-233,234 | 0.5 | 1 | 1 | , ŅA | |
| Uranium-235 | 0.29902 | 1 | 0.25879 | 0 96792 | |
| Uranium-238 | 0 96943 | 1 | 9.97565 | 0.99081 | |
| Van s đium | 0 59247 | .3 | NA | - NA | |
| Zinc | 0 0000023804 | 0 11111 | NA - | - NA | x |

Results of Inferential Statistical Tests Landfill UHSU Groundwater vs Sitewide Background UHSU Groundwater (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-----------------|----------------|--------------------|----------------|------------------|-----------------|
| Aluminum | 0 000000029649 | 0 10179 | 0 00063738 | 0 0025829 | х |
| Americium-241 | 0 0092164 | 0 00028497 | 0 00034139 | 0 0018752 | х |
| Antimony | 0 092817 | 1 | NA | NA | |
| Arsenic | 0 000000012812 | 0 000012138 | NA | NA | х |
| Barium | 0 | 0 000085402 | 0 | 0 00000000067621 | х |
| Beryllium | 0 023463 | 0 32189 | NA | NA | х |
| Cadmium | 0 77911 | 1 | NA | NA | |
| Calcium | 0 075043 | 0 000000049240 | 0 000011757 | 0 00025277 | х |
| Cesium 137 | 0 071238 | 1 | 0 19951 | 0 18609 | |
| Cesium | 0.5 | 1 | NA | NA | |
| Chromium | 0 000015384 | 1 | 0 0000093398 | NA | х |
| Cobalt | 0 000085172 | 0 10267 | NA | NA | х |
| Соррег | 0 000055366 | 0 10267 | NA | NA | х |
| Cyanide | 0 098752 | 1 | NA | NA | |
| Gross Alpha | 0 96130 | 1 | 1 | 0 97182 | |
| Gross Beta | 0 89672 | 1 | 1 | 0 94348 | |
| Iron | 0 | 0 0030818 | 0 000000011946 | 0 0000029729 | х |
| Lead | 0 00023639 | 0 011691 | 0 0016133 | NA | х |
| Lithium | 0 017501 | 1 | NA | NA | х |
| Magnesium | 0 0074286 | 0 00000061849 | 0 000011757 | 0 000073873 | х |
| Manganese | 0 | 1 8426E- 11 | 0 | 0 00000039193 | х |
| Mercury | 0 0096964 | 0 00096683 | NA | NA | х |
| Molybdenum | 0.24148 | 1 | NA | NA | |
| Nickel | 0 00000021210 | 1 | NA | NA | Х |
| Nitrate/Nitrite | 0 48737 | 1 | NA | NA | |

NA = Statistical Test Not Applicable

OU7/gwbkluht

Results of Inferential Statistical Tests Landfill UHSU Groundwater vs. Sitewide Background UHSU Groundwater (Totals) P-Values

| Analyte -~ ? | ~ Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-------------------|---------------|--------------|---------------|------------|-----------------|
| Nitrite | 0.00149461 | 1 | NA _ | NA | х |
| Plutonium-239,240 | 9,5 | - 1 | . 1 | NA | |
| Potassium , | 9 9791E-12 | 0.0000021551 | NA | » NA | х |
| Radium-226 | 0 047790 | 0.25 | 0.46429 | 0 16870 | x |
| Selenium | 0 99834 | 1 | NA | NA NA | |
| Silicon | 0 000014014 | 0.38571 | 0,021586 | 0.0056568 | X |
| Silver | 0.010811 | 0 10356 | . NA | NA | Х |
| Sodium | 0.0016273 | 0 0030818 | 0.19627 | 0.0030011 | X |
| Strontium-89,90 | 0.31063 | 1 | 0.4360E | 0,17942 | |
| Strontium | 0 012024 | 0.00085569 | 0.00093599 | 0.99056984 | X |
| Thallium | 0.5 | . 1 | NA | , NA | ,,, |
| Tin | 0.46446 | 1 | . NA | NA | |
| Tritum | 0.017086 | 1 | @38907 | 0 65433 | X |
| Uranium-233,234 | 0.5 | 1 | NA | NA NA | |
| Uranıum-235 | 0 96720 | 1 | 0.92601 | 0 99590 | |
| Uranium-238 | 0 82613 | 1 1 | 0.93514 | -0,69988 | |
| Vanadium | 0 00000032568 | 1 | NA T | NA. | X |
| Zinc | 0 000011932 | 0.031148 | 0.00082799 | NA - | . X |

Results of Inferential Statistical Tests Downgradient UHSU Groundwater vs Sitewide Background UHSU Groundwater (Dissolved) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-------------------|-------------|--------------|-------------|------------|-----------------|
| Aluminum | 0 026057 | 1 | NA | NA | Х |
| Americium-241 | 0 67264 | 1 | 1 | NA | |
| Antimony | 0.26064 | 0 12375 | NA | NA | |
| Arsenic | 0 58075 | 1 | NA | NA | |
| Barium | 1 | 1 | NA | NA | |
| Beryllium | 0 59793 | 1 | NA | NA | |
| Cadmium | 0 82352 | 1 | NA | NA | |
| Calcium | 0 | 0 013996 | 0 | 1 3323E-15 | х |
| Cesium-137 | 0 31826 | 1 | 0 38676 | 0 46290 | |
| Cesium | 0 95706 | 1 | NA | NA | |
| Chromium | 0.31826 | 0 12252 | NA | NA | **. I** |
| Cobalt | 0 67916 | 1 | NA | NA | |
| Copper | 0 51169 | 1 | NA | NA | |
| Gross Alpha | 0 00061702 | 1 | 0 16189 | NA | х |
| Gross Beta | 0 000045536 | 1 | 0 000040417 | NA | х |
| Iron | 0 69547 | 1 | NA | NA | |
| Lead | 0 91740 | 1 | NA | NA | |
| Lithium | 2.2204E-16 | 1 | NA | NA | х |
| Magnesium | 0 | 0 0000021419 | 0 | 1 80973-14 | х |
| Manganese | 0 0013495 | 1 | NA | NA | х |
| Mercury | 0 14273 | 1 | NA | NA | |
| Molybdenum | 0.24795 | 1 | NA | NA | |
| Nickel | 0 0022320 | 0 016228 | NA | NA | х |
| Plutonium-239,240 | 0.5 | 1 | 1 | NA | |
| Potassium | 1 5765E-14 | 1 | NA | NA | Х |

NA = Statistical Test Not Applicable

OU7/GWBKDUHD

Results of Inferential Statistical Tests Downgradient UHSU Groundwater vs. Sitewide Background UHSU Groundwater (Dissolved) P-Values

| Analyte | Gehan | Stippage | Quantific | T-test | PCOC (<0.05) |
|-----------------------|----------------|------------|---------------------------------------|---------------------|-----------------|
| Radium-226 | 0 00086672 | 0 0012869 | 0.0900070433 | 0 00031065 | х |
| Radrum-228 | 0 93319 | 1 | · · · · · · · · · · · · · · · · · · · | - ŅA | |
| Selenium | 0.000038210 | 1 | ŅA, | ₹ NA | х |
| Silicon | ² 1 | * 1 | NA. | NA NA | |
| Silver | 0.34924 | 1 | NA | NA NA | |
| Sodium | 0 | 1 0469E-13 | 0 | 0.00000000024963 | X |
| Strontium-89,90 | 0.25954 | 0 057692 | 0.069181 | NA | |
| Strontium | 0 | 1 | 0 | 2.1 094 E-15 | X |
| Thallium '* | 0 74361 | 1 | NA | NA. | |
| Tin | 0.24366 | 1 | NA. | NA | 3 |
| Tritium | 0.5 | 1 | | NA | * |
| Uranium-233,234 | 0.5 | 1 | NA | a NA | |
| Uranium-235 | 0.000048735 | 1 | 0.0010559 | 0.27295 | X |
| Uranium-238 | 0.0000020125 | 1 | 0.629395 | 0.38882 | X |
| Vanadium ⁵ | 0 023790 | 1 | NA | , NA | x |
| Zinc | 0 019858 | 1 | ~ NA | NÃ | х |

Results of Inferential Statistical Tests Downgradient UHSU Groundwater vs Sitewide Background UHSU Groundwater (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0 05) |
|-------------------|------------------|----------|-----------------|---------|-----------------|
| Aluminum | 0 89438 | 1 | 1 | NA | |
| Americium-241 | 0 79683 | 1 | 0 65236 | 0 85957 | |
| Antimony | 0 026864 | 1 | NA | NA | x |
| Arsenic | 0 067613 | 1 | NA | NA | |
| Barium | 0 99998 | 1 | NA | NA | |
| Beryllium | 0 81507 | 1 | NA | NA | |
| Cadmium | 0 72433 | 1 | NA | NA | |
| Calcium | 0 000000012955 | 1 | 0 0000000099542 | NA | х |
| Cesium-137 | 0 80660 | 1 | 0 63803 | NA | |
| Cesium | 0.5 | 1 | NA | NA | |
| Chromium | 0.34079 | 1 | NA | NA | |
| Cobalt | 0 75956 | 1 | NA | NA | |
| Copper | 0 77311 | 1 | NA | NA | |
| Cyanide | 0 68426 | 1 | NA | NA | |
| Gross Alpha | 0 95168 | 1 | 1 | NA | |
| Gross Beta | 0 78661 | 1 | 1 | NA | |
| Lead | 0 99150 | 1 | NA | NA | |
| Lithium | 0 00000000028271 | 1 | NA | NA | х |
| Magnesium | 0 000000046701 | 1 | 0 00000034408 | NA | х |
| Manganese | 0 85085 | 1 | 1 | NA | |
| Mercury | 0 71863 | 1 | NA | NA | |
| Molybdenum | 0 47676 | 1 | NA | NA | |
| Nickel | 0 69649 | 1 | NA | NA | |
| Nitrate/Nitrite | 0 0000016376 | 1 | NA | NA | х |
| Plutonium-239 240 | 05 | 1 | 1 | NA | |

NA = Statistical Test Not Applicable

OU7/GWBKDUHT

Results of Inferential Statistical Tests Downgradient UHSU Groundwater vs. Sitewide Background UHSU Groundwater (Totals) P-Values

| Auslyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-----------------|----------------|---------------|-----------------|-----------|-----------------|
| Potassium | 0.000000037714 | 1 | NA | . NA | х |
| Radium-226 | 0.20092 | 1 | 0 46429 | 0.21028 | |
| Selenium | 0 00082587 | 0.0000012255 | ⁺ NA | NA | х |
| Silicon | 0.99987 | 1 | 1 | , NA | |
| Silver | 0.37510 | 1 | NA | NA NA | |
| Sodium | 0 00000053036 | 0.00000068952 | 0.0000019822 | NA | х |
| Strontium-89,90 | 0.33999 | 1 | 0 49947 | 0 0069390 | Х |
| Strontium | 0 000000033767 | 0.071429 | 0.0000017105 | NĀ | X |
| Thallrum | 0 67415 | 1 | a NA | NA , | 32 |
| Tin * | 0 69929 | 1 | NA. | NA 3 | |
| Tritium | 0 82834 | Ì | 6 99955 | 0.86311 | |
| Uranium-233,234 | 0.5 | 1 | NA . | NA | |
| Uranium-235 | 0 018439 | 1 | 9.18025 | 0 053317 | X |
| Uransum-238 | 0 019648 | - 1 | 0.056001 | 0.024563 | Х |
| Vanadium | 0.10315 | ~ 1 | NA | NA. | |
| Zinc | 0 80765 | 1 | 0,94232~ | . NA | |

Results of Inferential Statistical Tests Upgradient LHSU Groundwater vs Sitewide Background LHSU Groundwater (Dissolved) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0 05) |
|---------------|---------------|--------------|-------------|-------------|-----------------|
| Aluminum | 0 17466 | 1 | NA | NA | |
| Americium-241 | 1 | 1 | NA | NA | |
| Antimony | 0 88865 | 1 | NA | NA | |
| Arsenic | 0 77336 | 0 13169 | NA | NA | |
| Barium | 0 071065 | 1 | NA | 0 034572 | Х |
| Beryllium | NA | 1 | NA | NA | |
| Cadmium | 0 33245 | 1 | NA | NA | |
| Calcium | 0 010024 | 1 | 0 84097 | 0 76954 | Х |
| Cesium | 0 44169 | 1 | NA | NA | |
| Cesium-137 | 0 32171 | 0 66667 | 0 93333 | 0 48041 | |
| Chromium | 0 92402 | 1 | NA | NA | |
| Cobalt | 0 20972 | 1 | NA | NA | |
| Соррег | 0 10656 | 0 35211 | NA | NA | |
| Gross Alpha | 0 00038809 | 1 | 0 016863 | NA | х |
| Gross Beta | 0 050510 | 1 | 0 49281 | NA | |
| Iron | 0.27546 | 1 | NA | NA | |
| Lead | 0 68325 | 1 | NA | NA | |
| Lithium | 0 99959 | 1 | NA | 1 00000 | |
| Magnesium | 0 0016571 | 1 | 0 84097 | 0 42279 | Х |
| Manganese | 0 00000032996 | 0 0000052610 | 0 000066031 | 0 000032323 | х |
| Mercury | 0 92195 | 1 | NA | NA | |
| Molybdenum | 0 031475 | 0 35211 | NA | NA | х |
| Nickel | 0 043301 | 1 | NA | NA | х |
| Potassium | 0 93227 | 1 | NA | 0 94471 | |
| Radium-226 | 0 96986 | 1 | 1 | NA | |
| Selenium | 0 60192 | 1 | NA | NA | |

NA = Statistical Test Not Applicable

OU7/gwbkuhld

Results of Inferential Statistical Tests Upgradient LHSU Groundwater vs. Sitewide Background LHSU Groundwater (Dissolved) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-----------------|------------|----------|----------|---------------------|-----------------|
| Silicon | 0 99993 | 1 | NA - | NA NA | |
| Silver | 0.37342 | 1 | NA NA | NA | |
| Sodium | 1 | 1 | 1 | 1 00000 | |
| Strontium-89,90 | 0 42256 | 1 | 0 96298 | 0 16945 | |
| Strontium | 0.96091 | 1 | 0 99925 | 0 99776 | |
| Thallium | ~ NA | 1 | NA NA | NA NA | |
| Tin | _0 85101 | 1 | NA | NA | |
| Tritium | 0.37480 | 1 | 1 | NA | |
| Uranıum-233,234 | 05 | 1. | NA | NA | |
| Uranium-235 | 0 015138 | 0.038630 | 0,051217 | , 0.01 <i>7</i> 247 | X |
| Uranium-238 | 0 00017409 | i | 0 061492 | 0 062593 | Χ· |
| Vanadrum | 0 67622 | 1 | NA | NĄ | |
| Zinc | 0.62748 | 1 | NA . | NA | |

Results of Inferential Statistical Tests Upgradient LHSU Groundwater vs Sitewide Background LHSU Groundwater (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0 05) |
|-----------------|-------------|-----------|----------|------------|-----------------|
| Aluminum | 0 000031232 | 0 0030450 | 0 018956 | NA | х |
| Americium-241 | 0 50716 | 1 | 0 80674 | 0 87195 | |
| Antimony | 0 43165 | 1 | NA | NA | |
| Arsenic | 0 40669 | 0 18659 | NA | NA | |
| Barium | 0 0093523 | 1 | 0 045679 | NA | X |
| Beryllium | 0 17231 | 1 | NA | NA | |
| Cadmium | 0 48745 | 1 | NA | NA | |
| Calcium | 0 0066709 | 1 | 0 68823 | NA | х |
| Cesium-137 | 0 25673 | 1 | 0 79213 | 0 038994 | Х |
| Cesium | NA | 1 | NA | NA | |
| Chromium | 0 0018920 | 1 | 0 094671 | NA | Х |
| Cobalt | 0 35940 | 1 | NA . | NA | |
| Copper | 0 041296 | 1 | 0.28687 | NA | Х |
| Gross Alpha | 0 93319 | 1 | 1 | NA | |
| Gross Beta | 0 93319 | 1 | 1 | NA | |
| Iron | 0 000098935 | 0 0089009 | 0 094671 | NA | Х |
| Lead | 0 00066237 | 0 024795 | 0 094671 | NA | x |
| Lithium | 0 99668 | 1 | NA | NA | _ |
| Magnesium | 0 0029811 | 0 41860 | 0 83 143 | NA | X |
| Manganese | 0 00052743 | 1 | 0 094671 | 0 00036552 | x |
| Mercury | 0 018308 | 0 066121 | NA | NA | Х |
| Molybdenum | 0 01 1649 | 1 | NA | NA | x |
| Nickel | 0 10903 | 1 | NA | NA | |
| Nitrate/Nitrite | 0 86126 | 1 | NA | NA | |
| Vitrite | 0 81844 | 1 | NA | NA | |

NA = Statistical Test Not Applicable

OU7/gwbkulht

Results of Inferential Statistical Tests Upgradient LHSU Groundwater vs. Sitewide Background LHSU Groundwater (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-------------------|-----------|----------|----------|----------|-----------------|
| Plutonium-239,240 | 0.5 | 1 | 1 | NA | |
| Potassium | 0 014892 | 0 024795 | 0.57517 | NA | х |
| Radium-226 | 0.67264 | 1 | 1 | NA | |
| Radium-228 | 0 97725 | 1 | NA - | NA | |
| Selenium | 0.24057 | - 1 | na Na | NA | |
| Silicon | 0.0018979 | 0 036782 | 0.13640 | NA | Х |
| Silver | 0.67723 | 1 | NA NA | NA | |
| Sodium | 1.0000 | 1 | 1 | NA | |
| Strontium-89,90 | 0.32171 | 0.33333 | 0.6 > | 0.34398 | |
| Strontium | 0 75081 | 1 | 0:83143 | NA | |
| Thallium | 0.28219 | 1 | NA | NA | |
| Tin | 0 46633 | 1 | ₹ NA | NA | |
| Tritium | 0.32499 | 1 | 0,41249 | 0,99986 | |
| Uranium-233,234 | 0.5 | 1 7 | 1 | NA | |
| Uranium-235 | 6.5 | 1 | 1 | NA | |
| Uranium-238 | 0.3 | 1 | 1 | ŅA | |
| Vanadium | 0.0016418 | 1 | , NA | NA | х |
| Zinc | 0 17103 | 1 | 0,57\$17 | 0.071638 | |

Results of Inferential Statistical Tests Downgradient LHSU Groundwater vs Sitewide Background LHSU Groundwater (Dissolved) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|---------------|-----------------|--------------|-----------------|--------------|-----------------|
| Aluminum | 0 019072 | 0.22951 | NA | NA | х |
| Americium-241 | 1 | 1 | NA | NA | |
| Antimony | 0 074350 | 0.23729 | NA | NA | |
| Arsenic | 0 73876 | 1 | NA | NA | |
| Barium | 0 0000000040204 | 5.2232E-11 | NA | 0 0000024043 | Х |
| Beryllium | 0 030601 | 1 | NA | NA | X |
| Cadmium | 0 042087 | 0.24138 | NA | NA | Х |
| Calcium | 0 00000014696 | 1 6761E-12 | 1 6851E-12 | NA | X |
| Cesium-137 | 0.5 | 1 | 1 | NA | |
| Cesium | 0 34996 | 1 | NA | NA | |
| Chromium | 0 0000034447 | 0 010637 | NA | NA | Х |
| Cobalt | 0 012944 | 1 | NA | NA | х |
| Copper | 0 00048172 | 1 | NA | NA | х |
| Gross Alpha | 0 0020847 | 1 | 0 015344 | 0 00059775 | х |
| Gross Beta | 0 00048323 | 0 00033038 | 0 0054623 | 0 0016860 | х |
| Iron | 0 18712 | 0 22581 | NA | NA | |
| Lead | 0 30742 | 1 | NA | NA | |
| Lithium | 0 000049582 | 0 049727 | NA | NA | х |
| Magnesium | 0 0047090 | 0 0000069785 | 0 00066793 | NA | х |
| Manganese | 0 017315 | 0 000048850 | 0 0057371 | NA | х |
| Mercury | 0 86144 | 1 | NA | NA | |
| Molybdenum | 0 00028198 | 1 | NA | NA | х |
| Nickel | 0 00038957 | 0 049727 | NA | NA | х |
| Potassium | 0 00000016114 | 4.2118E-11 | 0 0000000052743 | NA | х |
| Radium-226 | 0 74751 | 0 75 | 0 96429 | 0 77981 | |

NA = Statistical Test Not Applicable

OU7/GWBKDLHD

Results of Inferential Statistical Tests Downgradient LHSU Groundwater vs. Sitewide Background LHSU Groundwater (Dissolved) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|--------------------------|---------------|------------|-------------------|----------|-----------------|
| Radium-228 | 0 95837 | 1 | NA | NA | |
| Selenium | 0.039728 | 0 071373 | NÁ | NA | X * |
| Silicon | 1 00000 | 1 | · NA | NA | |
| Silver | 0:0030963 | . 1 | -;NA | NA | Х |
| Sodium | 0 0000020616 | 0.0017944 | . 0 0000021338 | s NA | х |
| Strontium-89,90 | 0 44306 | 1 | 0 51533 | 0:081293 | |
| Strontium | 0 00000018418 | 1.6761E-12 | 1.68518-12 | NA | Х |
| Thallrum | 0 030601 | 1 | NA | NA | X |
| Tin | 0.021797 | 1 | NA | *NA | Х |
| Tritium | 0 67209 | 1 | 1 | 0.61081 | |
| Uranıum-233, 23 4 | 0.5 | 1 | NA: | - NA | |
| Uranium-235 | 0 65151~ | 1 | ^0.491 8 9 | 0 76442 | |
| Uranium-238 | 0 020517 | 1 | 0.22308 | 0.38093 | X |
| Vanadium | 0 050533 | 1 | NA - | NA NA | |
| Zinc | 0 10832 | 0.22581 | 'NA | ŇA | |

Results of Inferential Statistical Tests Downgradient LHSU Groundwater vs Sitewide Background LHSU Groundwater (Totals) P-Values

| Analyte | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-----------------|------------|----------|----------|---------|-----------------|
| Aluminum | 0.27076 | 1 | 1 | NA | |
| Americium-241 | 0 58676 | 1 | 1 | 0.25199 | |
| Antimony | 0 16190 | 1 | NA | NA | |
| Arsenic | 0.5 | 1 | NA | NA | |
| Barium | 0 043706 | 1 | NA | NA | X |
| Beryllium | 0 57926 | 1 | NA | NA | |
| Cadmium | 0 57674 | 1 | NA | NA | |
| Calcium | 0 047734 | 0 038462 | 0.23077 | NA | х |
| Cesium-137 | 0 077272 | 1 | 0 21429 | NA | |
| Cesium | NA | 1 | NA | NA | |
| Chromium | 0 014711 | 1 | NA | NA | х |
| Cobalt | 0 57366 | 1 | NA | NA | |
| Copper | 0 32580 | 1 | NA | NA | |
| Cyanide | 0.5 | 1 | NA | NA | |
| Gross Alpha | 0.5 | 1 | 1 | NA | |
| Gross Beta | 0.5 | 1 | 1 | NA | |
| Iron | 0 36877 | 1 | 1 | NA | |
| Lead | 0 30030 | 1 | 1 | NA | |
| Lithium | 0 17622 | 1 | NA | NA | |
| Magnesium | 0 038578 | 0 038462 | 0.23077 | NA | Х |
| Manganese | 0 19266 | 1 | 1 | NA | |
| Mercury | NA | 1 | NA | NA | |
| Molybdenum | 0 057571 | 1 | NA | NA | |
| Nickel | 0 00092843 | 1 | NA | NA | х |
| Istrate/Nitrite | 0 16033 | 1 | NA | NA | |

NA = Statistical Test Not Applicable

OU7/gwbkdlht

and with a second war to

Results of Inferential Statistical Tests Downgradient LHSU Groundwater vs. Sitewide Background LHSU Groundwater (Totals) P-Values

| Analyse | Gehan | Slippage | Quantile | T-test | PCOC (<0.05) |
|-------------------|-----------------|----------|----------------|--------|-----------------|
| Nitrate | 0.6 9824 | 1 | ^ NA | NA | ÷ |
| Plutonium-239,240 | 0.5 | 1 | ¥-, 1- | NA | |
| Potassium | 0 050706 | 1 | 9,23077 | → NA | |
| Radium-226 | 0.089856 | 0.25 ` | 0.25 | ŇA | |
| Selenium _ | 0 00031561 | 1 | NA | NA | X |
| Silicon | 05 | 1 | ~ Î | NA | |
| Silver | 0 58087 | a 1 | NA | NA | |
| Sodium | 0 047790 | 0,038462 | 0.23077 | NA | X |
| Strontium-89.90 | 0.5 | 1 | 1 | NA | |
| Strontium | 0 047790 | 0.038462 | 0.23677 | NA | X |
| Thallium | 05 | · 1 | NA | NÁ | |
| Tin | 0.5 | 1 | " NA | NA. | |
| Tritium | 0.32499 | - 1 | 0.72384 | NA | |
| Uranium-233,234 | - 0.5 | 1 | - NA - | NA NA | |
| Uranium-235 | 0 078650 | 0.2 | 0.2 | NA | |
| Uranium-238 | 0.11034 | 0.33333 | 9.33333 | NA | ` |
| Vanadium | 0.27063 | 1 . | NA | NA | |
| Zinc | 0.52679 | 1 | 1 | NA | |

Appendix N OU 7 Analytical Data

OU 7 ANALYTICAL DATA

Analytical data for the Operable Unit (OU) No 7 Phase I Resource Recovery and Conservation Act (RCRA) facility investigation/remedial investigation (RFI/RI) are included on one 3½-inch disk. The files are self-extracting, compressed, text files. To "decompress" the data, copy the files to a hard drive and type the file name followed by a Return

The analytical data used in statistical tests are from all samples collected within the OU 7 boundaries between January 1990 and December 1993 Quality control (QC) sample and RCRA Appendix IX sample analytical data are from the Phase I RFI/RI only. The results, detection limits, and units reflect the internally consistent values contained in the working database. The names and contents of the files are

BH DATA.EXE Subsurface geologic materials data

GW_DATA.EXE Groundwater data

SD DATA EXE East Landfill Pond sediment data

SS DATA.EXE Surface-soil data


SW DATA.EXE Surface-water data

QC_DATA EXE QC sample data


APX9DATA.EXE RCRA Appendix IX data

Appendix O Time-Series Plots

Present Landfill
Methylene Chloride
Well B207089




Present Landfill Methylene Chloride Well B206889



RE_ROTALS 21824

Present Landfill Plutonium-239,240 Well B207089



1200

Concentration (mg/L)

3722/83


973/92

2/16/92


7/31/81 Date

Present Landfill Calcium Well B206789


Present Landfill
Total Dissolved Solids
Well B206789



Present Landfill Sulfate Well B206889



HE_MOTHS 21894



Appendix P Responses to Comments on the Draft Final Revised Work Plan Technical Memorandum

Responses to Comments

Draft Final Revised Work Plan Technical Memorandum

Operable Unit No 7

CDPHE Comments on the OU 7 Technical Memorandum

1 0 General Comments

1. Comment

Substantial effort is given to site-to-background statistical companions for the purposes of selecting Potential Contaminants of Concern (PCOCs). Due to the nature of the OU 7 closure, much of this is superfluous. The landfill proper will be closed using a presumptive remedy, rendering PCOC selection unnecessary. Decisions regarding surface- and ground-water will be based on comparing analyte concentrations to ARARs. The leachate seep is a F039 listed hazardous waste and must be managed accordingly. The only OU 7 areas where decisions will be risk-based, and require PCOCs/COCs for that purpose, are the sediments and soils.

Response

Implementation of the presumptive remedy strategy at OU 7 does not render PCOC selection unnecessary. Statistical comparisons of site-to-background data for OU 7 using the Gilbert methodology (EG&G 1994) were performed primarily for the purposes of delineating the nature and extent of contamination and evaluating remedial alternatives. Where appropriate, PCOCs identified using the Gilbert methodology may be used in the risk assessment. The site-to-background comparisons have been completed and remain in the technical memorandum.

2 Comment

The data sets used for two of the critical site-to-background comparisons are not appropriate. The Division has previously emphasized that use of surficial soils background data from Rock Creek is limited to OUs 1 & 2. The agencies recently granted approval to DOE's Background Soils Characterization Program Work Plan, validated data from this effort may be available as early as this fall. Additionally, the use of stream sediments as a background against which to compare the East Landfill Pond (ELP) sediments is geologically improper.

If a site-to-background statistical comparison of surficial soils and sediments will drive any decisions at OU7, DOE must use approved background data. However, we will not allow continued use of OU1 and OU2 data for all subsequent OUs, particularly now that a surface soil background program has been approved. DOE has also failed to collect representative background for reservoir sediments. This has sitewide significance and affects at least OUs 3, 5, 6, and 7.

This leaves several options i) wait until suitable background data sets are available, ii) omit the statistical background comparison altogether and proceed with all analytes through the remainder of the COC selection process, or iii) assume that, based on current analyses presented in the TM showing several analytes over draft PRGs, both the East Landfill Pond surface soils and sediments will require action and include them in presumptive closure design for the landfill. We recommend that DOE proceed with options ii) and iii) for the sediments and option i) for the surface soils

Response

Background data sets for surface soils and pond sediments are not drivers for landfill closure. CDPHE has proposed waiting to perform site-to-background comparisons until a suitable background data set for surface soils is available. For the purposes of presenting the nature and extent of contamination, determining data gaps, and proposing additional sampling to fill them, the existing site-to-background comparisons using Rock Creek background data are sufficient. Pond sediments and surface soils around the pond will be included in the presumptive closure design for the landfill. Background data from the Background. Soils Characterization Program will be used for site-to-background comparisons for the risk assessment performed on soils outside the landfill cap after closure.

3 Comment

Implications of subsurface contamination upgradient of the landfill and both surface/subsurface contamination downgradient of the East Landfill Pond are largely ignored. The text mentions their existence but stops short of envisioning options. If upgradient contamination from another source not characterized in any other investigation has crossed the OU7 boundary, it remains OU7's responsibility to manage any risk from that contamination.

Response

Groundwater contamination upgradient of the landfill will be addressed in the Phase ! RFI/RI for OU 10, Other Outside Closures The text of the OU 7 Work Plan Technical Memorandum has been modified to reflect this management strategy Subsurface

contamination in groundwater downgradient of the East Landfill Pond will be investigated during Phase II

2 0 Specific Comments

1. Comment

Table 2-6 lists the geometric mean for the hydraulic conductivity of "Disturbed Alluvium & Fill Material" (artificial fill) as 4 37 cm/sec This appears to be missing the corresponding power of ten notation

Response

Table 2-6 has been revised to reflect the correct geometric mean for the hydraulic conductivity values of "Disturbed Alluvium and Fill Material" (1.91 \times 10⁻⁵ cm/sec) and "Landfill Debris" (3.74 \times 10⁻⁵ cm/sec)

2. Comment

The following three comments relate to ELP surface soils and the larger issue of background

All but one of the 17 PCOCs for ELP surface soils failed the hot measurement test (Table 4-13). However, the results of all of the comparisons are not provided. The Appendix M data disk only contains hot measurement test results for groundwater. For example, because one data point for amencium-241 is 26.6 times larger than the corresponding (Rock Creek) UTL₉₉₉₉ it would be informative to look at the plutonium-239/240 value at the same location. This is not possible without the data

The UTL₉₉₉₉ values presented in Table 4-14 do not fully agree with the values from Table 3-9 of the *Background Soils Characterization Program Work Plan* (Metals Concentrations in Surface Soils from Rock Creek Study). Specifically, the values for calcium, magnesium, selenium, sodium, vanadium, and zinc in Table 4-14 are higher than those in the reference document. This brings the validity of the remaining UTL₉₉₉₉ values that were not presented in Table 4-14 into question.

Figures 4-17 through 4-27, depicting the extent of surface soil contamination, reference the *Background Geochemical Characterization Report for 1992* The correct version of this report is the final submittal dated September 1993, and to the Division's knowledge, does not contain surface soil data from 0 to 2 inches. We were unable to verify the UTL₂₀₀₉ values presented on these Figures.

This discussion needs to correctly and consistently identify the data sources AND provide ALL relevant data to allow confirmation of the conclusions

Response

Results of all statistical analyses are included on a data disk in Appendix M. Analytical data are included on a disk in Appendix N.

Background values for surface soils were calculated using data from the Rock Creek study area. However, these data were subject to the cleanup steps used to develop an internally consistent database prior to performing calculations of the UTL_{99/99} (see Section 3.1.3). The UTL_{99/99} values presented in Table 4-14 of this report are slightly different than the values from Table 3-9 of the Background Soils Characterization Program Work Plan as a result of these data cleanup steps

3. Comment

Section 4.4.2, Bedrock Geologic Materials. The Division is reticent to accept the argument that high strontium concentrations (or any other analyte failing the statistical tests) is due to differences in the types of geological materials instead of the presences of contamination. This undermines the whole purpose of the background comparison. In such a case the analyte should be carried through the remainder of the COC selection process.

Response

The OU 7 Work Plan Technical Memorandum does not recommend elimination of strontium as a PCOC. The technical memorandum merely states the fact that elevated concentrations of this analyte occur in borehole samples hydraulically upgradient and downgradient of OU 7. Because concentrations downgradient are similar to concentrations upgradient, it cannot be conclusively stated based solely on statistical comparisons that OU 7 represents a source of strontium that has migrated to downgradient borehole locations causing contamination.

4. Comment

Section 4.7.2, VOC Distribution in Groundwater The "total VOC" approach presented may be helpful to describe the spatial extent of VOCs in groundwater but will have no bearing on remedial decisions for this media

Response

The nature and extent of contamination was evaluated using "total" VOC concentrations, however, it is agreed that this approach has no bearing on remedial decisions

5 Comment

Sections 4 7 3 and 4 7 4 The discussion of the nature and extent of contamination in UHSU/LHSU groundwaters is lacking any mention of metals

Response

The discussion of the nature and extent of contamination in UHSU/LHSU groundwater (Sections 4.7.3 and 4.7.4) includes a general discussion of metals contamination and refers to tables showing metals identified as PCOCs. Because of the random distribution of metals in UHSU/LHSU groundwater, no isoconcentration maps are included. This section has been revised as appropriate to expand the discussion of the distribution of metals in groundwater.

6 Comment

Table 4-2 Why is the volume of compacted trash for the years 1987-1991 almost triple the volume of all other years?

Response

The daily volume of compacted trash for the years 1987-1991 is estimated at 115 cubic yards but no information is provided regarding why the volume is so large (DOE 1991)

7 Comment

Section 5.4, DQOs for ELP Sediments and Adjacent Soils. The text states that the information required to make a decision includes estimates of the risk to human health and the environment (i.e. a "focused" risk assessment), that sources for each item of information have been identified, and that sufficient data have been collected to make decisions about the need for remediation. It goes on to say that the number of surface soil samples collected during the Phase I RFI/RI far exceed the minimum required to support the DQOs. Nevertheless, additional samples are recommended.

The Division does not understand why verification samples at locations exceeding the UTL_{99/99} are necessary. The Phase I data is validated and fully useable - why repeat the effort? Defining the spatial delineation of hotspots may be needed, but resampling the same locations for verification purposes seems needless.

Are three samples sufficient to adequately characterize the sediment? Most statistical literature considers a sample size of eight to be a minimum

Response

Verification sampling at locations that exceed the UTL_{99/99} were originally proposed because much of the area east of the landfill has been regraded and the hotspots may no longer exist. Because the proposed landfill cap extends to the dam, surface soil samples for verification of hotspots are no longer necessary upgradient of the dam

It is agreed that most statistical literature considers a sample size of eight to be a minimum. State land disposal restrictions (LDRs) do not trigger further action at the East Landfill Pond, therefore, sediments will be covered by the landfill cap.

8. Comment

Section 5.5, DQOs for Groundwater and Surface Water. The decision to remediate organics cannot be based on the analysis presented in Section 4.7. The "total VOC" discussion qualitatively describes nature and extent, however, there are no ARARs for total VOCs, and as such, has no basis in remedial decisions.

Response

Section 4-7 presents a list of PCOCs identified in UHSU and LHSU groundwater, the mean concentration, and the concentration range. These analyte concentrations can be used for ARARs companisons. Isoconcentration maps can be used in concert with potentiometric surface maps to design the groundwater control/collection system. The "total VOC" discussion supports the presentation of nature and extent of contamination only and has no bearing on remedial design.

9. Comment

Section 5 6, DQOs for the Landfill Conflicting statements exist regarding the disposition of leachate. Section 5 6 2 says leachate collection is not required if concentrations do not exceed chemical-specific ARARs, Section 5 6 5 says containment, control, and treatment of leachate is a component of the presumptive remedy. The text needs to be changed to reflect a consistent strategy. The Division endorses the latter approach.

Response

The text in Section 5 6 2 has been revised as requested

10 Comment

Section 6 2, Surface Soils As previously noted, the Division does not support the need for confirmatory sampling. Omitting this duplicative step would significantly reduce costs associated with Phase II fieldwork. Delineating the area of soil contamination, to the extent the Phase I data has gaps, is acceptable.

Response

Venfication sampling has been omitted as requested

11. Comment

Section 6.3, Groundwater: The Division questions objective (1) for the additional monitoring wells. Section 2 presents a strong argument that the groundwater collection and diversion systems on the north side of the landfill have failed. Add to this fact that landfilled waste has extended beyond the intercept system, implying any new system would need to be outside the edge of waste, makes determining the adequacy of the existing system unimportant. The location of these proposed wells is also missing from Figure 6-3

The two proposed wells north and south of the ELP are very close (perhaps 250 feet) to existing wells 7187 and B206689, respectively, and are to be screened in the same intervals as the existing wells. Will these proposed locations really tell us anything the existing wells cannot?

Response

The two monitoring wells proposed to evaluate the effectiveness of the groundwater intercept system were included in the sampling and analysis plan in error. A new slurry wall will be constructed outside the groundwater intercept system, therefore, there is no need for additional evaluation.

The two wells originally proposed north and south of the East Landfill Pond were located midway between the groundwater plume at the landfill and the groundwater plume downgradient of the pond embankment. Because the landfill cover will extend to the dam, the information from these wells is no longer necessary to support design of the groundwater collection system—the contaminant plume will be contained and the groundwater collected downgradient of the dam.

12 Comment

Section 6.4, Landfill Cap Design. What is the purpose of collecting 27 samples of the existing soil cover? This will all be under the cap. Load bearing capability of this foundation layer is needed but can be determined with fewer samples.

Response

It was originally proposed that 27 samples of the existing soil cover material be collected for load-bearing estimates. Since the field sampling plan was completed, engineers designing the landfill cap indicated that a determination of the load-bearing capability of the existing soil cover material is not necessary for the landfill cover design. The field sampling plan has been revised accordingly

EPA's Comments on the OU7 Technical Memorandum

10 General Comments

1 Comment

The text states that the purpose of the proposed modified field sampling plan (FSP) is to gather information to support a risk assessment. The risk assessment is a useful tool to evaluate the site risks to determine whether or not an action is warranted for the site. In the case of OU7, the Present Landfill, it has already been decided that an action needs to take place pursuant to closure requirements under RCRA. The current closure approach for OU7 consists of a landfill cover based on the presumptive remedy. Therefore, a risk assessment is not required to justify the closure action. However, a risk assessment will be required to evaluate post-closure site risks.

Response

The purpose of the Phase II field sampling plan is to address data gaps identified during the data quality objectives process

On the basis of presumptive remediation, the scope of the risk assessment for OU 7 will be streamlined. The containment remedy addresses all pathways associated with the source. The threat of direct contact and surface water runoff is addressed by capping Exposure to contaminated groundwater, the ingestion pathway, is addressed by groundwater treatment/control. Exposure to landfill gas, the inhalation pathway, is addressed by gas control or collection and treatment.

No quantitative risk assessment is required at the source. Justification for remedial action is the exceedance of chemical-specific ARARs in groundwater. Because the landfill cap extends to the dam, no risk assessment on pond sediments and surrounding soils is required.

Analyte concentrations in surface soils not under the cap will be compared to PRGs after landfill closure. An assessment of risk is required for groundwater contaminated by migrating leachate to determine the need for additional remedial action in areas beyond the cap. Residual risks will be evaluated after closure of the landfill.

2. Comment

There are several inconsistencies throughout the text regarding the East Landfill Pond sediments. The text states in the executive summary that the sediments should be sampled in order to determine whether the sediments should be remediated or not. Later,

in Section 5, page 5-11, it is stated that five out of the 12 potential contaminants of concern (PCOCs) for the sediments, based on previous sampling efforts, exceeded the TBC or PRG by at least one order of magnitude. The text further states that it is unlikely that additional data will affect the decision to remediate the pond sediments. The proposed FSP in this TM intends to take three additional samples from the pond sediments. Because the available data already support a decision to remediate the pond sediments, the need for further sampling solely for characterization purposes is questionable. EPA feels that further sampling of the pond sediments may be warranted to support the selection of a remedial technology or remedial strategies. For example, sediment sampling could be useful for the following purposes to determine the total volume of sediments to be remediated, to perform contaminant leachability tests (TCLP), and to perform treatability studies. EPA suggests that proposed pond sediment sampling activities be revised in order to redefine the scope of the effort and its purpose.

Response

Preliminary engineering design of the landfill cover indicates that the cap will extend to the pond embankment. State LDRs do not trigger further action at the pond, therefore, the sediments will be covered by the landfill cap. No additional sediment sampling is proposed. Inconsistencies or discrepancies in the text will be corrected.

3. Comment

The Phase I RI report included in this TM failed to adequately evaluate the effectiveness of some physical structures such as slurry walls and interceptor trench systems installed around the OU7 area. Specific comments regarding the effectiveness of these physical structures are detailed in the specific comments below and in PRC comments.

Response

The "Effectiveness of Landfill Structures" (Section 2.5.4) evaluation addressed all known information relevant to the subsurface drainage structures. The historical and acquired Phase I hyrogeological data along with the information derived from the 1991 ground-penetrating radar investigation provided multiple explanations as to the effectiveness of the landfill structures. Given the evidence that refuse extends beyond the subsurface landfill structures, new landfill structures will have to be constructed under the presumptive remedy approach. Therefore, based on the streamlined approach for remediation and closure of the landfill, the effectiveness of the landfill structure has for all practical purposes been adequately characterized. The existing landfill structures will be abandoned in place and replaced under the landfill closure IM/IRA.

4. Comment

The Phase I RI report also failed to evaluate the fate and transport of contaminants within the unsaturated zone. This is critical information for closing hazardous waste in place. Ground water impacts from sources of contamination left in place need to be fully evaluated and understood. In this manner, the appropriate cover design and post-closure care monitoring plan can be properly developed. This TM needs to include a detailed discussion on the behavior of the contaminants present in OU7.

Response

Under the NCP, characterization of landfill material is not required. All source material in the vadose zone within the landfill is trash. Source containment is the presumptive remedy for municipal landfills and consists of the following elements landfill cap, institutional controls, gas collection and treatment, leachate collection and treatment, and source area groundwater control. The existing groundwater intercept system and slurry walls will be abandoned in place under the landfill closure IM/IRA. The landfill cap and the new slurry wall will prevent infiltration of water and formation of leachate in the future for source area groundwater control.

5. Comment

Due to major flaws with the Phase I RI report, EPA is unable to determine whether there are any field data gaps within the OU7 area. If it turns out that field data gaps exist after the TM is revised, then EPA will require additional field sampling activities to be performed.

Response

Additional data evaluation activities were performed to identify information needed to support design of the landfill cap, slurry wall, leachate collection and treatment system, and groundwater collection system. The rationale for determining field data gaps is presented in Section 5. Field activities proposed to collect these data are presented in the field sampling plan (Section 6).

20 Specific Comments

1. Comment

Section 2 5 4 1, Transect AA-AA' This section discusses transect BB-BB' instead of AA-AA' This needs to be revised to refer to the appropriate location being discussed

This section does not discuss transect BB-BB' Figure 2-31 "Well Hydrograph Transect Location Map" show that wells 70093, 71193, 71493, 71693, and 71893 lie along Transect AA-AA' The text in Section 2.5.4.1 correctly refers to these wells (p.2-29), therefore it is unnecessary to refer to Transect BB-BB'

2 Comment

Section 2 5 4 1, Transect BB-BB' North Side Change to "Transect CC-CC' "

Response

Figure 2-31 shows that wells 6087, 6187,6287, 6387, and 73293 lie along Transect BB-BB' The text in Section 2.5.4.1 correctly refers to these wells (p.2-29). Therefore, this section does not need to refer to Transect CC-CC'

3. Comment

Section 2 5 4 1, Transect CC-CC' South Side The conclusion in this section that the interceptor trench system is effective in this location because of differences between the saturated thickness of both alluvial wells is not well supported. Differences in saturated thickness could be due to a slope area or any other lithology differences. It is not appropriate to rely only on the saturated thickness of the wells to evaluate the effectiveness of the interceptor trench system. In addition, looking at Table 2-7, the water-level elevation between the two wells is about the same (0.03 ft difference). This may be a good indication that the interceptor trench system is not effective. This section needs to be revised to provide better justification of the conclusion or the conclusion should be changed.

Response

The saturated thickness of the surficial materials was not the only criteria used to evaluate the effectiveness of the south groundwater intercept system. The well hydrographs, potentiometric maps, and groundwater quality comparisons were all used during this evaluation. The following summarizes the findings of each evaluation.

- Figure 2-29 shows a saturated thickness difference of 4 93 feet between wells 6587 and 6487 (p 2-30)
- 2 As stated in the text (p 2-30), the well hydrograph presented in Figure 2-34 shows that water levels outside or upgradient of the intercept system are higher than water levels within the system

9/2/94

- In contradiction to what was stated in the referenced comment, the potentiometric maps of surficial materials (Figures 2-21 through 2-24) and Table 2-7 show that the mean water level difference between wells 6487 and 6587 is 3.27 feet, not 0.03 feet
- In Section 2 5 4 2, "Groundwater Quality Comparison" (p. 2-33 and 2-34) it is discussed that the TDS concentrations in well 6487 are significantly greater than in 6587 (Figure 2-31)

These evaluations strongly suggest that the south groundwater intercept system along Transect CC-CC' is effectively diverting groundwater away from the landfill

4 Comment

Section 2 5 4 1, Transect DD-DD', Evaluation of the North Slurry Wall. This section states that based on the well hydrograph and isopach maps of well 6787 and 6887, groundwater appears to be flowing over and/or through the slurry wall. Instead of concluding that the slurry wall is not effective at this location, the text argues that it is possible that the well pair was not properly positioned on either side of the slurry wall or that the slurry wall does not extend this far to the east. EPA feels that the relative location of wells from the slurry wall should be known. If the location of the slurry wall is unknown, then efforts to locate it using geophysical techniques should be performed. This section needs to be revised to provide better justification of the conclusion or the conclusion should be changed.

Response

As was discussed in Section 1.4.4 (p. 1-16), the ground-penetrating radar investigation conducted during 1991 suggests that the north slurry wall is located farther west than previously thought. Based on the well hydrographs and isopach maps, the north slurry wall is not effective in diverting groundwater away from the landfill. However, the entire groundwater intercept system and slurry walls will be abandoned in place and replaced under the landfill closure IM/IRA.

5. Comment

Transect EE-EE' Evaluation of the South Slurry Wall Change to "Transect DD-DD"

Response

Figure 2-31 shows that wells 72293, B206389, 7287, and B206489 lie along Transect EE-EE' The text in Section 2 5 4 1 (p 2-31) correctly refers to these wells, therefore it is unnecessary to refer to Transect DD-DD'

6. Comment

Section 6 2, Surface Soils, page 6-2 The FSP proposes collecting 39 additional surficial soil samples at 34 hotspot locations identified from previous sampling efforts for confirmation purposes. EPA feels that in order to confirm adequacy of previous data, fewer surficial samples will be sufficient. EPA recommends that five samples be collected for confirmation purposes. If it is determined that surficial soil data gaps exist within the OU7 or East Landfill Pond area, additional surficial soil samples may need to be taken

Response

Verification sampling at locations that exceeded the UTL_{seroe} were originally proposed because much of the area east of the landfill has been regraded and the hotspots may no longer exist. Because the proposed landfill cap extends to the dam, surface soil samples for verification of hotspots are no longer necessary upgradient of the dam (see response to CDPHE Comment 10)

7. Comment

Section 6.2.1, Proposed Field Sampling Activities. The text states that subsurface soil samples will be collected using the hand auger method outlined in Geotechnical SOP 08, Surface Soil Sampling (EG&G 1992c). This is inconsistent with Section 6.3.1 which suggests the use of a hollow-stem auger equipped for continuous core sampling in accordance with Geotechnical SOP 02. It appears that the wrong SOP is referenced in this case. The hand auger method is not appropriate for collection of subsurface soil samples. This section needs to be revised accordingly to include the appropriate drilling technique and respective SOP.

in addition, it is not clear whether subsurface soil samples will be collected for characterization purposes. EPA feels that it will be worthwhile to take advantage at each well location to collect subsurface soils during the drilling. In this manner, further delineation of the extent of contamination of the unsaturated soils can be assessed. EPA suggests that the FSP be revised to include subsurface soils collection and characterization. The appropriate analytical suite for subsurface soil sample analysis needs to be developed and included in this TM.

Response

The text in Section 6.3.1 is referring to surface soil samples from the 0- to 10-inch horizon. In order to be consistent with the Phase I program, surface soil samples from the 0- to 10-inch horizon will be collected using the hand auger method. The SOP reference is correct as stated.

Concentrations of a few analytes exceeded the UTL₉₉₉₉ value in subsurface geologic materials, however, the exceedances did not occur consistently in the same samples or in samples from the same depth interval. At the EPA's request, additional subsurface soil samples will be collected from the unsaturated zone at one location in No Name Gulch

8 Comment

Section 6.3, Groundwater EPA feels that the proposed eight well locations are adequate as a starting point to evaluate the three objectives outlined in the last paragraph of this page. EPA is concerned that the results of this sampling effort may suggest that additional sampling is required to fully evaluate the three objectives. If this turns out to be the case, then EPA will require additional sampling to be done. This section should include this possibility.

Response

Wells 4087 and 4287 are currently being sampled monthly or bimonthly to better delineate the nature and extent of contamination downgradient in No Name Guich before the Phase II wells are installed. In addition, two new wells have been installed under the WARP program, and three new piezometers have been installed upgradient of the confluence with North Walnut Creek. They will be sampled during fourth quarter of 1994. This information will be used to determine data gaps, optimize the locations of the Phase II wells, and hopefully alleviate the need for a Phase III RFI/RI

9 Comment

Section 6.4, Field Activities Related to Landfill Cap Design. EPA agrees that information on the physical properties of the soils and gas emission rates are useful for the selection of the landfill cap design. However, EPA feels that the evaluation of the appropriate landfill cap design for OU7 may require additional information on the fate and transport of contaminants within the unsaturated zone. For example, contaminant leachability test columns, leachability transport models and TCLP analysis will provide crucial information to evaluate and select the appropriate cap design. EPA suggests that the scope of this section be expanded to include the above field activities. It is important to understand the behavior of contaminants present at OU7 and their migration potential to ground water. One of the main objectives of the closure of OU7 is to stop sources impacting ground water quality.

Response

Contaminant leachability tests, leachability transport models, and TCLP analyses do not provide data necessary for landfill cap design. Under the NCP, characterization of landfill

material is not required. All source material in the vadose zone within the landfill is trash. In addition, the cap and new groundwater intercept system will prevent infiltration of water and formation of leachate in the future. The existing groundwater intercept system will be abandoned in place and replaced under the landfill closure IM/IRA.

Two boreholes will be drilled at and north of the leachate seep (SW097) to determine the depth to bedrock and thickness of alluvial and weathered bedrock material for use in the leachate collection system design. Drawdown recovery tests will be performed in the open boreholes to estimate hydraulic conductivity values and calculate leachate flow rates. No samples will be collected at these locations.

One borehole will be drilled at the proposed leachate storage tank location to determine the depth to bedrock and thickness of the alluvial and weathered bedrock material for use in design of the foundation for the storage tanks. Samples of the alluvial material will be collected for geotechnical testing to determine the load-bearing capability of the material.

Three boreholes will be drilled around the landfill to determine the depth to bedrock and thickness of the weathered zone along the probable alignment of the siurry wall for use in landfill closure design. No samples will be collected and no tests will be performed at these locations.

Two boreholes will be drilled to determine the depth to bedrock and thickness of the weathered zone on the slopes below the dam for use in design of the downgradient groundwater collection system. No samples will be collected and no tests will be performed at these locations.

PRC Comments on the OU7 Technical Memorandum

10 Introduction

At the request of the U.S. Environmental Protection Agency (EPA), PRC Environmental Management, Inc (PRC) has conducted a technical review of the Draft Final Revised Work Plan for Operable Unit 7 (OU7) at the U.S. Department of Energy (DOE) Rocky Flats Plant (OU7 Revised Work Plan). OU7 consists of the Present Landfill and the Inactive Hazardous Waste Storage Area which have been designated Individual Hazardous Substance Sites (IHSSs) 114 and 203. The OU7 Revised Work Plan was submitted to EPA by EG&G on behalf of DOE on May 30, 1994.

The comments generated from this review are divided into general and specific comments. General comments pertain to the document as a whole or to multiple sections of the document. Specific comments are keyed to a particular page, paragraph, table, or figure. Where FRC found similar problems in several sections of the report, a general comment was written to avoid redundancy. General and specific comments appear in Sections 2.0 and 3.0 of this review. Conclusions appear in Section 4.0 of this report. References are contained in Section 5.0 Typographical and editorial errors within the OU7 Revised Work Plan have not been addressed, except when the clarity of the document was affected.

2 0 General Comments

Section 2 0 - Site Characterization

1. Comment

A large portion of the characterization focuses on an evaluation of the structures designed to divert groundwater away from the landfill (slurry walls, groundwater diversion/leachate collection system). Well pairs that supposedly straddle these structures are used to compare hydrologic and chemical conditions on either side of the structures in an attempt to determine whether the structures function as intended. However, the text indicates that the location of these structures is not always known relative to the well pairs, rendering the analysis inconclusive.

A specific example is the analysis of total dissolved solids (TDS) data in Section 2.5.4.2 Groundwater TDS results from paired wells that supposedly straddle the groundwater diversion system or slurry walls were statistically analyzed. The null hypothesis is stated as a TDS concentration in groundwater outside the interceptor system are statistically different than TDS concentrations in groundwater inside the interceptor system. The results of this statistical comparison, however, are used to draw conclusions other than to

accept or reject the null hypothesis. For instance, the analysis determined that TDS concentrations at well 71493, which is supposed to be located inside the interceptor system, are similar to TDS concentrations at wells 70093 and 71193, which are located outside the interceptor system. Instead of rejecting the null hypothesis that TDS concentrations are different on either side of the interceptor systems and concluding that the interceptor system is not effectively diverting groundwater at this location, the OU7 Revised Work Plan suggests that the results indicate that all three wells are located outside of the interceptor system. Figure 2-40 shows that this part of the interceptor system is an inflow boundary (because it is not believed to be keyed into bedrock in this area), which would suggest groundwater inside the landfill at well 71493 is thoroughly mixed with groundwater from outside the landfill

This example highlights the major weakness of Section 2.0, that any analysis of the effectiveness of the groundwater intercept and diversion structures depends on first accurately locating the structures. This could have been accomplished with various geophysical methods such as ground-penetrating radar. The analyses of groundwater diversion structures effectiveness should not be considered conclusive in areas where there is any doubt of their locations. Groundwater analytical results should not be used to determine the locations of these structures.

Response

A ground-penetrating radar (GPR) survey was performed at the Present Landfill in 1991 (EG&G 1991a) to delineate the existing groundwater intercept system and slurry walls, locate pipe drain modifications and discharge valves, and provide qualitative information on the construction of the groundwater intercept system and slurry walls. The landfill structures have been accurately located using GPR data and existing wells

The text in Section 2.0 has been revised to clarify the level of accuracy regarding the landfill structure locations. Section 2.5.4.2, which discusses TDS data, has been revised to reject the null hypothesis.

2. Comment

The groundwater flow velocities presented in Section 2.5.3.4 are questionable as a result of errors in quantifying input parameters, particularly in the area beneath and downgradient of the East Landfill Pond embankment. Significant errors were made in the calculation of hydraulic gradient and the estimation of hydraulic conductivity, both of which are addressed in specific comments later in this report. Indicative of the overall quality of this analysis is the assignment of a uniform range of effective porosity (0.1 to 0.2) for the entire range of subsurface materials at OU7, from unweathered claystone to landfill debris. This section should be completely rewritten to provide estimated groundwater

flow velocities that are supported by data. If additional data are needed to fully characterize the area beneath and downgradient of the East Landfill Pond embankment, collection of these data should be incorporated into the Phase II field activities

Response

Significant errors were not made in the calculation of lateral hydraulic gradients (dh/dx) Contradictory to specific comments 2 and 10, hydraulic heads from two different geologic units were not used to calculate lateral hydraulic gradients. Refer to page 2-25, paragraph 3, for the methodology used to calculate lateral hydraulic gradients. This section states that the well pairs were only used to calculate the flow path distance "dx". The change in head "dh" of the specified unit (i.e., surficial deposits or weathered bedrock) was obtained from the appropriate potentiometric surface maps

The range of effective porosity values used to calculate groundwater flow velocities in the surficial and weathered bedrock flow systems are well within the range of values for similar materials that are reported in the literature. McWhorter and Sunada (1977) report ranges of effective porosity/specific yield values for clay (0.01 - 0.18), siltstone (0.01 - 0.33), and coarse gravel (0.13 - 0.25). Hurr (1976) reports Rocky Flats site-specific effective porosity values for the Rocky Flats Alluvium (0.1) and the Arapahoe Formation (0.1 - 0.15). In addition, the range of effective porosity values for the weathered bedrock is supported by estimated porosity values reported on the borehole logs (Appendix E). Based on the given information, the effective porosity values used to calculate groundwater flow velocities appear to be reasonable estimates.

Section 6.0 addresses additional characterization downgradient of the East Landfill Pond Embankment. The Phase II investigation includes the acquisition of geologic, groundwater chemical, and hydrologic data

3 Comment

A brief review of Section 2 6 7 revealed two conceptual errors with water balance components. Vertical hydraulic gradients presented in Table 2-10 to support Section 2 6 7 7 include a gradient calculated from well pair 72393/72093. It is inappropriate to include this well pair in the calculation of the mean vertical hydraulic gradient from the fill to the weathered bedrock because both wells are screened in the fill material. This may account for their anomalously low hydraulic gradient. The discussion of the calculation of groundwater base flow to the East Landfill Pond in Section 2 6 7 8 states, "because most of the East Landfill Pond bottom is underlain by unweathered bedrock, the cross-sectional area of flow is defined by the depth of groundwater at the pond shoreline" (the difference between pond surface elevation and landfill seep elevation). Geologic cross-section G-G' (Figure 2-15) depicts weathered bedrock having a thickness of 15 feet below

the pond, which is supported by logs of nearby bedrock wells 0886 and B206789 Therefore, the cross-sectional area should be the difference between seep elevation and the mean elevation of the pond bottom. This statement and any related calculations should be corrected.

The water balance itself is very difficult to understand. The relationship of each of the components listed in the columns of Table 2-14 is not immediately apparent. Two different water balance equations are stated, one on page 2-40 and one on page 2-47. Neither equation can be used to calculate the monthly pond storages listed in column P. To reproduce those numbers, the equation listed on page 2-47 must be used, discharge from the groundwater interception system must be added, and seepage from the landfill pond must be subtracted, Equations used should be accurately and consistently referenced in the document to avoid confusion.

Response

The vertical gradients obtained from well pair 72393/72093 were excluded in the calculation of the mean vertical hydraulic gradient from the fill to the weathered bedrock Vertical seepage rates incorporated in the water balance were revised accordingly. The water balance calculations in Appendix I were also revised.

Using the proposed cross-sectional area (between the seep evaluation and mean elevation of the pond bottom) may overestimate the baseflow to the East Landfill Pond. The conclusions in Section 2.6.8 state that (1) "surficial groundwater appears to be continuously recharging the East Landfill Pond" and (2) "downward seepage appears to be recharging the weathered bedrock beneath the East Landfill Pond." Therefore, the saturated thickness of the surficial materials surrounding the East Landfill Pond should be used to define the cross-sectional area of flow. Figures 2-29 and 2-30 show that the saturated thickness along the East Landfill Pond shoreline is less the 2.5 feet. Using a mean saturated thickness of 1.25 feet may be a more accurate approximation of baseflow to the East Landfill Pond.

The water balance (Section 2 6 7) has been revised to minimize confusion about the relationship between the inflow and outflow components. The OU 7 watershed was modeled as two separate systems (1) the Present Landfill Area and (2) the East Landfill Pond Drainage Area. This clarifies inflow and outflow components and allows conceptualization of the hydrologic flow regime at OU 7.

Other changes made to the water balance calculations are as follows

Surface water flow to the pond was added as an inflow component to the water balance for the East Landfill Pond drainage basin

- 2 Table 2-15 summarizes the inflow and outflow components of the Present Landfill area
- For the Present Landfill area water balance, groundwater inflow under the North Groundwater intercept system and groundwater outflow calculations were revised to reflect the changes made to the saturated thickness maps (Figures 2-29 and 2-30). In addition, evaporation from the landfill surface was reduced from 75 percent to 70 percent of total precipitation. This slight change is still within the range of soil evaporation loss, 70 to 75 percent of total rainfall for the Great Plains area, reported by Brady (1974).

Section 3 0 - Data Quality and Usability

4 Comment

The OU7 Revised Work Plan calculated an average relative percent difference (RPD) for each analyte group (such as metals) in each matrix that was sampled, and used this average to assess whether the precision of data for each analyte group (by matrix) was acceptable. The RPD is a measurement of the precision of data and is evaluated by comparing analytical results for real samples with their associated duplicate samples. The RPD for a matrix should be assessed on an individual analyte basis, not as an average for an analyte group. As previously stated in the report, acceptable RPDs are less than 20 percent for all analytes in water (surface and ground) and less than 35 percent for all analytes in soil (surficial, subsurface geologic material, and sediments). RPDs for individual analytes greater than these values are listed throughout Section 3.1.5 and are not within an acceptable range. Therefore, all real data that correspond to this quality control (QC) result should be treated accordingly. The precision criteria formulated for the contract laboratory program (CLP) and non-CLP method analyses should be followed.

Response

RPDs for individual sample pairs (Real + Duplicate) commonly exceed the acceptable limits for precision. The precision of each duplicate pair is described in Tables J-1 through J-7. For each media type sampled, the average precision, number of pairs exceeding the acceptable RPD value, and the percentage of RPDs exceeding the acceptable value are also reported for each analyte. Results for the analytes having either more than 50 percent of the duplicate pairs or an average RPD exceeding the acceptable RPD value are qualified as "estimated results." This qualification (by media) is based on their failure to meet requirements for precision for the analyte. Data are usable for the intended purposes of characterizing site physical features and identifying contaminant sources. For analytes that do not meet the precision goals in more than 50.

percent of the sample pairs, or where the average RPD exceeds the acceptable RPD value, all of the results reported for that analyte should be qualified as estimated results for the risk assessment

5 Comment

For example pairs where a detectable result is reported for one sample and a non-detect result qualifier is reported for another, the RPDs were calculated by substituting the detection limits for the nondetected results. When evaluating a nondetected value, it is inappropriate to assume that value to be the detection limit. The RPD is expressed as

$$RPD = \frac{(R-D)}{\left[\frac{(R+D)}{2}\right] \times 100}$$

R = the concentration of the analyte in the real sample

D = the concentration of the analyte in the duplicate sample

Therefore, if D is less than the detection limit, it is improper to assume that value to be the detection limit. Standard practice for the calculation of an RPD where a compound is not detected is to assign one-half the detection limit as the concentration.

Response

When one of the results from the duplicate pair (Real + Duplicate) is a non-detectable value, then the concentration of the analyte in that sample is not known, and the precision of the analysis cannot be calculated. Therefore, use of either the detection limit or one-half the detection limit, both estimated values, to calculate an RPD cannot describe the precision of the analysis.

Eisewhere in this document, one-half the detection limit has been used as a replacement value for non-detects (i.e., to calculate summary statistics). However, a "standard practice" for calculation of RPDs when one of the results used is a non-detect is debatable. Therefore, PRC's request for this change seems arbitrary and unnecessary for performance of the data quality analysis. A more detailed explanation of the RPDs calculated for duplicate pairs with one non-detect result has been added to Section 3.1.5

6. Comment

Overall, the statistical analysis procedures used for background comparisons as outlined in this section are consistent with those recommended by Dr. Gilbert (Gilbert 1993) and required for selection of chemicals of concern (COCs) at Rocky Flats. However, distinction between which inferential statistical tests were used to support the selection of the contaminant as a preliminary chemicals of concern (PCOC) should be provided in the text. If the chemical passes only one inferential statistical test, it must be retained as a PCOC.

Typically, PCOCs were selected in the risk assessment, not in a sampling and analysis plan. The text should provide justification and rationale for carrying out the PCOC selection process independent of the risk assessment and prior to sampling.

Due to the time constraints, statistical calculations could not be verified. It was assumed that all statistics were calculated correctly

Response

Tables presenting which statistical tests were used to identify PCOCs are presented in Appendix M. Any chemical identified as being elevated above background concentrations by any of the statistical tests was identified as a PCOC. PCOC identification was based upon the statistical guidance presented in Gilbert (1993) and agreed upon by EPA, CDPHE, and DOE.

Statistical comparisons of site-to-background data for OU 7 using the Gilbert (1993) methodology were performed primarily for the purpose of delineating the nature and extent of contamination and evaluating remedial alternatives. Where appropriate, PCOCs identified using the Gilbert methodology may be used in the risk assessment.

7. Comment

The work plan indicates that East Landfill Pond sediments will require remediation, because analytical results from sediment samples exceed five PCOCs by an order of magnitude or greater. The accumulation of contaminants in the pond sediments suggests a lack of contaminant mobility within this environment. Furthermore, the pond provides a system for the natural attenuation of organic contaminants contained in the landfill leachate. Thus, the pond functions as a collection system for the leachate and as a primary treatment system for organic contaminants. Because leachate collection may be an integral component of the presumptive remedy for CERCLA municipal landfill sites.

(EPA 1993), the East Landfill Pond should be replaced with a leachate control system if it is removed through remedial activities. The OU7 revised work plan should discuss remediation of the East Landfill Pond in greater detail, and describe how a leachate control system will be integrated into the landfill closure process.

Response '

Preliminary engineering design of the landfill cover indicates that the cap will extend to the pond embankment. State LDRs do not trigger further action at the pond, therefore, the sediments will be covered by the landfill cap. The cap is the primary source containment component of the presumptive remedy and is being developed under the landfill closure IM/IRA. A separate leachate collection IM/IRA will be constructed before landfill closure The various components of the presumptive remedy are now discussed in more detail as requested (see Section 1)

8. Comment

The results of volatile organic compound (VOC) analyses conducted on samples collected from the southern section of the landfill indicate that elevated levels of chlorinated hydrocarbons are present in the upper hydrostratigraphic unit. Although these compounds may originate at another operable unit, they may affect the landfill and the selection of landfill remedial strategies. Therefore, the work plan should include the installation and sampling of additional wells to identify the extent of the chlorinated VOC contamination. In addition, existing wells in this area may require sampling and analysis for VOCs to accurately delineate the extent of the chlorinated VOC contamination.

Response

The extent of chlorinated VOC contamination downgradient of the plume shown south of the landfill is limited by data at wells 7087 and B206589 where no chlorinated VOCs have been detected. The landfill cover will extend to the outer edge of the contaminant plume south of the landfill, and the siurry wall will be constructed under the footprint of the cover Groundwater will be collected and treated downgradient of the dam (closure cell), if necessary

9 Comment

The use of averaged concentrations over a 3-year period to evaluate the nature and extent of landfill contaminants is inappropriate. Averaging several years of data provides a false indication of the extent and type of contamination that is currently present at OU7. This approach may potentially obscure high and low concentrations, and does not provide accurate information on the locations and concentrations present in the environment.

Each year of data should be averaged and isoconcentration maps prepared from these results. Presented in this fashion, the three sets of data may indicate trends in the transport and fate also the future extent of the contamination.

Response

Three years of groundwater concentration data were averaged and plotted to analyze the nature and extent of groundwater contamination at OU 7 The averaging technique was used to minimize the influence of seasonality and natural variability in intra-well concentrations Isoconcentration maps for each year or quarter would provide limited information due to missing data and data variability and would not provide a broad interpretation of groundwater contamination at OU 7. Averaging the data over a threeyear period provides a better picture of general groundwater quality then would be provided by any individual sampling period it is recognized that these average concentration maps may not provide the best interpretation of groundwater quality for some remedial activities. In these cases, other interpretations or maps (such as those displaying minimum and maximum concentrations) may be more appropriate. For the purpose of analyzing the general nature and extent of groundwater contamination at OU 7, however, the average concentration maps are a useful and effective tool. It is unlikely that maps depicting average yearly concentrations will indicate trends in the fate and transport of contaminants due to the high intrinsic variability of groundwater concentration data at OU 7

Groundwater-quality data from monitoring wells located upgradient of the landfill were compared to groundwater-quality data from monitoring wells located downgradient of the landfill to assess potential contaminant releases to the UHSU (EG&G 1994a) A summary of these comparisons is included in Section 4.7.3

Time-series plots were compiled for several analytes in UHSU groundwater downgradient of the landfill. Trends in contaminant concentrations are discussed in Section 4.7.3. Time-series plots are presented in Appendix O.

Section 5 0 - Data Quality Objectives

10. Comment

Section 5 discusses the data quality objectives (DQOs) associated with the investigation of the landfill and identifies the number of samples required to delineate the nature and extent of contamination for each media, sediments, groundwater, and the landfill However, it is not clear from the text in Section 6 (Sampling and Analysis Plan) how this information was used to determine the recommended number of samples to be collected

during the additional investigation. The rationale used during the investigation of the DQO process and the sampling design must be clearly presented.

Response

The rationale used during development of DQOs and the resultant sampling design has been clarified as suggested

Appendix J, Data Quality Tables

11. Comment

Data in Tables J-11 through J-13 are presented in a format that is not consistent with the discussion of data quality in the text or consistent with other tables in the appendix. The text and the other tables present data organized primarily by analyte type (metals, radionuclides). Tables J-11 through J-13 group all analyte types together, and list all compounds in alphabetical order, with analytes that have numerical prefixes preceding all other analytes. Tables J-11 through J-13 should be reformatted to match the text and other tables.

Response

Tables J-11 through J-15 have been reformatted as requested

3 0 Specific Comments

1. Comment

Page 2-20, Paragraph 3 The text states, "groundwater in the upper hydrostratigraphic unit (UHSU) generally flows to the east, but is diverted around the landfill by way of the groundwater intercept system." However, Figure 2-40 shows that groundwater passes beneath the intercept system along the northwestern boundary of the landfill. There is also some question as to whether the slurry walls effectively divert water away from the landfill. This statement should be revised to be consistent with the conclusions stated elsewhere in the text.

Response

This statement has been revised as follows "Groundwater in the upper hydrostratigraphic unit generally flows to the east, but localized flow near the landfill is altered due to stresses induced by the groundwater intercept system."

2. Comment

Page 2-28, Paragraph 1 The text specifies an average horizontal groundwater gradient through the surficial materials at the East Landfill Pond embankment that is calculated from water levels at wells TH047492 and 4187. Well 4187 is screened across an unweathered sandstone at a depth of 81 to 94 feet and should be considered part of the lower hydrostratigraphic unit (LHSU), whereas well TH047492 is screened across artificial fill (embankment material) and subcropping, weathered sandstone. This well should be considered to be screened in the UHSU. Geological cross-section G-G (Figure 2-15) also depicts groundwater in well 4187 as having a different (about 70 feet lower) potentiometric surface then well TH047492. Therefore, well 4187 should not be used to calculate hydraulic gradients in surficial materials, or in the UHSU. Wells TH047292 and TH047492, both of which are screened across artificial fill and subcropping, weathered bedrock, should used to calculate the UHSU hydraulic gradient instead.

Response

Refer to Section 2 5 3 (page 2-25, paragraph 3) for a clarification on the methodology used to calculate lateral hydraulic gradients (refer to response to general comment 2)

3. Comment

Page 2-28, Paragraph 2 This paragraph provides average linear groundwater flow velocities in weathered bedrock along three flow paths, one of which is below the East Landfill Pond embankment, between wells TH047492 and 4187. The input parameters for this calculation include a geometric mean hydraulic conductivity value of 4.97 x 10⁻⁷ centimeters per second (cm/sec) estimated using drawdown recovery test data from wells 70193 and 70493. Wells 70193 and 70493 are both screened in claystone and clayey siltstone, whereas well TH047492 is screened in sandstone. Therefore, the hydraulic conductivity value derived from wells 70193 and 70493 is inappropriate to use for the area beneath the East Landfill Pond embankment, which is underlain, at least in part by sandstone. The phase II field investigation should include a drawdown recovery test in the weathered sandstone beneath or adjacent to the East Landfill Pond embankment, either in well TH047492 or in a new well that is screened in sandstone.

Response

Agreed, a drawdown recovery test should be performed in the weathered bedrock adjacent to or downgradient of the East Landfill Pond embankment. Additional characterization downgradient of the East Landfill Pond embankment is addressed in Section 6.0

4 Comment

Page 2-31, Paragraph 2 This paragraph discusses the effectiveness of the south slurry wall at diverting water away from the landfill. Hydrograph EE-EE' (Figure 2-36) is cited as an indication that the slurry wall is diverting water from the landfill because water levels are 1 to 6 feet lower on the north (downgradient) side of the wall. The paragraph also cites the potentiometric (Figures 2-21 through 2-24) and isopach (Figures 2-29 and 2-30) maps as supporting this interpretation because they show lower water levels north of the wall. However, the isopach and potentiometric maps also show a large unsaturated area east of the wall, which is in a downgradient direction beyond the end of the wall. Groundwater should be diverted to this area if the wall is functioning properly. This paragraph should discuss the presence of this large unsaturated area, and the implications that this unsaturated area may have on the evaluation of the south slurry wall's effectiveness.

Response

Based on the supporting evidence, it is unlikely that the presence of the large unsaturated area east of the south slurry wall would have any implications on the evaluation of the south slurry wall's effectiveness given the following evidence

- The TDS concentration map (Figure 2-33) also indicates that the slurry wall is directing groundwater away from the landfill because TDS concentrations are significantly higher on the north (downgradient) side of the intercept system
- Figures 2-29 and 2-30 show a saturated thickness of less than 5 feet on the south side of the slurry wall. This suggests that the weathered bedrock topography may influence local groundwater flow. The weathered bedrock topography map (Figure 2-17) shows a northeast-trending ridge along the eastern margin of the slurry wall. Because of the proximity of the weathered bedrock ridge to the unsaturated area, it is likely that this structural feature has an effect on localized groundwater flow, including groundwater flow being diverted away from the south slurry wall. The potentiometric maps of surficial materials (Figures 2-21 through 2-25) reveal a groundwater divide west of the large unsaturated area, giving support to the previous statement.

5. Comment

Page 2-50, Paragraph 3 The text states that western wheatgrass is both the dominant graminoid in the mesic mixed grassland community of OU7, yet also describes it as a species present in lesser amounts than a dominant species. The text should be clarified to indicate the correct category for western wheatgrass.

Western wheatgrass is a dominant grass in the mesic mixed grassland. The text on page 2-50, paragraph 3, has been revised as requested to clarify this

6. Comment

Page 2-51, Paragraph 3 The text that the disturbed community included 27 species, of which seven were grasses, 18 were forbs, and two were subshrubs. The text then states that the only shrub present was wild tarragon. Fringed sage is included with forbs. It is not clear what species were considered to be subshrubs or what criteria were used to distinguish shrubs and subshrubs. The text should be clarified to describe the criteria used to distinguish the components of the disturbed community, and to identify the species included in each

Response

This paragraph has been clarified as requested

7. Comment

Pages 2-52 and 2-53 The text discusses wildlife surveys undertaken at Rocky Flats but cites only the environmental impact statement (EIS) produced in 1980. It is not clear whether the majority of the text is based on the EIS or on more recent studies. Because more recent data exist, a 14-year old EIS report based on older data should not be used as the primary source or information on the site. The most recent data should be used.

Response

The results of a more recent wildlife study were mentioned in the text but not cited Page 2-52, paragraph 4, has been changed to clarify this

8. Comment

Figure 2-40 The analysis of groundwater levels at well pair 6787/6887 (pages 2-30 and 2-31) concludes that "groundwater appears to be flowing over and/or through the slurry wall" Figure 2-40, which depicts groundwater inflow and outflow boundaries of the landfill, should be revised to reflect this conclusion. Water balance calculations in Section 2.6.7 should also be revised to reflect the longer inflow boundary.

Response

See response to Comment 4 on page 13

9 Comment

Figure 2-42 The figure indicates that two locations in the pond were sampled for water and sediment toxicity studies. The results of those studies were not provided in the discussion of ecological data provided in the text. These results should be discussed.

Response

Toxicity results are not appropriate for an ecological characterization. To eliminate this confusion, the sampling location symbols have been removed from Figure 2-42

10. Comment

Table 2-9 This table summarizes lateral (horizontal) hydraulic gradients that were calculated for surficial materials and weathered bedrock. The hydraulic gradient values are questionable for a number of reasons. Horizontal hydraulic gradient is defined as a change in head from one well to another divided by the horizontal distance between the two wells. Therefore, it is impossible that two different horizontal hydraulic gradients representing two different geologic units could be calculated between the same two well screens, as has been done for each pair of wells listed in the table. Furthermore, hydraulic gradients in weathered bedrock are provided for each well pair even though five of the six wells are screened in surficial materials. The only well screened in bedrock is screened in the LHSU and should not be included in this analysis of UHSU hydraulic gradients. Horizontal hydraulic gradients should be recalculated in a manner that makes sense hydrogeologically, and raw data (water level measurements and their data) should be included with the table. Furthermore, this analysis would be less confusing if the wells were divided primarily by hydrostratigraphic unit rather than by geologic unit, because some wells are screened across two geologic units.

Response

The hydraulic gradients are not questionable and were calculated correctly. Section 2.5.3 (page 2-25, paragraph 3) discusses the methodology used to calculate lateral hydraulic gradients (refer to general comment 2). However, Table 2-9 has been revised with a footnote that briefly describes the method used to calculate lateral hydraulic gradients.

11. Comment

Figure 2-8 The groundwater intercept system is depicted in Figure 2-8 as consisting of perforated pipe along the entire length of the system. This depiction contradicts all of the other figures, which show the perforated section extending only to, or slightly beyond, the

western ends of the north and south slurry walls. The figure should be corrected to accurately depict the perforated section of the groundwater intercept system.

Response

The figure has been corrected as requested

12. Comment

Figure 2-13 Text and figures are not used consistent regarding the location of well B106089 relative to the groundwater intercept system. Well B106089 is clearly depicted as being inside the groundwater intercept system on geologic cross-section E-E (Figure 2-13) and on all of the potentiometric and isopach maps. However, hydrograph FF-FF (Figure 2-37) states that well B106089 is located outside the groundwater intercept system. The text on page 2-29 (which discusses hydrograph FF-FF) and page 2-34 (which discusses the evaluation of the leachate control system) also indicates that well B106089 is outside the groundwater intercept system. Figures and text should be revised to be consistent. If the location of well B1060898 relative to the groundwater intercept system is not known with certainty, it should be clearly stated in the text.

Response

According to Figure 2-7 in the OU 7 Phase I RFI/RI Work Plan, well B106089 is within the western extent of the sloping clay barrier wall and on the upgradient side of the perforated drain. Therefore, the geologic cross section presented in Figure 2-37 has been corrected to reflect the position of well B106089.

13. Comment

Figures 2-29 and 2-30. The two isopachs (saturated thickness of surficial materials) maps are poorly drawn and may lead to errors in calculation of landfill leachate volume. The most prominent feature on these maps is a groundwater mound that is greater than 20 feet thick at wells 72093 and 72393 in the center of the landfill. This mound extends from the area northwest of the landfill, where the groundwater intercept system is not keyed into bedrock and terminates abruptly beyond this well pair. The only data points in the downgradient direction within the landfill are well pair 72293/72493, where the saturated thickness is about 2.5 feet. The bedrock topography map (Figure 2-17) shows that this well pair is situated on a bedrock ridge (interfluve) and that a channel incised into the bedrock surface probably lead from well pair 72093/72393 to cone petrometer test (CPT) point 01493 to a location at or slightly north of CPT point 02293 and then below the East Landfill Pond. This channel passes north of well pair 72293/72493, which may be the reason that the saturated thickness is only 2.5 feet at this location. Given the bedrock

surface depicted in Figure 2-17, the most logical interpretation would be that groundwater below well pair 72093/72393 will follow the incised channel surface down to East Landfill Pond, forming a complete groundwater/leachate pathway to the pond. This interpretation would be consistent with the statement on page 2-20 of the text. In the incised stream valley, groundwater flows toward the drainage or the East Landfill Pond, following the topography. Figures 2-29 and 2-30 should be revised to be consistent with this interpretation. Calculations of landfill volume should also be revised to be consistent with this interpretation.

Response

The saturated thickness maps have been revised to coincide with the weathered bedrock topography. The landfill leachate volumes and the section on evaluation of the leachate collection system (Section 2.5.4) also have been revised accordingly.

14 Comment

Section 3 1 6 This section discusses the accuracy of the OU7 data. Accuracy measures the bias in a measurement system. Bias is defined as

%B = 100 - %R

%R = the percent recovery of a spike of a known analyte

Accuracy was measured only for the dissolved and total metals of groundwater samples All matrices and analytes should be assessed for accuracy to fulfill the DQOs

Response

In accordance with EPA guidance and Rocky Flats quality assurance procedures, Section 3.1.6 defines accuracy and %Bias calculated from analyses of matrix spikes. However, the OU 7 QAA and Rocky Flats Standard Operating Procedures require collection of matrix spike samples only during collection of groundwater samples. Therefore, no matrix spike samples were collected for other media/matrices, and the results of their analyses cannot be discussed here as requested. The accuracy of analyses of other media types is evaluated by the data validation subcontractor using information supplied to them by the laboratory. With the exception of the lab qualifier, this information is not routinely available to the data users and thus is not described quantitatively in the OU 7 Technical Memorandum. Additional discussion of the data validation process and use of lab qualifiers and validation codes in determining the usability of results has been added to Section 3.1.6.

15. Comment

Table 3-2 Table 3-2 summarizes the actual QC samples collected at OU7. There are discrepancies between the required frequency of QC samples (Table 3-1) and the actual QC samples collected. For example, of the 48 real soil gas samples collected at IHSS 203, only two field duplicate samples were collected. The required frequency of field duplicates as stated in Table 3-1 is one duplicate per 10 real samples or one duplicate per sampling event (whichever is more frequent). Therefore, the required QC sample criterion was not met.

Response

The text now indicates that the QC sample requirements were not met during the soil-gas, BAT liquid, surface soil, and groundwater sampling task. However, this deficiency will not affect the usability of the soil-gas or BAT liquid data, because these data are already classified as screening-level data.

16. Comment

Section 3 1 2 2, Page 3-4, Third Paragraph and Table 3-5 This section discusses the results of the data validation. These results are presented in Table 3-5. Discrepancies exist between the table and the discussion on page 3-4. For example, the percent results rejected (%R) of subsurface geologic material analyzed for radionuclides was calculated as 8%R. This value is really 10%R. Also, this section states that 72 percent of groundwater data were validated. This value was recalculated to be 55 percent. The values in this section should be calculated for accurate results, and the text and tables corrected to be consistent.

Response

Additional footnotes have been added to Table 3-5 to describe how the reported percentages were calculated. The text on pages 3 and 4 accurately reflects the information reported on Table 3-5.

17. Comment

Section 3 1 5 4, Pages 3-12, Third Paragraph. The RPDs were not calculated for VOCs in subsurface geologic material duplicate sample pairs. When assessing the data quality and usability, it is important to evaluate the precision of the data. Without the RPD, an overall measurement of precision is impossible. RPDs should be calculated and reported for analyses on all matrices.

Duplicate samples of subsurface geologic materials were not collected for VOC analysis because of the *in situ* nature of sampling for VOCs, therefore, there are no RPD results

18 Comment

Section 3 1 7 1, Page 3-23, Third Paragraph. This section concludes that based on the frequency of detection and concentrations detected in equipment rinsates, the data are well represented. However, Table J-9 presented analytes (for example, trichloreothylene [TCE]) that were detected in every equipment rinsate. Therefore, the statement that the data are well represented based on the frequency of detection is unfounded. This should be corrected to state that the frequency of detection and concentration of analyses in equipment rinsates may have affected the representativeness of soil gas samples.

Response

The text has been revised to accurately reflect the results of equipment-rinsate analyses

19. Comment

Section 3 1 7 3, Page 3-23, Fifth Paragraph This section states that the metals detected in the equipment rinsates were "most likely" present in the distilled water (source water) used to rinse the equipment. The source water used for equipment rinsates should be analyzed and reported so that data support this statement.

Response

The text now states that no data are available to describe the distilled water used to prepare blanks. A suggestion to obtain analyses of the distilled water has also been added (see Section 6)

20 Comment

Sections 3 1 7 3 through 3 1 7 7 These sections discuss the representativeness of the data. Representativeness is analyzed with results from the equipment rinsates inaccurate equipment rinsate data are presented. For example, Section 3 1 7 4 states that 10 equipment rinsates were collected. However, corresponding Table J-12 shows that many analytes are not represented 10 times. All statements presented in the text should be supported by correct data in the tables.

The representativeness data are presented in Tables J-9 through J-15. The column entitled "Freq of Hits" refers to the number of detectable results per the total number of equipment rinses, field blanks, or trip blanks analyzed. All analytes are represented, although they may not have been detected.

21 Comment

Section 3 1 8, Page 3-30, Third Paragraph The second sentence states that analytical data for soil gas did not meet the target 90 percent completeness goal. The third sentence claims that the soil gas analytical data exceeded the 100 percent completeness goal. These are conflicting statements. The percent completeness for soil gas needs to be reassessed and consistently reported.

Response

Soil-gas samples collected at IHSS 114 using the BAT/CPT system did not meet the target completeness goal. Soil-gas samples collected at IHSS 203 using the hydropunch system did meet the target completeness goal. The text has been revised to clarify these points.

22. Comment

Section 3 1 8, Page 3-31, Second Paragraph Section 3 1 8 discusses completeness, which is represented in Table 3-5. As previously stated in specific comment number 16, discrepancies exist throughout Table 3-5. Therefore, Section 3 1 8 needs to be reassessed after Table 3-5 is reevaluated.

Response

Additional footnotes have been included with Table 3-5 to explain how the reported percentages were calculated. The text in Section 3.1.8 has also been revised to clarify how the reported completeness percentages were calculated.

23. Comment

Section 4.1, Page 4-1, Second Paragraph. The text states that histograms and box-and-whisker plots for each analyte from each medium were generated for both site and background data. Gilbert (1993) recommends that probability plots also be generated in order to determine the distribution of the data (that is, lognormal, normal, Welbull, or gamma). At a minimum, the text should describe how the distribution of the data was

determined Knowing the distribution of the data helps to select the optimum statistical test

Response

Probability plots are not used to select the optimum statistical test within the Gilbert test methodology. The test methodology is based on the concept of using a variety of statistical tests capable of detecting a wide range of possible contamination scenarios when used together. Three of the tests (Gehan, Slippage, and Quantile) are nonparametric and therefore do not require any assumptions regarding data distribution. The t-test is only used when data populations meet normality requirements (as determined by the Shapiro-Wilk test). Therefore, probability plots would not provide additional information required to perform these tests. Since failure of any test makes a chemical a PCOC, the question of determining which test is optimal is irrelevant.

24. Comment

Page 4-5, Second Paragraph The text states that the hot-measurement test will compare each measurement to a corresponding upper tolerance limit (UTL)_{99/99} value. The computed 99-percent UTL (UTL_{99/99}) is such that one is 99-percent confident the UTL is equal to or greater than the true 99th percentile of the population background measurements. Gilbert (1993) recommends the use of UTL_{95/95} value. The results of using the UTL_{99/99} is a large false negative error rate (that is, measurements from contaminated OUs would not be flagged). In other words, the use of UTL_{99/99} increases the possibility of eliminating a chemical as a PCOC based on background comparison when it is actually above background. This type of error should be minimized to the extent possible. An explanation of why the UTL_{99/99} rather than the UTL_{95/95} was used and the potential outcome of using this criterion should be provided for the reader.

Response

Gilbert (1993) does not recommend the use of the UTL_{96/95} value. On page 9, it explicitly states that while the UTL_{96/95} is an acceptable candidate for the hot measurement value, it may result in a high probability of a site measurement exceeding the UTL value when the site and background populations are identical. The discussion goes on to state that one way to reduce the number of false positive flags is to use a UTL that has a higher confidence on a larger percentile. The UTL_{99/99} is given as an example. EG&G guidance on implementing the Gilbert test methodology has adopted this approach (EG&G 1994b).

It should also be noted that the hot measurement test is not a formal statistical test because false positive and power requirements cannot be specified

25 Comment

Page 4-24, Second Paragraph The text states that the activity of americium-241 in one surface water sample from location SW098 exceeded the UTL_{99/99} value According to Table 4-20 it appears that uranium-235 and americium-238 also exceed their corresponding UTL_{99/99} values. The text should be corrected to be consistent with the table

Response

Americium-241, uranium-235, and uranium-238 activities exceeded the UTL_{99/99} in samples from SW098. The text has been corrected to be consistent with Table 4-20.

26. Comment

Page 4-25, Second Paragraph The texts states that Table 4-20 lists six VOCs and one semivolatile organic compound (SVOC) as PCOCs. Table 4-20 presents four VOCs and two SVOCs as PCOCs. The text should be corrected to be consistent with the table.

Response

Four VOCs and one SVOC were detected in samples from SW099 The text has been corrected to be consistent with Table 4-21

27. Comment

Page 4-27, Third and Fourth Paragraphs These sections state that total VOC concentrations were estimated by summing the concentrations of the most frequently detected VOCs at OU7. This procedure is not typically performed in risk assessments and is not consistent with current Risk Assessment Guidance for Superfund (RAGS) EPA 1989. The text should describe how this information will be used in the risk assessment.

Response

This information was not intended for use in a risk assessment. It is meant to be used to evaluate the nature and extent of contamination.

28. Comment

Page 4-35, Fifth Paragraph The text states that methylene chloride and acetone were detected in laboratory blanks. RAGS states that common laboratory contaminants may not be eliminated from the COC selection process unless they are less than 10 times the contaminants in the blank samples. The text should provide this information and these

chemicals should not be eliminated unless they are less than 10 times the concentration in the laboratory blank

Response

The PCOC'selection process is based on the test methodology stated in Gilbert (1993) and EG&G guidance for implementing the methodology. These chemicals were not eliminated as PCOCs based on the analysis described in the comment. The PCOC selection process was used to describe the nature and extent of contamination at OU 7.

29. Comment

Page 4-27, Paragraph 3 The use of "total" VOC concentrations to evaluate the nature and extent of VOC contamination is not appropriate. The nature and extent should be evaluated for individual constituents or groups of similar compounds (such as chlorinated VOCs). The text should be modified to include this evaluation.

Response

The nature and extent of contamination was evaluated using concentrations of chemical groups such as chlorinated hydrocarbons, BTEX, and SVOCs (See figures 4-31, 4-32, and 4-33) Individual VOC constituents were detected infrequently at any one location, and as a result, their spatial distribution could not be evaluated

30. Comment

Page 5-11, Paragraph 1 The text concludes that two sediment samples collected from the East Landfill Pond are sufficient to characterize the extent of contamination in East Landfill Pond sediment. This conclusion is based on a calculation using an equation present in Section 5.4.7 However, the variance used in this calculation was determined from the analysis of three samples. In general, analytical results from three samples is not considered sufficient to provide an accurate estimate of variance. Therefore, additional sampling of the East Landfill Pond sediments are necessary to determine the nature and extent of contamination in pond sediments. The additional data would also be useful in assessing the fate and transport of contaminants entering the pond and in determining the remediation potential of the system (see general comment 7).

Response

It is agreed that analytical results from three samples are generally not considered sufficient to provide an accurate estimate of variance. However, state LDRs do not trigger further action at the East Landfill Pond, therefore, the sediments will be covered by the landfill cap and no further sampling is required.

31. Comment

Section 5 6 3, Page 5-22, Item 1 The first item of this paragraph lists types of data needed for landfill cap design, but does not address future landfill settlement. An effort should be made to predict future settlement of the landfill. Differential settlement will occur across the site based on the overall thickness and age of the waste, moisture content, and type of water. The design of the landfill cap or post-closure maintenance of the cap will be affected by the overall settlement. Evolution of the settlement prior to design will provide a more realistic and functional cap design or post-closure maintenance program.

Response

Although information on differential settlement is important for single-layer clay caps because the clay barrier is compromised with movement or desiccation, differential settlement is not as important for multiple-layer caps. The use of synthetic materials in multiple-layer caps (e.g., geogrid fabric) overcomes settlement problems. In addition, most of the waste material at the Present Landfill is composed of construction debris (asphalt, concrete, wood, etc.), and waste within the primary layer of the landfill is fairly old, therefore subsidence is not considered an issue

32. Comment

Section 5 6 3, Page 5-22, Item 2 The second item of this paragraph lists information needed for leachate control, but does not address migration of upgradient groundwater through or beneath the groundwater diversion system and into the landfill. Further evaluation or discussion of the existing leachate control/groundwater diversion systems should be included to assess their impact on the volume and rate of leachate generated

Response

Existing landfill structures will be abandoned in place and replaced as one component of the presumptive remedy under the landfill closure IM/IRA. The landfill cap and slurry wall will prevent infiltration of water and formation of leachate in the future

33. Comment

Section 5.6 5, Page 5-25, Decision Route 4 Landfill gas control is typically necessary to ensure cap integrity and meet potential air emission applicable and relevant or appropriate requirements (ARARs). If gas treatment is not necessary based on ARARs, gas control should still be considered to ensure cap integrity and potential gas migration problems. The text should be modified to address potential gas migration problems.

Gas control or gas collection and treatment is one component of the presumptive remedy under the landfill closure IM/IRA The text has been revised to clarify this issue

34. Comment

Section 6.4, Page 6-14. This section presents the methodology for collecting samples to determine the physical properties of this interim soil cover. It is assumed that this determination will be used to evaluate the appropriateness of the interim soil cover as a final cover or as a structural base for the final cover. The text should be modified to clearly support this assumption.

The procedures state that the samples will be collected from the upper 2 inches of the cover. This appears to be inadequate to evaluate the properties of the interim cover. Samples that represent the entire profile of the interim soil cover would be more appropriate. The stability or structural quality of the soil will also be based on the stability of the refuse. The decomposition or consolidation potential of the refuse should also be determined to evaluate final cover options (see specific comment number 31).

Additionally, physical properties of the soil are being evaluated. Therefore, procedures related to collection of samples for chemical analysis (such as equipment rinse blanks and decontamination) are not necessary and should be deleted from the discussion

Response

A determination of the load-bearing capability of the existing soil cover material is not necessary for the landfill cover design. The field sampling has been revised accordingly

35. Comment

Page 6-4, Paragraph 4 This paragraph proposes eight additional monitoring wells to meet three objectives, one of which is to evaluate the effectiveness of the groundwater intercept system. However, no action is proposed to close the gap in data for the north slurry wall. The slurry wall should be accurately located relative to the well pair 6787/6887. If it is determined that the well pair straddles the slurry wall, it should be concluded that the slurry wall is ineffective and that the groundwater recharges the landfill along this boundary. Water balance calculations, leachate volume calculations, and inputs to the Hydrologic Evaluation of Landfill Performance (HELP) model should be revised accordingly. If it is determined that the well pair does not straddle the slurry wall, a monitoring well should be installed on the opposite side of the wall from the well pair at this location.

40

The data gaps regarding the effectiveness of the groundwater intercept system and the north slurry wall are irrelevant. No additional monitoring wells are proposed. As a result of the adoption of a presumptive remedy strategy for OU 7, the groundwater intercept system and slurry walls will be abandoned in place under the leachate control element of the presumptive remedy, and a new slurry wall will be constructed around the entire landfill under the footprint of the cover. Therefore, there is no need to evaluate the effectiveness of the groundwater intercept system or the slurry walls.

36. Comment

Page 6-12, Paragraph 1 The discussion on drawdown recovery testing states that the test will be started immediately after the last bailer of water is removed from the well. The text should be more accurate if it is started the instant the bailer is lifted above the water level in the well.

Response

The discussion of drawdown recovery testing follows Rocky Flats Standard Operating Procedures. In addition, the initial response measures the properties of the filter pack not the properties of the surrounding formation (see Section 2.5.2.1, page 2-21).

37 Comment

Figure 6-3 The well pair that is to be drilled astride the north groundwater intercept system is not depicted on this figure showing proposed phase II monitoring well locations. These wells should be added to the figure

Response

See response to Comment 35

38. Comment

Section 7-1, Page 7-1, Second Paragraph This paragraph discusses the list of field QC samples collected at OU7 Matrix spike (MS) and matrix spike duplicates (MSD) are not included in this list. MS/MSD samples are collected in the field at the time of sampling and are used to evaluate analytical precision and accuracy MS/MSD is a routine application and QC procedures for controlling the reliability and defensibly of data collected MS/MSDs should be included in the field QC program and discussed in this section

There are only four proposed wells and they will be sampled only monthly for four months for the Phase II field investigation MS/MSD samples will be collected as part of the groundwater sampling program at these wells

39. Comment

Section 7-1, Page 7-1, Sixth Paragraph. This paragraph states that trip blanks will accompany each shipment of water samples for VOC analysis. Trip blanks are used to assess sources of contamination and cross contamination and their impact on data quality. Trip blanks should accompany all materials that receive VOC analysis, including water samples. The sampling program and the text should be modified to include trip blanks with all VOC samples collected.

Response

The only samples proposed for collection under Phase II that will be analyzed for VOCs are groundwater samples. The text has been modified to state that trip blanks will accompany each shipment of samples for VOC analysis.

40 Comment

Section 7.2, Page 7-2, Second Paragraph. This paragraph states that QC procedures for non-CLP methods will be developed as needed. QC procedures should be addressed prior to sampling and analysis. All analytical methods and QC procedures should be discussed in the revised work plan.

Response

All samples will undergo CLP Level IV analyses

41. Comment

Section 7.3.2, Page 7-3, Second Paragraph This section states the accuracy is expressed as a %R of a spike. Accuracy is not only the assessment of the %R, but also evaluation of field and trip blanks. Accuracy measures the bias of the sampling and analytical procedures and all appropriate QC samples should be evaluated and described in the revised work plan.

Equipment and trip blanks were evaluated and are described in Section 7.3.3, Representativeness. These samples provide information to evaluate cross-contamination or contamination during transport of environmental samples but do not provide a measure of sampling or analytical bias.

4 0 Conclusion

The OU7 Revised Work Plan has three significant problems (1) the site hydrogeology is poorly characterized, (2) the analysis of data quality and usability is incomplete and deviates frequently from standard practices, and (3) it is not clear from the text how the presumptive remedy will be implemented and whether enough data will be collected to assure efficient operation and maintenance of the closed landfill

Most of the problems with this hydrogeologic characterization can be attributed to uncertainty in the location of landfill structure. Broad assumptions regarding the effectiveness of the groundwater diversion/leachate control systems and slurry walls are incorporated into the water balance and the calculations of leachate volume, and ultimately will be incorporated into the modeling of leachate flow rate. In addition, poor application of basic hydrogeologic principles is evident in the calculation of hydraulic gradients. The presentation of the water balance is unfocused and confusing and does not appear to be linked to a site conceptual model.

The data quality analysis often deviates from established practices or is inconsistently applied to different analyte groups. A more thorough data quality analysis should be performed, other sections of the report may then have to be revised, depending on the results of the analysis.

The presumptive remedy is not presented in sufficient detail to ascertain whether significant issues in the operation and maintenance of the presumptive remedy, such as landfill settlement and gas control to ensure cap integrity, will be addressed. Furthermore, it is never explicitly stated whether the existing landfill structures (groundwater collection/leachate control systems and slurry walls) are to be incorporated into the design and whether they will require any upgrading. Finally, the remediation of the East Landfill Pond should be discussed in more detail, particularly regarding how leachate control will be handled if the pond is significantly altered during remediation.

Response

The existing landfill structures will be replaced under the presumptive remedy. Therefore, discussion about the effectiveness of the structures is irrelevant. Basic hydrogeologic principles were used to calculate hydraulic gradients. The methodology has been clarified

- in the text. The presentation of water balance has been revised and linked to the site hydrologic model
- 2 Standard practices were followed in the analysis of data quality and usability
 Inconsistencies or discrepancies between text, tables, and conclusions drawn have been corrected
- A detailed discussion of the presumptive remedy has been included in Section 1 as requested. Data gaps for remedial design have been identified in Section 5. Proposed field activities to alleviate data gaps are presented in Section 6.

References

- Brady, N.C. 1974 The Nature and Properties of Soils MacMillen Publishing Co., Inc., New York, NY 208 p.
- DOE 1991 Final Phase I RFI/RI Work Plan, Rocky Flats Plant Present Landfill (IHSS 114) and inactive Hazardous Waste Storage Area (IHSS 203), Operable Unit No 7 December
- EG&G 1991a Geophysical Applications for RCRA/CERCLA investigations, Task 4, Ground Penetrating Radar (Landfill), Rocky Flats Plant. Draft Report. March
- EG&G 1991b Rocky Flats Plant Site-Wide Quality Assurance Project Plan for CERCLA Remedial Investigations/Feasibility Studies and RCRA Facility Investigations/Corrective Measure Studies
- EG&G 1994a RCRA Annual Groundwater Monitoring Report for Regulated Units at the Rocky Flats
 Plant EG&G Rocky Flats, Inc., Golden, CO February
- EG&G 1994b Statistical Comparisons of Site-to-Background Data in Support of RFI/RI investigations

 Rocky Flats Plant Guidance Document Draft B January
- EPA 1993 Presumptive Remedy for CERCLA Municipal Landfill Sites Office of Solid Waste and Emergency Response EPA/540/F-93/035 September
- Gilbert, R.C. 1993 Letter Report to Beverly Ramsey, Systematic Management Services, Inc.
- Hurr, R T 1976 Hydrology of a Nuclear Processing Plant Site, Rocky Flats, Jefferson County, Colorado USGS Open File Report 76-268, 68 p
- McWhorter, D B, and D K Sunada 1977 Ground-Water Hydrology and Hydraulics Water Resources Publications, Littleton, CO 290 p
- U.S. Environmental Protection Agency (EPA) 1989 Risk Assessment Guidance for Superfund (RAGS), Office of Emergency and Remedial Response EPA/540/1-89/002 December